

**NAVAL
SHORE ELECTRONICS
CRITERIA**

**VLF, LF, AND MF
COMMUNICATION SYSTEMS**

**DEPARTMENT OF THE NAVY
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360**

LIST OF EFFECTIVE PAGES

Total number of pages in this manual is 275 consisting of the following:

Page Number	Effective Date
Title	August 1972
A, B	August 1972
Foreword	August 1972
i through ix	August 1972
1-1 through 1-16	August 1972
2-1 through 2-68	August 1972
3-1 through 3-55	August 1972
4-1 through 4-38	August 1972
5-1 through 5-9	August 1972
6-1 through 6-30	August 1972
7-1 through 7-20	August 1972
A-1 through A-21	August 1972
B-1 through B-4	August 1972
FO 4-1	August 1972

RECORD OF CHANGES

CHANGE NO.	DATE	TITLE OR BRIEF DESCRIPTION	ENTERED BY

FOREWORD

This handbook presents ready-reference criteria for planning, engineering, installation, and checkout of VLF, LF, and MF communication equipment installed on Naval shore stations. The purpose of this handbook is to provide technical guidance to system planners, engineers, and other personnel in reference to VLF, LF, and MF systems. Criteria concerning system configuration details, interface between the various system elements, and current NAVEX policy with respect to the planning, engineering, and installation of the communication systems are also included. Topics pertinent to these systems are treated as comprehensively as possible, by including either established standards or current field proven practices.

TABLE OF CONTENTS

Chapter		Page
	LIST OF EFFECTIVE PAGES	A
	RECORD OF CHANGES	B
	FOREWORD	Foreword
	TABLE OF CONTENTS	i
	LIST OF ILLUSTRATIONS	iii
	LIST OF TABLES	ix
1	VLF, LF, AND MF COMMUNICATIONS	
	1.1 VLF Communication	1-1
	1.2 LF Communication	1-13
	1.3 MF Communication	1-16
2	VLF, LF, AND MF SIGNAL PROPAGATION	
	2.1 Ground Wave Propagation	2-1
	2.2 Ionospheric Wave Propagation	2-8
	2.3 Attenuation	2-15
	2.4 Distance Versus Effective Radiated Power (ERP)	2-25
	2.5 Noise and Interference	2-36
	2.6 Limiting Noise and Interference	2-54
	2.7 Reliability and Propagation Limitations	2-58
	2.8 Frequency Considerations	2-60
	2.9 Computer Prediction Techniques	2-61
	2.10 Digital Signals	2-64
3	VLF COMMUNICATION EQUIPMENT	
	3.1 VLF Radio Transmitting Station Equipment	3-1
	3.2 OMEGA VLF Radio Transmitting Station Equipment	3-52
	3.3 VLF Radio Receiving Equipment	3-52
	3.4 OMEGA VLF Radio Receiving Equipment	3-55
4	LF/MF COMMUNICATION EQUIPMENT	
	4.1 General	4-1
	4.2 Transmitting System	4-1
	4.3 Transmitting Antennas	4-15
	4.4 Grounding System Considerations	4-28
	4.5 Antenna Protection Circuits	4-32

TABLE OF CONTENTS (Continued)

Chapter		Page
4.6	Antenna Matching Components	4-32
4.7	Receiving Equipment	4-37
4.8	Receiving Antennas	4-38
5	VLF, LF, AND MF COMMUNICATIONS SYSTEM SITING	
5.1	Site Selection Considerations	5-1
5.2	VLF Site Criteria	5-2
5.3	LF/MF Site Criteria	5-6
5.4	VLF Cost - Tradeoff Factors	5-8
6	VLF INSTALLATION-EVALUATION AND ACCEPTANCE	
6.1	Station Acceptance Considerations	6-1
6.2	Equipment Evaluation and Acceptance	6-3
6.3	System Evaluation and Acceptance	6-22
6.4	Field Measuring Techniques	6-26
7	LF/MF INSTALLATION-EVALUATION AND ACCEPTANCE	
7.1	Antenna Matching	7-1
7.2	Transmission Line Characteristics	7-3
7.3	LF Field Intensity Measurements	7-9
7.4	MF Installation Requirements	7-20
APPENDIXES		
A	ATMOSPHERIC NOISE DATA	A-1
B	REFERENCES	B-1

LIST OF ILLUSTRATIONS

Number	Title	Page
1-1	Comparison of Transmission Format of Letter A Using 5-, 7-, and 8-Unit Code Systems	1-8
1-2	Diagram of a Typical Radio Communication System	1-11
1-3	Simplified VLF Transmitting Antenna	1-12
2-1	Nighttime Interference Patterns	2-2
2-2	Amplitude of Ground Wave Electric Field for f = 5, 10 and 20 kHz at $\sigma = 4$	2-3
2-3	Amplitude of Ground Wave Electric Field for f = 50, 100, 200 and 500 kHz at $\sigma = 4$	2-4
2-4	Amplitude of Ground Wave Electric Field for f = 5, 10 and 20 kHz at $\sigma = 10^{-2}$	2-5
2-5	Amplitude of Ground Wave Electric Field for f = 50, 100, 200 kHz at $\sigma = 10^{-2}$	2-6
2-6	Amplitude of Ground Wave Electric Field for f = 5, 10, 20 kHz at $\sigma = 10^{-3}$	2-7
2-7	Transmission Loss Expected Between Short Vertical Electric Dipole Antennas at Day Over Land (Typical)	2-10
2-8	Transmission Loss Expected Between Short Vertical Electric Dipole Antennas at Day Over Sea Water (Typical)	2-11
2-9	Transmission Loss Expected Between Short Vertical Dipole Antennas at Night Over Land (Typical)	2-12
2-10	Transmission Loss Expected Between Short Vertical Dipole Antennas at Night Over Sea Water (Typical)	2-13
2-11	Transmission Loss Arising From a Change in the Radiation Resistance of Short Dipole Antennas Near a Perfectly Conducting Surface (Typical)	2-14
2-12	Median Daytime Transmission Loss at 20 kHz (Typical).....	2-16
2-13	Median Nighttime Transmission Loss at 20 kHz (Typical).....	2-17
2-14	Median Transmission Loss Over Land at 50 kHz (Typical).....	2-18
2-15	Median Transmission Loss Over Sea at 50 kHz (Typical)	2-19
2-16	Median Transmission Loss Over Land at 100 kHz (Typical)	2-20
2-17	Median Transmission Loss Over Sea at 100 kHz (Typical)	2-21
2-18	Median Transmission Loss Over Land at 200 kHz (Typical)	2-22
2-19	Median Transmission Loss Over Sea at 200 kHz (Typical)	2-23
2-20	Variation of Attenuation Factor a With Frequency for Various Propagation Paths	2-26
2-21	Vertical Electric Field Strength as a Function of Distance From a 1 kW Radiating Source for Various Values of Attenuation Factor	2-27

LIST OF ILLUSTRATIONS (Continued)

Number	Title	Page
2-22	Variation of the Vertical Electrical Field Strength With Distance From a 1 kW Radiating Source at 1 to 4 kHz	2-28
2-23	Variation of Vertical Electric Field Strength With Distance From a 1 kW Radiating Source at 4 to 20 kHz	2-29
2-24	Variation of Vertical Electric Field Strength With Distance From a 1 kW Radiating Source at 20 to 100 kHz	2-30
2-25	Variation of Vertical Electric Field Strength With Frequency at Various Distances From a 1 kW Radiating Source	2-31
2-26	Average Attenuation Rate for Daytime Conditions and a Mixed Path (20% Land, 80% Sea)	2-32
2-27	Effective Radiated Power Required for Tropical Receiving Areas	2-34
2-28	Effective Radiated Power Required for Polar Receiving	2-35
2-29	Median Observed Noise Power at Balboa, C.Z.	2-40
2-30	Median Observed Noise Power at Boulder, Colorado	2-40
2-31	Median Observed Noise Power at Cook, Australia	2-41
2-32	Median Observed Noise Power at Ohira, Japan	2-41
2-33	Median Observed Noise Power at Kehaha, (Kauai) Hawaii	2-42
2-34	Frequency Spectrum of the Radiation Component Equivalent Field Intensity at a Distance of One Mile	2-44
2-35	Expected Values of Radio Noise in dB Above KTB at 1 MHz From 0400 - 0800 Hours for September, October, and November	2-46
2-36	Time Block Median Values of Radio Noise Expected for a Short Vertical Antenna	2-47
2-37	Median Values of Radio Noise (for a Short Vertical Antenna), Time Blocks: 0000-0400 and 2000-2400 Hours - All Seasons, 0400-0800 and 1600-2400 Hours - Autumn and Winter	2-49
2-38	Median Values of Radio Noise (for a Short Vertical Antenna), Time Blocks: 0800-1200 and 1200-1600 Hours - All Seasons, 0400-0800 and 1600-2000 Hours - Spring and Summer	2-50
2-39	Nomogram for Transforming Effective Antenna Noise Figure to Noise Field Strength as a Function of Frequency	2-51
2-40	Expected Noise Level Variations From Time Block Median	2-52
2-41	Distribution of Time Between Pulses of VLF Spherics in the Arctic (Autumn)	2-54
2-42	Distribution of Time Between Pulses of VLF Spheric in the Temperate Zone (Autumn)	2-55
2-43	Distribution of Time Between Pulses of VLF Spheric in the Torrid Zone (Autumn)	2-55

LIST OF ILLUSTRATIONS (Continued)

Number	Title	Page
2-44	Field Intensity MV/Meter Arctic (Autumn)	2-56
2-45	Field Intensity MV/Meter, Temperate Zone (Autumn)	2-57
2-46	Field Intensity MV/Meter, Torrid Zone (Autumn)	2-57
2-47	Performance of FSK Binary Digit System	2-66
2-48	Performance of FSK Eight Unit Interval Start-Stop TTY System	2-67
3-1	VLF Radio Transmitting Station Simplified Configuration, Block Diagram	3-2
3-2	RF Signal Flow, Block Diagram (Typical)	3-4
3-3	Typical IPA and PA Block Diagram (4 PA Transmitter Shown)	3-6
3-4	Helix Room Equipment, Functional Block Diagram for AN/FRT-67 Transmitter	3-10
3-5	Triatic Type Antenna	3-11
3-6	Golieth Type Antenna	3-12
3-7	Trideco Type Antenna	3-13
3-8	Natural Canyon-Type Antenna	3-14
3-9	Jim Creek Antenna, Pictorial View	3-15
3-10	Cutler, Maine Antenna-Installation, Plan View	3-16
3-11	Annapolis Top Hat Arrangement	3-18
3-12	Balboa (Summit) Antenna Pictorial View	3-19
3-13	Lualualei Antenna, Pictorial View	3-19
3-14	Australia, Antenna Location	3-20
3-15	Yosami, Japan Antenna, Pictorial View	3-21
3-16	Equivalent VLF Transmitting Antenna Circuit	3-23
3-17	Electric Field - Small Monopole Above Earth	3-26
3-18	Maximum Theoretical Efficiency	3-30
3-19	Equivalent Circuit of Wired Portion of Antenna Ground System	3-32
3-20	Loss Resistance as a Function of Effective Height for Various Wire Densities	3-33
3-21	Antenna Electrical Characteristics	3-35
3-22	Antenna Characteristics Nomograph	3-38
3-23	Circuit Equivalent of Small Section of Line	3-41
3-24	Lumped Circuit	3-41
3-25	Comparison of Horizontal and Vertical Polarizations	3-44
3-26	Ground-System Elements (Typical for LF Systems)	3-46
3-27	OMEGA Radio Transmitting Station Simplified Configuration Block Diagram	3-53
3-28	Radio Receiving Set AN/BRR-3 and Accessory Equipment (Typical)	3-54

LIST OF ILLUSTRATIONS (Continued)

Number	Title	Page
4-1	Radio Transmitting Set AN/FRT-19 (Obsolescent)	4-4
4-2	Radio Transmitting Set AN/FRT-19, Detailed Block Diagram	4-5
4-3	Radio Transmitting Set AN/FRT-72B, Pictorial View	4-7
4-4	Radio Transmitting Set AN/FRT-72B, Block Diagram	4-8
4-5	Helix House Floor Plan, Typical	4-9
4-6	Typical Helix House Tuning Equipment (LF)	4-10
4-7	AN/FRT-72 () Equipment Floor Plans	4-11
4-8	LF General Purpose Transmitter, AN/FRT-74	4-12
4-9	Vertical Radiation Patterns for Different Heights of Vertical Antennas	4-16
4-10	Current Distribution on Vertical Antenna and Image of Vertical Antenna Over Perfectly Conducting Plane	4-17
4-11	Radiated Field and Radiation Resistance as a Function of Antenna Height G	4-18
4-12	Base Resistance of Cylindrical Antennas as a Function of Characteristic Impedance	4-20
4-13	Base Reactance of Cylindrical Antennas as a Function of Characteristic Impedance	4-21
4-14	Inverted-L Antenna Configurations	4-22
4-15	T-Antenna Configurations	4-24
4-16	630-Foot Pan-Polar LF-VLF Antenna	4-26
4-17	NORD Antenna Basic Configuration	4-27
4-18	Relative Power Versus Length of Radial Wires	4-30
4-19	Zone Currents Returning to the Antenna as a Function of Antenna Height G	4-31
4-20	LF Antenna Matching Equipment, Block Diagram (Typical)	4-34
4-21	T and Pi Networks Suitable for Impedance Transformation and Phase Control	4-36
4-22	Use of Tank Circuit for High-Impedance Transformation Ratio	4-37
6-1	Fault Amplifier Test Circuit Simplified Schematic	6-7
6-2	Measurement Input Impedance of PA Grid Circuit	6-12
6-3	Pauli Method of Antenna Resistance Measurement	6-17
6-4	Simplified Schematic of Antenna Resistance Measurement	6-19
6-5	Schematic of Antenna Current Meter Calibration	6-20
6-6	Calibrated Coil	6-21
6-7	Antenna Feed Point	6-23
6-8	Insertion of Voltage at the Antenna, Schematic Diagram	6-27

LIST OF ILLUSTRATIONS (Continued)

Number	Title	Page
7-1	Impedance Diagram to Determine if Antenna Feed VSWR is Within Limits	7-2
7-2	Plot of SWR Versus Forward and Reflected Power	7-4
7-3	Nomogram Relating Input and Output VSWR to Line Loss for Low-Loss Lines	7-7
7-4	Nomogram Relating Input and Output VSWR to Line Loss for High-Loss Lines	7-8
7-5	Calibration Circuit Schematic - Unbalanced Loop Antenna	7-13
7-6	Calibration Circuit Schematic -Balanced Loop Antenna	7-13
7-7	Equivalent Circuit for Loop Antenna Oriented for Maximum Pick-up in Electric Field, E	7-15
7-8	Arrangement of Equipment for FI Measurement Calibration	7-15
A-1	Expected Value of Radio Noise at 1 MHz (December, January and February; 0000-0400 and 2000-2400)	A-2
A-2	Expected Value of Radio Noise at 1 MHz (December, January and February; 0400-0800)	A-3
A-3	Expected Value of Radio Noise at 1 MHz (December, January and February; 0800-1200)	A-4
A-4	Expected Value of Radio Noise at 1 MHz (December, January and February; 1200-1600)	A-5
A-5	Expected Value of Radio Noise at 1 MHz (December, January and February; 1600-2000)	A-6
A-6	Expected Value of Radio Noise at 1 MHz (March, April and May; 0000-0400 and 2000-2400)	A-7
A-7	Expected Value of Radio Noise at 1 MHz (March, April and May; 0400-0800)	A-8
A-8	Expected Value of Radio Noise at 1 MHz (March, April and May; 0800-1200)	A-9
A-9	Expected Value of Radio Noise at 1 MHz (March, April and May; 1200-1600)	A-10
A-10	Expected Value of Radio Noise at 1 MHz (March, April and May; 1600-2000)	A-11
A-11	Expected Value of Radio Noise at 1 MHz (June, July and August; 0000-0400 and 2000-2400)	A-12
A-12	Expected Value of Radio Noise at 1 MHz (June, July and August; 0400-0800)	A-13
A-13	Expected Value of Radio Noise at 1 MHz (June, July and August; 0800-1200)	A-14

LIST OF ILLUSTRATIONS (Continued)

Number	Title	Page
A-14	Expected Value of Radio Noise at 1 MHz (June, July and August; 1200-1600)	A-15
A-15	Expected Value of Radio Noise at 1 MHz (June, July and August; 1600-2000)	A-16
A-16	Expected Value of Radio Noise at 1 MHz (September, October and November; 0000-0400 and 2000-2400)	A-17
A-17	Expected Value of Radio Noise at 1 MHz (September, October and November; 0400-0800)	A-18
A-18	Expected Value of Radio Noise at 1 MHz (September, October and November; 0800-1200)	A-19
A-19	Expected Value of Radio Noise at 1 MHz (September, October and November; 1200-1600)	A-20
A-20	Expected Value of Radio Noise at 1 MHz (September, October and November; 1600-2000)	A-21
FO 4-1	AN/FRT-74 LF Transmitter, Block Diagram	FO 4-1

LIST OF TABLES

Number	Title	Page
2-1	Worldwide Atmospheric Median Noise Levels Expected at 10 kHz for a 1 Hz Noise Envelope Bandwidth	2-24
2-2	Median RMS Noise Field (E_{nm}) for Noise Grades 50 and 90	2-36
4-1	Antenna Characteristics	4-6
4-2	LF Transmitter Technical Characteristics	4-13
5-1	Typical Values of Ground Constants	5-5
7-1	Losses Due to Mismatch of a Transmission Line and its Load	7-3

