

This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.

Google™ books

<https://books.google.com>



D 211.6: E/ 2




NAVSHIPS 91955

✓ HANDBOOK
of
ELECTRONIC
ACOUSTIC PARTS

BUREAU OF SHIPS

NAVY DEPARTMENT



NAVSHIPS 91955

★

HANDBOOK
of
ELECTRONIC
ACOUSTIC PARTS

BUREAU OF SHIPS

NAVY DEPARTMENT



LIST OF EFFECTIVE PAGES

PAGE NUMBERS	CHANGE IN EFFECT	PAGE NUMBERS	CHANGE IN EFFECT
Title Page	Original	3-1 to 3-28	Original
A to C	Original	4-1 to 4-iv	Original
i to ii	Original	4-1 to 4-10	Original
1-1 to 1-vi	Original	5-1 to 5-11	Original
1-1 to 1-18	Original	5-1 to 5-2	Original
2-1 to 2-viii	Original	6-1 to 6-11	Original
2-1 to 2-26	Original	6-1 to 6-6	Original
3-1 to 3-viii	Original		



DEPARTMENT OF THE NAVY
BUREAU OF SHIPS
WASHINGTON 25, D. C.

IN REPLY REFER TO
Code 993-100
15 June 1953

From: Chief, Bureau of Ships
To: All Activities Concerned with Pro-
curement, Installation, Operation
and Maintenance of Acoustic Parts

Subj: Handbook of Electronic Acoustic
Parts NAVSHIPS 91955

1. This Handbook of Electronic Acoustic Parts is in effect upon receipt.
2. When superseded by a later edition, this publication shall be destroyed.
3. Extracts from this publication may be made to facilitate the preparation of other Department of Defense Publications.
4. All Navy requests for NAVSHIPS Electronics publications should be directed to the nearest District Publications and Printing Office. When changes or revised books are distributed, notice will be included in the Bureau of Ships Journal and in the Index of Bureau of Ships General and Electronics Publications, NAVSHIPS 250-020.


H. A. WALLIN
Chief of Bureau

ELECTRONIC ACOUSTIC PARTS

TABLE OF CONTENTS

<i>Title</i>	<i>Page</i>	<i>Title</i>	<i>Page</i>
Introduction	ii	Replacement List	3-iv
		Interchangeability List	3-vi
		Descriptions	3-1/3-28
SECTION 1 - HANDSETS		SECTION 4 - CHEST SETS	
Preferred Parts	1-i	Preferred Parts	4-1
Design Information	1-i	Design Information	4-1
Cross Index		Cross Index	
Type Number to Stock Number	1-ii	Type Number to Stock Number	4-ii
Stock Number to Type Number	1-ii	Stock Number to Type Number	4-ii
Replacement List	1-iii	Replacement List	4-iii
Interchangeability List	1-iv	Interchangeability List	4-iv
Descriptions	1-1/1-18	Descriptions	4-1/4-10
SECTION 2 - HEADSETS		SECTION 5 - HEADSET-CHESTSET ASSEMBLIES	
Preferred Parts	2-1	Cross Index	
Design Information	2-1	Stock Number to Type Number	5-1
Cross Index		Replacement List	5-1
Type Number to Stock Number	2-ii	Descriptions	5-1/5-2
Stock Number to Type Number	2-iii		
Replacement List	2-iv	SECTION 6 - HEADSET-MICROPHONE ASSEMBLIES	
Interchangeability List	2-vi	Preferred Parts	6-1
Descriptions	2-1/2-26	Cross Index	
		Type Number to Stock Number	6-1
SECTION 3 - MICROPHONES		Replacement List	6-ii
Preferred Parts	3-1	Interchangeability List	6-ii
Design Information	3-1	Descriptions	6-1/6-6
Cross Index			
Type Number to Stock Number	3-ii		
Stock Number to Type Number	3-iii		

INTRODUCTION

PURPOSE:

This handbook is intended as a guide for the selection of preferred parts, the superseding of obsolete parts, and the substitution of acceptable acoustic parts now being used with Navy electronics equipment.

SCOPE:

Each part section contains a cross-index for the identification of parts therein; a preferred parts listing and also design notes for the design of new equipment; a replacement list to show how the preferred types supersede obsolete types; and a description of each type.

EXPLANATION OF LISTINGS:

CROSS-INDEX: This index is a ready cross reference of type numbers to SNSN's and also SNSN's to type numbers.

PREFERRED PARTS: This is a list of the parts considered standard by the Navy Electronics Division. These parts must be used in all new equipment.

DESIGN NOTES: The design notes are detailed information of the types of cordage and connectors used with the preferred parts.

REPLACEMENT LIST: This is a list to indicate if parts are preferred, superseded, obsolete or under the cognizance of another branch of the Armed Services. This list also contains the replacement for parts that are superseded and information as to whether or not a field change is required.

SUBSTITUTION LIST: This is a detailed listing of parts already in the supply system that are directly interchangeable and how these parts can be modified to be substituted for other existing parts.

DESCRIPTION: This tabulation gives a picture and a detailed technical description of each part.

EXPLANATION OF REPLACEMENT LIST CATEGORIES:

The following explanation of the categories into which the various parts are divided, as indicated in the lists, will serve as a guide to the user in the selection of the best parts for a particular application.

ITEMS IN EITHER I OR II MUST BE USED IN ALL NEW EQUIPMENTS.

CATEGORY I - Consists of acoustic items which are considered standard by the Navy.

CATEGORY II - Consists of acoustic items under development and may be placed in category I in the future.

CATEGORY III - Items for end use replacement purposes in existing equipment.

CATEGORY IV - Items not under ESO cognizance (see remarks) and obsolete items.

CATEGORY V - Items not to be procured without written authorization of BuShips Code 817.

SECTION 1 HANDSETS

PREFERRED PARTS

This list contains those parts which are considered standard for the applications listed. In the design of new equipments, all handsets procured should be procured from this list. No other types should be procured except those required for maintenance of equipment already in the field for which no standard part is applicable.

I - HANDSETS FOR STANDARD NAVAL COMMUNICATIONS

- (a) NT-51007 - Handset only
- (b) NT-51013 * c/o NT-51007 Handset
NT-49873 Cord
AN/3106A-14S-5P Connector
- (c) NT-51081 * c/o NT-51007 Handset
CX-1846/U Cord Assembly

*Handsets will no longer be stocked as complete assemblies. When complete assemblies are needed, ordering activity should request handset and components applicable.

II - HANDSETS FOR NOISE CANCELLING AND RUGGEDIZED CONDITIONS

- (a) H-51/U Carbon
- (b) H-52/U Dynamic

DESIGN INFORMATION

IMPEDANCE AND CONNECTOR DATA ON PREFERRED TYPES OF HANDSETS

Transmitter Resistance: 35-50 ohms
Receiver Impedance: 600 ohms at 1000 cps
Connector: AN/3106A-14S-5P

CROSS INDEX

TYPE NUMBER TO STOCK NUMBER

TYPE NO.	SNSN	SIG C STOCK NO.	MFOR'S TYPE
51007	N17-H-20001-1017		CRV#P-720305
51007-A			
51008-A	N17-H-20001-1018		CQE
51008-A	N17-H-20001-1019		CRV#MI-2476
51013	N17-H-20001-1008		CRV
51017	N17-H-20001-1004		CAU#Z-6173
51019	N17-H-20001-1020		CRV#MI-8727
51019-A	N17-H-20001-1021		CRV
51026	N17-H-20001-1001		CRM#K-131SL60
51027	N17-H-20001-1002		CW#302-AW-3
51032	N17-H-20001-1022		CW#F3AW3
51040	N17-H-20001-1023		CAU#L-880-B0
51050	N17-H-20001-1024		CAU#70 590-1
51062	N17-H-20001-1025		
51063	N17-H-20001-1026		COL
51064	N17-H-20001-1002		
51070	N17-H-20001-1027		CW#D-173323
51072	N17-H-20001-1028		CW#F3AW3
51076	N17-H-20001-1029		CCN#2592-X
51081	N17-H-20001-1005		
51081-A	N17-H-20001		
51082	N17-H-20001-1030		CRV#MI-2485
51082-A	N17-H-		
51083	N17-H-20001-1003		
51083-A			
51084	N17-H-20001-1000		
51084-A			
51100	N17-H-20001-1031	2B612-2	CW#F3AW-3
51103	N17-H-20001-1032		CAU#22
51104	N17-H-20001-1007		CCN#MTS-1
51105	N17-H-20001-1033	4B1180	CW#F1AW-3
51110	N17-H-20001-1034	4B1184-1	CW#D-161215
51111	N17-H-20001-1035		CCN#2678-X
H-22/U	N17-H-20001-1065	2B620-22	
H-23/U	N17-H-20001-1039	2B620-23	

TYPE	SNSN	SIG C STOCK NO.	MFOR'S TYPE
H-33()/PT	N17-H-20001-1062		CVA#9877
			CCN#9600
H-40/U	N17-H-20001-1048		
H-48/U			CCN#20340
H-49/U	N17-H-20001-1047		
H-50/U	N17-H-20001-1046		
H-51/U	N17-H-20001-1045		
H-51A/U			
H-52/U	N17-H-20001-1044		
H-54/U	G17-T-3035-30		CAPB#A-257
H-56/U			
H-60/U			
H-61/U	N17-H-20001-1051		CW#F3BW-3
H-64/U	N17-H-20001-1049		
H-67/GT			CCN#30035
H-68/U			CCN#D-3468
H-80/U			
H-84/U			
H-88/U			
H-89/U			
H-90/U			
H-93/U			
H-94/U			CCN#D-3579(50)
H-97/U			
H-98/U			
TS-9	N17-H-20001-1036	4B1109	CAU#12314
TS-10-K	N17-H-20001-1064	4B1110	
TS-11	N17-H-20001-1069	2B611	
TS-12-A		4B1112	
TS-13-()	N17-H-20001-1038	2B613	
TS-14-()	N17-H-20001-1053	2B614	
TS-15-()	N17-H-20001-1037	4B1115	
MTS-1	N17-H-20001-1040		
IC/MPH-1M	N17-H-20001-1043		
IC/MPH-2M	N17-H-20001-1059		

CROSS INDEX

STOCK NUMBER TO TYPE NUMBER

SNSN	SIG C STOCK NO.	TYPE NO.	MFOR'S TYPE
N17-H-18801-1001		51026	
N17-H-18801-1002		51027	
N17-H-20001-1000	4B1152-1	51084	
N17-H-20001-1001	4B1152-1		CAU#H-6625524
N17-H-20001-1002	2B612-1	51064	
N17-H-20001-1003		51083	
N17-H-20001-1004		51017	
N17-H-20001-1005		51081	
N17-H-20001-1007		51104	
N17-H-20001-1008		51013	
N17-H-20001-1001			CRV#MI-12483
N17-H-20001-1017		51007	
N17-H-20001-1018		51008	
N17-H-20001-1019		51008-A	
N17-H-20001-1020		51019	
N17-H-20001-1021		51019-A	
N17-H-20001-1022		51032	CW#F3AW-3
N17-H-20001-1023		51040	
N17-H-20001-1024		51050	
N17-H-20001-1025		51062	
N17-H-20001-1026		51063	
N17-H-20001-1027		51070	
N17-H-20001-1028		51072	
N17-H-20001-1029		51076	
N17-H-20001-1030		51082	
N17-H-20001-1031	2B612-2	51100	CW#F3AW-3
N17-H-20001-1032		51103	
N17-H-20001-1033	4B1180	51105	
N17-H-20001-1034		51110	
N17-H-20001-1035		51111	
N17-H-20001-1036	4B1109	TS-9	CG#ES-3542

SNSN	SIG C STOCK NO.	TYPE NO.	MFOR'S TYPE
N17-H-20001-1037	4B1115	TS-15-()	CGG#51C 41578
N17-H-20001-1038	2B613	TS-13-()	CQC#999-158
N17-H-20001-1039	2B620-23	H-23/U	
N17-H-20001-1040		MTS-1	
N17-H-20001-1042			
N17-H-20001-1043		IC/MPN-1M	
N17-H-20001-1044		H-52/U	
N17-H-20001-1045		H-51/U	
N17-H-20001-1046		H-50/U	
N17-H-20001-1047		H-49/U	
N17-H-20001-1048		H-40/U	
N17-H-20001-1049		H-64/U	
N17-H-20001-1050			
N17-H-20001-1051		H-61/U	
N17-H-20001-1053		TS-14-()	
N17-H-20001-1054			
N17-H-20001-1055	4B1109E32		CAU#GH-69727-2
N17-H-20001-1056			
N17-H-20001-1057	4B8284-1		CDC#78528
N17-H-20001-1058	4B1187		
N17-H-20001-1059		IC/MPN-2R	
N17-H-20001-1060	4B1187-1		CW#F1AW-20
N17-H-20001-1062		H-33/PT	CVA#9877
N17-H-20001-1063		51040	CAU#L-880-B0
N17-H-20001-1064	4B1110-K	TS-10-()	CAU#12314
N17-H-20001-1065	2B620-22	H-22/U	
N17-H-20001-1069	2B611	TS-11	
N17-H-20001-1072	2B625		CVE#CS-15
N17-H-20001-1073			CCN#2075W
N17-H-20001-1074	2B612-6		Link Radio #F3H
N17-H-20001-1076			

NAVSHIPS 91955

REPLACEMENT LIST

TYPE NO.	SHSN N17-N-	CATE-GORY	REPLACED BY	SERVICE DWG/SPEC	FIELD CHANGE REQ.	REMARKS
51007	20001-1017	1		RE 51D121		
51007-A		2		RE 51D121		Not active
51008	20001-1018	4	51081 w/51085	RE 51D121 RE 51F115	No	
51008-A	20001-1019	4	51081 w/51085	RE 51D121 RE 51F115	No	
51013	20001-1008	1		RE 51D121		Not active
51017	20001-1004	4	51007 w/49118	RE 51D121	No	
51019	20001-1020	4	51081	RE 51F114	Yes	
51019-A	20001-1021	4	51081	RE 51F114	Yes	
51028	18801-1001	4				GSSO
51027	18801-1002	4				GSSO
51032	20001-1022	4	51081		Yes	
51040	20001-1023	4	51007 w/49118		No	
51050	20001-1024	4	51007 w/49118		No	
51082	20001-1025	4	51007	RE 51A112	No	
51083	20001-1026	4	51081	RE 51A112	No	Not active
51064	20001-1002	4	51013	RE 51A112	No	
51070	20001-1027	4	51007 w/49118		No	
51072	20001-1028	5				Same as TS-13
51076	20001-1029	4	51007		No	
51081	20001-1005	1		RE 51F114		
51081-A		2		RE 51F114		
51082	20001-1030	4	51081	RE 51F114	Yes	
51082-A		4	51081	RE 51F114	Yes	
51083	20001-1003	4	51081	RE 51F114	Yes	
51083-A		4	51081	RE 51F114	Yes	
51084	20001-1000	4	51081	RE 51F114	Yes	
51100	20001-1031	4	51007 w/49118		No	
51103	20001-1032	4				GSSO
51104	20001-1007	4	51007 w/49118		No	See H-33/PT
51105	20001-1033	4	51007 w/49118		Yes	See TS-9
51110	20001-1034	4	51007 w/49118 w/PL-289		No	
51111	20001-1035	4	51081		No	
H-22/U	20001-1065	4		SC-D-14651 Spec 71-3157		Sig C Cog
H-23/U	20001-1039	4	51007 w/CD-494	71-3157 SC-D-14651	No	Sig C Cog
H-33/PT	20001-1062	4		MIL-H-11134A 71-3331		Sig C Cog
H-40/U	20001-1048	4				GSSO
H-48/U		4		Exhibit WLENG-105		USAF See TS-9
H-49/U	20001-1047	1				
H-50/U	20001-1046	1				
H-51/U	20001-1045	1				
H-51A/U		2				
H-52/U	20001-1044	1				
H-54/U	G17-T-3035-30	4				GSSO
H-56/U		4				USAF
H-60/U		4	H-89/U	MIL-H-11996		Sig C Cog
H-61/U	20001-1051	4	51007-A w/49118 w/PL-289	Commercial	No	
H-64/U	20001-1049	4	51081	RE 51F114	No	
H-67/GT		4	51007-A w/49118		No	
H-68/U		4	51007-A w/49118		No	
H-80/U		4		SC-D-22544		Sig C
H-84/U		2		MIL-H-15027		Sig C Cog
H-88/U		4				See H-51A/U
H-89/U		4				Sig C
H-90/U		4				Sig C
H-93/U		4				Sig C
H-94/U		4				USAF,
H-97/U		4				Sig C Cog
H-98/U		4		MIL-H-11996		Sig C Cog
IC/MPH-2R	20001-1059	4		MIL-H-11996		Sig C Cog
IC/MPH-1M	20001-1043	4				GSSO
TS-9	20001-1036	4		Spec R17A11		GSSO
TS-10-K	20001-1064	4		Spec 71-631		Sig C Cog
TS-11	20001-1053	4				Sig C Cog
TS-12	20001-1037	4				Sig C Cog

REPLACEMENT LIST (Cont'd)

TYPE NO.	SNSN N17-N-	CATE- GORY	REPLACED BY	SERVICE DWG/SPEC	FIELD CHANGE REQ.	REMARKS
TS-13-C	20001-1038	4	H-94/U	Spec 71-1058		Sig C Cog
TS-14	20001-1053	4		71-1315		Sig C Cog
TS-15	20001-1037	4		71-1058		Sig C Cog
MTS-1	20001-1040	4				See H-33/PT
	20001-1001	4				GSSO
	20001-1011	4				GSSO
TS-9	20001-1036	4		Spec 71-937		Sig C Cog
	20001-1042	4	51007-A w/49118		Yes	
	20001-1050	5				
H-23/U	20001-1054	4	51007-A			
	20001-1055	5				
	20001-1056	4				GSSO
	20001-1057	5				
	20001-1058	4				See TS-9
	20001-1060	4	51007-A w/49118		No	
	20001-1063	4	51007-A		No	
	20001-1072	5				
	20001-1073	3				
	20001-1074	4				
	20001-1076	4				

INTERCHANGEABILITY LIST

TYPE A (600-ohm Receiver and 35-ohm Transmitter)

I HANDSETS - DIRECTLY INTERCHANGEABLE WITHOUT CORD OR CONNECTOR

NT-51007 N17-H-20001-1017
 NT-51007-A
 NT-51062 N17-H-20001-1025
 NT-51076 N17-H-20001-1029
 NT-51111 N17-H-20001-1035

II HANDSETS - DIRECTLY INTERCHANGEABLE COMPLETE WITH CORD AND AN-3106A-14S-5P CONNECTOR

NT-51017 N17-H-20001-1004
 NT-51063 N17-H-20001-1026
 NT-51064 N17-H-20001-1002
 NT-51081 N17-H-20001-1005
 NT-51082 N17-H-20001-1030 (Supply AN-3106A-14S-5P Connector)
 H-64/U N17-H-20001-1049 (no Switch)
 Handsets of Group I supplied with cord CX-1846/U

III HANDSETS - DIRECTLY INTERCHANGEABLE COMPLETE WITH CORD AND 4-CONTACT CONNECTOR
 NT-49928

NT-51019 N17-H-20001-1020
 NT-51019-A N17-H-20001-1021
 NT-51083 N17-H-20001-1003
 NT-51084 N17-H-20001-1000
 Handsets of Group I supplied with cord CX-1847/U
 Handsets of Group II supplied with connector NT-49928

IV HANDSETS - DIRECTLY INTERCHANGEABLE COMPLETE WITH CORD AND HANGER WITHOUT CONNECTOR

NT-51008 N17-H-20001-1018
 NT-51008-A N17-H-20001-1019
 Handsets of Group I supplied with NT-49118 cord and NT-51009 hanger

TYPE B (250-ohm Receiver and 35-ohm Transmitter)

I HANDSETS - DIRECTLY INTERCHANGEABLE WITHOUT CORD OR CONNECTOR

N17-H-20001-1054
 N17-H-20001-1063

INTERCHANGEABILITY LIST (Cont'd)

TYPE B (Cont'd)

II HANDSETS - DIRECTLY INTERCHANGEABLE COMPLETE WITH 4-CONDUCTOR CORD WITHOUT CONNECTOR

NT-51040	N17-H-20001-1023
NT-51050	N17-H-20001-1024
NT-51070	N17-H-20001-1027
NT-51100	N17-H-20001-1031
NT-51104	N17-H-20001-1007
H-67/U	
H-68/U	
TS-14-()	N17-H-20001-1053

	N17-H-20001-1042
	N17-H-20001-1060

Handsets of Type B Group I supplied with a 4-conductor cord

III HANDSETS - DIRECTLY INTERCHANGEABLE COMPLETE WITH 3-CONDUCTOR CORD WITHOUT PLUG

NT-51105	N17-H-20001-1033 (No switch)
H-80/U	

N17-H-20001-1058

IV HANDSETS - DIRECTLY INTERCHANGEABLE COMPLETE WITH 4-CONDUCTOR CORD AND PLUG AS SPECIFIED

(a) NT-51110	N17-H-20001-1034	PL-289 Plug
H-61/U	N17-H-20001-1051	PL-289 Plug

Handsets of Type B Group II supplied with PL-289 Plug

(b) H-23/U	N17-H-20001-1039	PJ-055B and PJ-068 Plugs
TS-15	N17-H-20001-1037	PJ-055B and PJ-068 Plugs

Handsets of Type B Group I supplied with CD-494 Cord

V HANDSETS - DIRECTLY INTERCHANGEABLE COMPLETE WITH 3-CONDUCTOR CORD AND PJ-068 PLUG

H-48/U	
H-56/U	
TS-9	N17-H-20001-1036





Handsets of Type B Group III supplied with Plug PJ-068





TYPE C (Noise-Cancelling)





I HANDSETS - INTERCHANGEABLE EXCEPT FOR CONNECTOR





(a) H-49/U	N17-H-20001-1047	Carbon
H-51/U	N17-H-20001-1045	Carbon
H-51A/U		Carbon
H-84/U		Carbon





(b) H-50/U	N17-H-20001-1046	Dynamic
H-52/U	N17-H-20001-1044	Dynamic





	ITEM	TYPE	SNSM	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51007 None None 24384	N-17-20001-1017 N17-T-89553-2355 N17-R-43632-8501	High impact material 35± 10 ohms (CRV#K-854255) 600± 150 ohms (CRV#K-854256) Push-to-talk
Handset 51007	Mfr: CRV Spec: RE 51D 121A or RE 51F 114 Remarks:			
	ITEM	TYPE	SNSM	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51007-A	N-17-H-20001- N17-T-89554-5076	Phenolic material 35± 10 ohms (CW#D-141914) 600 ohms, modified ANB-H1 Push-to-talk CRV#9238
Handset 51007-A	Mfr: CRV#10044 Spec: RE 51D 114 Remarks: Same as NT-51007 except for handset design			
	ITEM	TYPE	SNSM	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51008 51007 49118 24384	N17-H-20001-1018 N17-H-20001-1017 N17-T-89553-2355 N17-R-43632-8501 N17-C-919761-101	High impact material 35± 10 ohms (magnetic) 600± 150 ohms 5' long, rubber-covered Push-to-talk
Handset Assembly 51008	Mfr: CQE, CRV (MI-2485) Spec: RE 51F 114 Remarks: u/w CRV-50064 equipment (TBL), NT-51008-A has mic cell 41 and uses sound-powered rec instead of diaphragm type			
	ITEM	TYPE	SNSM	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51008-A 51007 49118	N17-H-20001-1019 N17-H-20001-1017 N17-C-919761-105	Black, high impact 35 ohms 600 ohms None Push-to-talk
Handset Assembly 51008-A	Mfr: CRV # MI-2476 dwg P-172189-502 Spec: RE 51D 121 Remarks: p/o Navy equipment TBL, interchangeable with NT-51008, includes NT-51009 mtg hook			





	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver	51013 51007	N17-H-20001-1008 17-H-20001-1017 N17-T-89553-2355 N17-R-43632-6501	Black 35± 10 ohms (CRV#K-854255) 600+ 150 ohms (CRV#K-854256)
	Cord Connector Switch	49873	N17-C-919761-105	5-cond, rubber-covered, 20' long 5 contact Push-to-talk
Handset Assembly 51013	Mfr: RE 51D 121A, RE 51D 114 Spec: RE 51D 121A, RE 51D 114 Remarks: u/w TBT			
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51017 51007	N17-H-20001-1004 N17-H-20001-1017	Black phenolic 35 ohms 600 ohms 6' long, 4-cond Push-to-talk
	Mfr: CAU #Z-6173 Spec: Remarks: p/o trans-rec equipment CXAB			
Handset Assembly 51017				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51019 51007 49118 24384	N17-H-20001-1020 N17-H-20001-1017	Black phenolic 35 ohms 600 ohms 4' long Push-to-talk
	Mfr: CRV # MI-8727 Spec: Remarks: p/o trans-rec TBS (Navy)			
Handset Assembly 51019				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51019-A 51007 49118 24384	N17-H-20001-1021 N17-M-46581-7991 N17-R-43632-6501 N17-C-919761-105	Black phenolic 40 ohms, type 41 cell 600 ohms, MI-2042-A
	Mfr: CRV# MI-8727 Spec: Remarks: p/o TBS (Navy radio transmitter)			
Handset Assembly 51019-A				





	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51026	N17-H-18801-1001 N17-M-49658-2405 N17-R-43620-6491	Black bakelite 40 ohms, 150-2750 cps 128 ohms Push-to-talk
Mfr: CRM Spec: RE 51F 114 Remarks: Includes CW-F3AW-3 Handset, 63 SW Hook Assy, separate ringer box; radiotelephone use (indoor); u/w TCP, TCP-3				
Handset Assembly 51026				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51027	N17-H-18801-1002 N17-M-43658-2405 N17-R-43620-6491	Black bakelite 40 ohms 128 ohms Push-to-talk
Mfr: CW(302-AW-3), CRM(KS-24) Spec: RE 51F 114 Remarks: Includes deskstand, separate ringer box; u/w indoor radiotelephone				
Handset Assembly 51027				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51032 51100	N17-H-20001-1022 N17-H-20001-1031 N17-M-49658-2405 N17-R-43620-6491	Black nickel 40 ohms (F1, 150-2750 cps) 128 ohms, HA-1 HJ4, 20' long 4 contact Push-to-talk
Mfr: CW#F3AW3 Spec: Remarks: Same as 51100 except has cord and plug, u/w MN, MN-3, TCO-1 and 2				
Handset Assembly 51032				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51040	N17-H-20001-1023 N17-H-20001-1063 N17-R-43587-4432	Black plastic, battery-powered 100 ohms, dynamic 140 ohms Incl 4-cond, rubber-covered, 5' 10" long Spade terminals Push-to-talk
Mfr: CAU (L-880-BO), Gray (42775) Spec: Remarks: u/w MR				
Handset Assembly 51040				













	ITEM	TYPE	SNSM	DESCRIPTION
	Handset Assy Handset Transmitter	51050	N17-H-20001-1024	Black plastic
	Receiver Cord Connector Switch		N17-R-43620-6491	30 ohms, carbon 300-3000 cps 200 ohms CAU #CD-220366, 5' long None Push-to-talk
Handset 51050	Mfgr: Spec: Remarks: u/w CAY-23304, TBM-12(a)			
	ITEM	TYPE	SNSM	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51062	N17-H-20001-1025	25-45 ohms, 200-3500 cps 600 ohms, 200-3500 cps None None Contacts in coin silver Press-to-talk (butterfly)
Handset 51062	Mfgr: Spec: RE 9357 Remarks:			
	ITEM	TYPE	SNSM	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord	51063 51062	N17-H-20001-1026 N17-H-20001-1025	25-45 ohms 600 ohms 7' long, polychloroprene cover, 5-conductor
	Connector Switch	AN-3106- 14S-5P		Push-to-talk
Handset Assembly 51063	Mfgr: COL Spec: RE 9357, Drawing RE 51A 112 Remarks: Same as NT-51064 except for cord length			
	ITEM	TYPE	SNSM	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord	51064 51062	N17-H-20001-1002 N17-H-20001-1025	25 ohms, CAU #41 600 ohms, CAU #41 20' long, rubber-covered, 5-cond
	Connector Switch	49873 AN-3106- 14S-5P	N17-C-919761-105	Push-to-talk (butterfly)
Handset Assembly 51064	Mfgr: Spec: RE 9357A Remarks: Same as 51063 except for cord length, p/o MBF			





	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51070	N17-H-20001-1027 N17-R-43551-1031	Phenolic 40± 8 ohms 135 ohms 6' long, 4-cond, rubber-covered None Push-to-talk
Handset Assembly 51070 Mfgr: CW (D-173323) Spec: Remarks: u/w UF, fungus-proofed				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51072	N17-H-20001-1028 N17-M-49658-2405 N17-R-43418-1041	Black bakelite (CW-F3FW-3) 40 ohms (CW-F1) 3000 ohms (CW-HA4) None None Push-to-talk
Handset 51072 Mfgr: CW (F3FW-3), Aireon (L-63531) Spec: Remarks: u/w MAE-1				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51076	N17-20001-1029 N17-M-49658-2405	Black phenolic 40 ohms, carbon 600 ohms None None Press-to-talk
Handset 51076 Mfgr: CCN (2592-X) Spec: Remarks: Same as 51111 except has no cord, p/o Radiophone Unit NT-23423				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51081 51007 CX-1846/U 49118 AN-3106- 14S-5P 24284	N17-H-20001-1005 N17-H-20001-1017 N17-T-89553-2355 N17-R-43632-6501 N17-C-48695-3741 N17-C-70600-1131	Black phenolic 35± 10 ohms 600+ 150-0 ohms RE49B605A 51'' long, 5-cond, rubber-covered 5 conductor Push-to-talk
Handset Assembly 51081 Mfgr: CRV (MI-2485) Spec: Remarks: Protective finish				

	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	51082	N17-H-20001-1030	Black phenolic
	Handset	51007	N17-H-20001-1017	
	Transmitter		N17-T-89553-2355	35± 10 ohms
	Receiver		N17-R-43632-6501	600 + 150-0 ohms
	Cord	CX-1847/U 49118	N17-C-48695-3721	RE49B605A 51'' long, 5-cond, rubber-covered
	Connector	49169		5 contact
	Switch	24284		Push-to-talk
Mfr: CRV (MI-2485) Spec: RE 51F 114 Remarks: Same as 51081 except for connector				
Handset Assembly 51082				
	Handset Assy	51083	N17-H-20001-1003	Black phenolic
	Handset	51007	N17-H-20001-1017	
	Transmitter		N17-T-89553-2355	35± 10 ohms
	Receiver		N17-R-43632-6501	600+ 150-0 ohms
	Cord	CX-1848/U 49118	N17-C-48695-3746	RE49B607A 51'' long, 5-cond, rubber-covered
	Connector	49210	N17-C-71189-6402	5 contact
	Switch	24384		Push-to-talk
Mfr: CRV Spec: RE 51F 114 Remarks: Same as 51081 except for connector				
Handset Assembly 51083				
	Handset Assy	51084	N17-20001-1006	Black phenolic
	Handset	51007	N17-H-20001-1017	
	Transmitter		N17-T-89553-2355	35± 10 ohms
	Receiver		N17-R-43632-6501	600+ 150-0 ohms
	Cord	49118	N17-C-919761-101	51'' long, 5-cond, rubber-covered
	Connector	49210	N17-C-71189-6402	5 contact (special wiring)
	Switch	24284		Push-to-talk
Mfr: Spec: RE 51F 114 Remarks: Same as 51083 except plug is wired differently				
Handset Assembly 51084				
	Handset Assy	51100	N17-H-20001-1031	Black phenolic
	Handset	51100	N17-H-20001-1031	
	Transmitter		N17-M-49658-2501	40 ohms (CW-HA1)
	Receiver		N17-R-43620-6491	140 ohms (CW-F1)
	Cord			48'' long, 4-cond, rubber-covered
	Connector			None
	Switch			Push-to-talk
Mfr: CW (F-3AW-3) Spec: Remarks: Same as NT-51032 except it has no plug, u/w TCB-1, 2; TDH-4				
Handset 51100				




 <p>Handset Assembly 51103</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51103		N17-H-20001-1032
Mfr: CAU (22) Spec: Remarks: u/w TDN-2, TDN-4 (radio transmitter)				
 <p>Handset Assembly 51104</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51104	CCN-10507-A CCN-10506-A	N17-H-20001-1007
Mfr: CCN (MTS-1) Spec: Remarks: Contract NObsr-90795, p/o Interphone Extension Kit MRC-298				
 <p>Handset Assembly 51105</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51105		N17-H-20001-1033 N17-M-49658-2405
Mfr: CW (F1-AW3) Spec: Remarks: Similar to 51100 except for 3-cond cord and no P/T switch; u/w TCB-1, TCB-2, TCC				
 <p>Handset Assembly 51110</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	51110		N17-H-20001-1034 N17-M-49658-2405
Mfr: CW (D-161215) Spec: Remarks: u/w UN				





	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	51111	N17-H-20001-1035	Black phenolic
	Handset Transmitter Receiver Cord	51076	N17-H-20001-1029 N17-M-49658-2405	35 ohms 500 ohms 5-cond, 4' long (CSBA-5R23-5)
	Connector Switch			Press-to-talk
Mfgr: CCN (2678-X); Seaboard Elec Co (S-763-6) Spec: Remarks: Same as 51076 except uses coiled cordage (CKG-5R23-5); u/w CANU-23525, TBS transmitter				
Handset Assembly 51111				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	H-22(A)/U		Black phenolic, 9" long
	Handset Transmitter	51072 T-22		Battery-powered, 200-3500 cps As per spec 71-937, approx 50 ohms
	Receiver Cord	R-22 CD-494		3500 ohms, 1 4/5" dia 4-cond, 5' long, rubber-covered
	Connector Switch	PL-55 PL-68		Connections changed from TS-15 CW #D-141914 Butterfly switch
Mfgr: CFT Spec: SC-D-14651 dwg, SC-71-3157 spec Remarks: Similar to TS-13() except for elimination of 750-ohm res. which shunts receiver when switch is operated; u/w SCR-237-(), SCR-508-()				
Handset Assembly H-22()/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	H-23(-)/U	N17-H-20001-1039	Black phenolic, sound-powered
	Handset Transmitter Receiver Cord	CD-494	N17-T-89553-1901 N17-R-43418-1041	25 ohms, CCN#5596 250 ohms, CCN#3163-50
	Connector Switch	PL-55 PL-68		Press-to-talk CCN-2671-X
Mfgr: CCN Spec: SC-71-3157 Remarks: Similar to TS-15 except for cord connection				
Handset Assembly H-23(-)/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	H-33-PT	N17-H-20001-1062	Black phenolic
	Handset Transmitter Receiver Cord		N17-M-49657-1101	Battery-powered, 300-4000 cps 40 ohms 300 ohms
	Connector Switch			7-cond, neoprene, 6' long None Push-to-talk
Mfgr: CVA#9877 Spec: SC-71-3331 Remarks: p/o MX-898				
Handset Assembly H-33-PT				


	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	H-33D/PT		Ethyl cellulose, black; battery-powered
	Handset Transmitter	CCN-9609		40 ohms, 60 ma, 300-4000 cps
	Receiver Cord	CCN-9607		300 ohms 7-cond used, 8-cond 5' 10" long
	Connector	U-77/U		Works into U-79/U jack, molded into cord (10 contact)
	Switch			3-position push switch CCN #9604
Mfgr: CCN (9601), Sure Brother's (93A-752-1) Spec: SC-71-3331, MIL-11134A Remarks: Can be interchanged with H-33/PT, H-33B/PT, H-33C/PT; blast-proof, frost-repellent				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	H-40/U	N17-H-20001-1048	Black phenolic
	Handset Transmitter			CRV #MI-2027, 500 ohms
	Receiver Cord			CRV #MI-2042-A, 1100 ohms
	Connector			#M-146573-502, 5-cond
	Switch			3-position switch
Mfgr: CRV (MI-2455-D) Spec: Remarks: Wiring diagram 2A1B p/o Infrared Communication Set AN/SAC-1()				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	H-48/U		Black phenolic
	Handset Transmitter	TS-9	N17-T-89552-1101	75 ohms
	Receiver Cord		N17-R-43628-1001	256 ohms
	Connector	CX-543/U Modified		6' long
	Switch	PL-68		Push-to-talk
Mfgr: CCN (20340) Spec: Exhibit - WLENG-105 Remarks: Signal Corps TS-9 used with Radar Equipment AN/CPS-6B				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	H-49/U	N17-H-20001-1047	Black, molded nylon
	Handset Transmitter			125 ohms, carbon, 2nd order noise cancelling
	Receiver Cord			600 ohms, ANB-H-1
	Connector	PL-55		6' long, 5-cond, "Y" molded
	Switch	PL-68		Push-to-talk
Mfgr: CVL(10042) Spec: MIL-H-15027 (SHIPS) Remarks: Wiring ckt is red; similar to H-51/U except has "Y" cord breaking into 2-cond and 3-cond plug; contract NObsr-39375				



	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter	H-50/U	N17-H-20001-1046	Black, molded nylon
Receiver Cord			35 ohms, dynamic, 2nd order noise cancelling	
Connector	PL-55 PL-68		600 ohms ANB-H-1 6' long, 5-cond, "Y" molded	
Switch			Push-to-talk	
Handset Assembly H-50/U Mfgr: CVL (10042) Spec: MIL-H-15027 Remarks: ckt is red, similar to H-52/U except for cord and connector				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter	H-51/U	N17-H-20001-1045	Black, molded nylon
Receiver Cord			125 ohms, carbon, 2nd order noise cancelling	
Connector	AN-3106- 14S-5P		600 ohms ANB-H-1 4' long, 5-cond	
Switch			Push-to-talk	
Handset Assembly H-51/U Mfgr: CVL (10042) Spec: MIL-H-15027 Remarks: Same as H-49/U except for cord and plug				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter	H-52/U	N17-H-20001-1044	Black, molded nylon
Receiver Cord			35 ohms, dynamic, 2nd order noise cancelling	
Connector	AN-3106- 14S-5P		600 ohms, ANB-H-1 4' long, 5-cond, rubber- covered	
Switch				
Handset Assembly H-52/U Mfgr: CVL (10042) Spec: MIL-H-15027 Remarks: Similar to H-50/U except for cord and connector				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter	H-54/U		Black phenolic
Receiver			600 ohms	
Cord			600 ohms	
Connector				
Switch			Push-to-talk	
Handset Assembly H-54/U Mfgr: CAPB (A-257) Spec: Remarks: Sound-powered, u/w AN/FRN-12				

NAVSHIPS 91955

	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	H-56/U 491909 CX-543/U PL-68	N17-T-89554-4526	Black phenolic CW-F3-3 40 ohms, NECo #D-141914 300 ohms, #9335 Retractable Push-to-talk
Mfgr: CVA (333/SK-70) Spec: Remarks: u/w AN/MSQ-1				
Handset Assembly H-56/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	H-60/U CX-2151/PT SA-129()/PT		Black plastic, freq response 300-4000 cps 40 ohms 150 ohms (TA-118()/PT) (7) cord, 5'-retractile RC Spade terminals Push-to-talk, rubber boot cover
Mfgr: Spec: SCL-3070 developmental MIL-H-11996 Remarks: u/w TA-43()/PT telephone				
Handset Assembly H-60/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	H-61/U PL-289A	N17-H-20001-1051 N17-M-49658-2405	Black phenolic CW-F3BW-3 35 ohms, F-1 137 ohms, HA-1 4' long, 4-cond, cotton- covered, H4AL Twin plug Push-to-talk
Mfgr: CW-F3BW-3 Spec: Commercial Remarks: Similar to NT-51032 except uses black phenolic instead of nickel and different switch, cord and plug; u/w telegraph test boards; NObsr-44802				
Handset Assembly H-61/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	H-64/U 51007 49118 AN-3106- 14S-5P	N17-H-20001-1049 N17-C-919761-101	Black phenolic w/o switch 35 ohms, carbon 600 ohms (MMOP-5) 5 contact None
Mfgr: CZL Spec: RE 51F 114 Remarks: Uses NT-51007 without switch; u/w AN/BQC-1				
Handset Assembly H-64/U				

	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	H-67/GT	N17-T-89553-1901	Black phenolic 28 ohms, D-5596 128 ohms, D-3163 CCN#B-30382 Push-to-talk
Mfgr: CCN #30035 Spec: Remarks: p/o AN/GTA-3				
Handset Assembly H-67/GT				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	H-68/U	N17-T-89553-1901 N17-R-43620-6335	Black plastic B-5792 28 ohms (D-3163-50) 258 ohms (C-5595) 4' long (B-7406) Push-to-talk (2734-X)
Mfgr: CCN # D-3468 Spec: Remarks:				
Handset Assembly H-68/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	H-80/U		Black phenolic 28 ohms, 60 ma, 300-3500 cps 128 ohms Buna S covered, 3-cond, 4' 3" long
Mfgr: CCN Spec: SC-71-3024-A, dwg SC-D-22544 Remarks: p/o TP-6A and telephone TA-166/U				
Handset Assembly H-80/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	H-84/U U-77/U		Molded nylon 125 ohms, carbon, 2nd order noise cancelling 600 ohms, ANB-H-1 5-cond Push-to-talk
Mfgr: CVL (10042) Spec: MIL-H-15027 (modified) Remarks: Same as H-51/U except for shielded cord, connector and switch				
Handset Assembly H-84/U				

	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	TS-9	N17-H-20001-1036	Black, molded; battery-powered, 400-2800 cps
	Handset Transmitter Receiver Cord			#40179, 40 ohms #57340-P, 250 ohms #ES-3567 3-cond, rubber-covered, 6' long
	Connector Switch	PL-68	N17-P-61400-7505	
Mfgr: Kellogg #ES-3542 Spec: Remarks: p/o radar equipment SP-1M (intercommunication)				
Handset Assembly TS-9-()				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	TS-9		Black phenolic, 400-2800 cps
	Handset Transmitter Receiver	TS-12A	N17-T-89552-1101 N17-R-43620-6335	75-2000 cps 256 ohms ±25 ohms 600-1600 cps 9' to 3-cond spade Incl butterfly switch
	Cord Connector Switch	CC-333		
Mfgr: Spec: Sig C 71-631, Tech Manual TM-11-33 Remarks: p/o Sig Corps telephone set EE-8				
Handset Assembly TS-9-K				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	TS-10-K	N17-H-20001-1064	Black phenolic, sound-powered
	Handset Transmitter Receiver Cord			1024 ohms 1024 ohms 6' long, 2-cond, rubber-covered Clip terminal No
	Connector Switch	TL-37		
Mfgr: CAU # 12314 Spec: Sig C 271-703 Remarks: Field Telephone				
Handset Assembly TS-10-K				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy	TS-11	N17-H-20001-1069	Black phenolic, battery-powered
	Handset Transmitter Receiver Cord			50 ohms 3500 ohms 6' long, 4-cond, rubber-covered
	Connector Switch			Push-to-talk
Mfgr: Spec: Sig C dwg SC-D-1934 Remarks:				
Handset Assembly TS-11				

	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	TS-13(L) TS-13 CD-494 PL-68 PJ-055B	N17-H-20001-1038 N17-T-89553-1901 N17-R-43418-1041	Molded plastic (MTS-E-1) CTE#5590, approx 35 ohms 3500 ohms 5' long, 4-cond Dwg SC-D-1055 (press-to-talk)
<p>Handset Assembly TS-13-(C)</p> <p>Mfgr: CCN, CTE Spec: Sig C 71-1058-A Remarks: Moisture- and fungus-resistant; dc res. of transmitter shall not be less than 10 ohms; superseded by handset H-94/U</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	TS-14 CC-348 PL-204	N17-H-20001-1053 N17-T-89553-1901	Black phenolic, battery-powered, 200-3250 cps 28 ohms 256 ohms 5' long, rubber-covered, 4-cond None
<p>Handset Assembly TS-14</p> <p>Mfgr: CCN #D-3578 Spec: SIG C 71-1315-A Remarks: Receiver ckt separate from xmtr ckt; p/o SCR-834-A</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch	TS-15-(A) TS-15 CD-494 PL-68 PJ-055B	N17-H-20001-1037 N17-R-43551-1021 N17-P-61400-7505	Black phenolic CCN#5596, approx 120 ohms CCN#3163, 256 ohms Molded 'Y' with two connectors Dwg SC-D-1055(press-to-talk)
<p>Handset Assembly TS-15-(-)</p> <p>Mfgr: CCN, CTE, Galvin #51C41578 Spec: Sig C 71-1058-A Cord spec SC-D-6309 Remarks: Moisture- and fungus-proof; dc res. of transmitter shall not be less than 10 ohms; similar to TS-13 except for different switch and omission of 750 ohms resistor; u/w SCR-300</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-H-20001-1001	Black phenolic, sound-powered D-38302A, 900 ohms D-519A, 900 ohms CD-991932 Push-to-talk (in cord)
<p>Handset Assembly N17-H-20001-1001</p> <p>Mfgr: CAU # H-66255-24 Spec: Remarks: u/w Navy localizer, p/o Navy Control Panel NT-23290 YA-1-2</p>				

	ITEM	TYPE	SNSN	DESCRIPTION
Handset Assembly N17-H-2001-1011	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-H-20001-1011	Black phenolic 1100 ohms 1100 ohms Push-to-talk
	Mfgr: CRV # MI-12483 Spec: Remarks: u/w Intercom			
Handset Assembly N17-20001-1042	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-20001-1042 N17-M-49658-2405	Black phenolic 50 ohms 22 ohms (dc) 4' 7" long
	Mfgr: CW # F-1W Spec: Remarks: p/o USCG model TRC-118			
Handset Assembly 1C/MPH-1M	Handset Assy Handset Transmitter Receiver Cord Connector Switch	1C/MPH-1M MCOS-5 N-275-4	N17-H-20001-1043	Black phenolic 150 ohms 600 ohms 15' long Push-to-talk
	Mfgr: CRL #A05153-1 Spec: Navy R17A11, dwg S65024, 016, 931 Remarks: u/w Navy shipboard announcing system			
Handset Assembly N17-H-20001-1050	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-H-20001-1050	Black phenolic 50 ohms 80 ohms Press-to-talk
	Mfgr: Loeffler #44 Spec: Remarks:			

	ITEM	TYPE	SNSN	DESCRIPTION
Handset Assembly N17-H-20001-1054	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-H-20001-1054	Black phenolic 30 ohms 137 ohms None Push-to-talk
	Mfr: CW #59B80214 Spec: Remarks: p/o TRC - 124/125 (USCG)			
Handset Assembly N17-H-20001-1056	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-H-20001-1056	Black phenolic 900 ohms damped 1500 ohms undamped 900 ohms damped 1500 ohms undamped
	Mfr: CAU #GL-894-BA Spec: Remarks:			
Handset Assembly N17-H-20001-1057	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-H-20001-1057	Black phenolic 50 ohms 137 ohms Push-to-talk
	Mfr: Galvin #63B81951-C Spec: Sig C Remarks: c/o hang-up box, w/hang-up switch; attenuator switch			
Handset Assembly N17-H-20001-1058	Handset Assy Handset Transmitter Receiver Cord Connector Switch	CC-333	N17-H-20001-1058 N17-R-43628-1001	Black phenolic 50 ohms, CW #D-141914 135 ohms, CW #D-141915 None
	Mfr: CDC #78528 Spec: Remarks: Same as Sig C handset TS-9 except push-to-talk switch omitted; p/o TA-15/PT; u/w intercom AN/GIC-1			

	ITEM	TYPE	SNSN	DESCRIPTION
Handset Assembly IC/MPH-2R	Handset Assy Handset Transmitter	IC/MPH-2R	N17-H-20001-1059	Black thermoplastic Magnetic type 150 ohms (150-5000 cps), dynamic
	Receiver Cord Connector Switch			1100 ohms, magnetic 7' long, 6-cond Press-to-talk
Mfgr: CRV #E-312546 Spec: R17A11 Plan-56502-3006-415 Remarks: u/w ship's announcing system				
	ITEM	TYPE	SNSN	DESCRIPTION
Handset Assembly N17-H-20001-1060	Handset Assy		N17-H-20001-1060	Phenolic (red), battery-powered
	Handset Transmitter Receiver Cord Connector Switch		N17-M-49657-1073 N17-R-43620-6491	40 ohms (300-4500 cps), #F-1 140 ohms, #HA-1 4' long, 3-cond, coiled cord Spade terminals
Mfgr: CW# FIAW-20 Spec: Remarks: p/o CY-888/CRC Control Tower Console				
	ITEM	TYPE	SNSN	DESCRIPTION
Handset Assembly N17-H-20001-1063	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-H-20001-1063	Black phenolic
				100 ohms 140 ohms None None Push-to-talk
Mfgr: CAU #L-880-BO Spec: Remarks: Same as Navy type 51040 except has no cord; p/o Navy MR				
	ITEM	TYPE	SNSN	DESCRIPTION
Handset Assembly N17-H-20001-1072	Handset Assy		N17-H-20001-1072	Black phenolic, battery-powered
	Handset Transmitter Receiver Cord Connector Switch			200 ohms 200 ohms Push-to-talk
Mfgr: CQA #CS-15 Spec: Remarks: Radio transmitter type T-83/SR, F11N#160-2452				

	ITEM	TYPE	SNSN	DESCRIPTION
Handset Assembly N17-H-20001-1073	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-H-20001-1073	Black phenolic 40 ohms 300 ohms
	Mfgr: CWO #665P5002 Spec: Remarks: p/o AN/PAC-1; similar to H-33/PT except modified to fit on side of case; waterproof			
Handset Assembly N17-H-20001-1074	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-H-20001-1074	Black phenolic, battery-powered 28 ohms 256 ohms 60" long, 4-cond, rubber-covered
	Mfgr: CCN #2075-W Spec: Sig C Remarks: p/o Console C-559B/FRC-6			
Handset Assembly N17-H-20001-1076	Handset Assy Handset Transmitter Receiver Cord Connector Switch		N17-H-20001-1076	
	Mfgr: Link Radio F3H Spec: Remarks: Remote control unit, incomplete description			
	ITEM	TYPE	SNSN	DESCRIPTION

SECTION 2 HEADSETS

PREFERRED PARTS

This list contains those headsets which are considered standard for the applications listed. In the design of new equipments, all headsets procured should be procured from this list. No other types should be procured except those required for maintenance of equipment already in the field for which no standard part is applicable.

I - HEADSETS FOR GENERAL USE

NT-49985-A

II - HEADSET FOR SONAR USE (WHERE EXTENDED RANGE EARPHONES ARE NEEDED)

H-3/ARR-3

III - HEADSET FOR USE UNDER COMBAT HELMETS AND WHERE RUGGED FIELD CONDITIONS EXIST

NT-49507-B w/extension cord NT-49534

IV - HEADSET FOR USE WHERE SINGLE RECEIVER IS NEEDED

NT-49469-A

V - HEADSETS—SPECIAL TYPES

(a) For use with Radiac Set AN/PDR-27

H-43/U
H-43A/U

(b) For use with Radiac Set AN/PDR-32 and 32A

H-86/U

DESIGN INFORMATION

IMPEDANCE AND CONNECTOR DATA ON PREFERRED TYPES OF HEADSETS

PREFERRED TYPE I - Impedance: 600 ohms at 1000 cps total
Connector: PJ-055B

II - Impedance: 600 ohms at 1000 cps total
Connector: Without extension cord PJ-054
With extension cord PJ-055B

III - Impedance: 600 ohms at 1000 cps total
Connector: Without extension cord PJ-054
With extension cord PJ-055B

IV - Impedance: 300 ohms at 1000 cps total
Connector: PJ-055B

V - Impedance: 20,000 ohms at 1000 cps total
Connector: UG-88/U

VI - Impedance: 4000-6000 ohms at 1000 cps
Connector: Special

CROSS INDEX

TYPE NUMBER TO STOCK NUMBER

TYPE NO.	SHIP	SIC C STOCK NO.	MFR'S TYPE	TYPE NO.	SHIP	SIC C STOCK NO.	MFR'S TYPE
49005	N16-H-3934-19		CEM#518	H-4/UR	N17-H-51989-5276		
49015	N17-H-52024-6786		CQF#PDR-8	H-4/UR	N17-H-51989-5375		
49015-A	N17-H-52024-6791		CTE	H-7/GT		2B800-7	
49165	N17-H-51969-1725		RR#03-18	H-10/CR		2B800-10	
49180	N17-H-51976-3251		CEB#A1	H-11/CR	N17-H-52036-1303	2B800-11	
49187	N17-H-51961-7634		CW	H-13/CR		2B800-13	
49187-A	N17-H-51969-1715		CEB	H-14/AR		2B800-14	
49214	N17-H-52024-3813	2B971-14	CEB#A1	H-15/U			
49214-A	N17-H-52024-3891	2B971-8	CPE#RBZ	HS-16-U	N17-H-52020-8021	4A916	
49230	N17-H-52017-7149	4B1360-5	CCI#14S-332	H-16/U	N17-H-52038-8255	2B800-16	
49231	N17-H-52037-7634		CPE#RBZ	H-16/V	N17-H-52038-8260	2B800-16	
49429	N17-H-51969-1705		CCI#14S-332	H-20/U		2B470-21	
49444	N17-H-52031-6851		CW	HS-22-A	N17-H-52039-5335	2B822-A	
49455	N17-H-51989-5191		CW#D-173149	HS-22-B	N17-H-52039-5361	2B822-B	
49467	N17-H-52028-5731		CEB	HS-23-U	N17-H-52016-1011	2B823	
49469	N17-H-52031-2281	2B971-15	CVA#9021	H-24/U		2B800-24	
49469-A	N17-H-52031-2286		CQF#DHS-21	HS-30-U		2B1300	
49471	N17-H-52022-1053		CTE	H-30-U	N17-H-52016-7601	2B830	
49479	N17-H-52029-7221		COQ, CW	HS-32-U	N17-H-52046-4087	2B832	CTX#157
49486	N17-H-52017-9492		CUP#US-42	HS-33-A	N17-H-52029-8381	2B833-A	CTE
49502	N17-H-52028-9711		CW#D-173321	HS-34-U	N17-H-51987-2543	2B834	CTE#20011, CRV- #A-8845126-1
49507	N17-H-52025-2186	2B955	CW, CEM#518-L	E-39/U	N17-H-51962-8453	2B917-6	
49507-A	N17-H-52025-2191	2B955	CTE#600Z	H-39A/U	N17-H-51047-2158	2B945	CTE
49507-B	N17-H-52025-2091		CW, CTE;	H-43/U	N17-H-52047-2108		CTE#20011, CRV- #A-8845126-1
49537	F17-H-52000-3355	3F4316-1	CCN; CVA; CRV	H-43A/U			
49542				H-47/U			
49559	N17-H-52031-6811			H-57/U			
49586	N17-H-52582-2441		CRV#W-13111544	H-58/U	N17-H-52042-5060		CWU#101-A
49621	N17-H-51990-5060		CQF#DHS-MA-1	H-59/U			
49753	N17-H-52028-9736		CQF#DHS-17	H-65/U			
49985	N17-H-52028-9721		CEM#518-M	H-69/PER-2	N17-H-52021-2900		
49985-A			CTE#TH-37, CRV- #W-303-284-181	H-70/AIC			
491107	N17-H-52036-1293		CTE	H-71/AIC			
491536	N17-H-52025-2276		CTX#157 #154-10	H-72/U	N17-H-52024-8203		CRV
491536-A	N17-H-52025-2281		CG#P-7762315	H-73/PES-3			CCI
491849	N17-H-52017-7051		CTE#3701-1	H-75/AIC			CVA#9799
492013			CHZ#RP-1000	H-76/U			CRV
H-1/AR	N16-H-3940-1	2B800-1		H-77/U			
H-2/AR		2B800-2		H-79/AIC			
H-3/ARR-3	N17-H-51989-5281	2B800-3		H-82/U			
H-3/ARR-3	N17-H-52031-2081			H-83/U	Replaced by H-86/U		
H-4/UR	N17-H-51989-5261	2B800-4		H-85/PQM-1A			
			CVA#9067	H-86/U	N17-H-51951-1201		
			CVA#9068	H-87/U			
			CQF CFF	H-96/U			
			CQF CDC	P-18	N17-H-52042-9877	2B918	
				P-20	N17-H-52001-1001	2B920	
				P-23	N17-H-52016-1017	2B923	
							CQF#DHS-29

NAVSHIPS 91955

CROSS INDEX

STOCK NUMBER TO TYPE NUMBER

SNRN	SIG C STOCK NO.	TYPE NO.	MFOR'S TYPE
N16-H-3934-19		49005	
N17-H-51951-1051	2B612-3		Handset
N17-H-51951-1153			CW#1014-A
N17-H-51951-1201		H-86/U	
N17-H-51961-7634		49187	CEB#A
N17-H-51962-8453		H-39/U	CEB#B
N17-H-51964-4324			CEB#A
N17-H-51969-1705		49429	CEB#A1
N17-H-51969-1715		49187-A	CEB#A1
N17-H-51969-1725		49165	CEB#A1
N17-H-51976-3251		49180	CW#D-173118
N17-H-51979-2758			COF#DHS-8
N17-H-51987-2491		49215	
N17-H-51987-2543	2B917-6	H-34/U	
N17-H-51989-5191		49455	
N17-H-51989-5261	2B800-4	H-4/AR	COF#DHS-20
N17-H-51989-5276		H-4/AR	Transferred to
			N17-H-51989-5261
N17-H-51989-5281	2B800-3	H-3/ARR-3	COF#DHS-12B
N17-H-51989-5375		H-4/AR	
N17-H-51989-6761			CEM#518F
N17-H-51990-5060		49621	COF#DHS-17
F17-H-52000-3355	3F4316-1	49537	Transferred to
N17-H-52001-3365			F17-H-52000-3355
N17-H-52016-1001	2B920	P-20	CTX#7045
N17-H-52016-1011	2B823	HS-23	CRK#C-59593
N17-H-52016-1017	2B923	P-23	
N17-H-52016-7601	2B830	HS-30-U	
N17-H-52017-6401	2B830		Transferred to
			N17-H-52016-7601
N17-H-52017-7051		491849	
N17-H-52017-7149	4B1360-5	49230	CW#716B
N17-H-52017-7622			CW#528
N17-H-52017-9497		49486	CEM#518L
N17-H-52017-9589			CW#716B
N17-H-52018-2047			CTE#TH-37
N17-H-52018-3095			CVA#9310
N17-H-52020-3271			CTX#NB-1318-2
N17-H-52020-8021	4A916	HS-16	CTX#44-4
N17-H-52021-2900		H-69/PRR-2	
N17-H-52022-1053		49471	Carron #US-42
N17-H-52024-3813	2B971-14	49214	CCI#145-332
N17-H-52024-3891	2B971-8	49214-A	CEX#JX-52
N17-H-52024-6786		49015	
N17-H-52024-6791		49015-A	
N17-H-52024-8203		H-72/U	CVA#9812
N17-H-52025-1851			
N17-H-52025-2091		49507-B	

SNRN	SIG C STOCK NO.	TYPE NO.	MFOR'S TYPE
N17-H-52025-2186	2B955	49507	
N17-H-52025-2191	2B955	49507-A	
N17-H-52025-2276		491536	CTE#TC-139
N17-H-52025-2281		491536-A	
N17-H-52028-5731		49467	
N17-H-52028-9711		49502	CTE#600Z
N17-H-52028-9721		49985	CTE
N17-H-52028-9736		49753	CTE#TH-37
N17-H-52029-1411			CTX#156-1
N17-H-52029-4343			CW#635
N17-H-52029-6401	2B750		CTX#70
N17-H-52029-7221		49479	CW#D-173321
N17-H-52029-7236			CTE#TH-37A
N17-H-52029-8381	2B833A	HS-33-A	
N17-H-52031-1552	2B971-13		CW#EL-60552
N17-H-52031-2081	2B800-3	H-3/ARR-3	COF#DHS-12C
N17-H-52031-2281	2B971-15	49469	
N17-H-52031-2286		49469-A	CYN#10393-4
N17-H-52031-6811		49559	CCI#164-P-501
N17-H-52031-6831			CTE
N17-H-52031-6851		49444	CVA#9021
N17-H-52036-1293		491107	CTX#154-10
N17-H-52036-1303		H-11/AR	CVA#9577
N17-H-52037-7634		49231	CW#D-173149
N17-H-52038-1351			CEM#PC-2
N17-H-52038-1361			CTX#65
N17-H-52038-1420			CRV#MI-2172
N17-H-52038-1450			CEM#CC-2
N17-H-52038-1501			CW#1002C
N17-H-52038-1523			Murdock#HSP-46
N17-H-52038-1623			CW#716C
			CW#R-957-2
N17-H-52038-3833	2B935		COF#PDR-13
N17-H-52038-3906			CW#D-150168
N17-H-52038-3916			CW#D-150194
N17-H-52038-8255	2B800-16	H-16/U	
N17-H-52038-8260	2B800-16	H-16/V	
N17-H-52039-5335	2B822A	HS-22-A	
N17-H-52039-5361	2B822B	HS-22-B	
N17-H-52040-9361			Murdock #101
N17-H-52040-5060		H-58/U	Murdock #101-A
N17-H-52042-9877	2B918	P-18	
N17-H-52046-3994	2B971		CTX#157
N17-H-52046-3999	2B971-1		CTX#157-1
N17-H-52046-4087		HS-32-U	CTX#157
N17-H-52047-2108		H-43/U	CTE#20011
N17-H-52047-2158		H-39A/U	
N17-H-52048-1303			CTX#29
N17-H-52050-1001			

REPLACEMENT LIST

TYPE NO.	NSN N17-H-	CATE- GORY	REPLACED BY	SERVICE DWG/SPEC	FIELD CHANGE REQ.	REMARKS
49005		4		RE 9175		ASO
49015	52024-6786	4	H-87/U	RE 49A118		ASO
49015-A	52024-6791	4	H-87/U	RE 49A118		ASO
49165	51969-1725	4	H-39A/U		Yes	
49180	51976-3251	5				GSSO
49187	51961-7634	4	49621		Yes	
49187-A	51969-1715	4	49621		Yes	
49214	52024-3813	4	H-87/U			ASO
49214-A	52024-3891	4	H-87/U			ASO
49230	52017-7149	4	49469-A	RE 13A511	No	
49231	52037-7634	4	N17-H-52038-1523			
49429	51969-1705	4	H-39A/U	RE 49F109-A	No	
49444	52031-6851	4	49985-A	RE 13A511	No	
49455	51989-5191	4	49985-A	MIL-H-5589A	No	
49467	52028-5731	4	49985-A	RE 13A511	No	
49469	52031-2281	4	49469-A	RE 13A511	No	
49469-A	52031-2286	1				
49471	52022-1053	4	H-87/U			ASO
49479	52029-7221	4	49985-A	RE 13A511	No	
49486	52017-9492	4	49469-A	RE 13A511	No	
49502	52028-9711	4	49985-A	RE 13A511	No	
49507	52025-2186	4	49507-B	RE 51D123	No	
49507-A	52025-2191	4	49507-B	RE 51D123	No	
49507-B	52025-2090	1		RE 51D123		
49537	F17-H-52000-3355	4	49469-A		Yes	
49542		4		MIL-H-3679		Sig C
49559	52031-6811	4				ASO
49586	52582-2441	4				See headset-mic combination
49621	51990-5060	4	H-3/ARR-3	MIL-H-5589A	No	
49753	52028-9736	4	49985-A	RE 13A511	No	
49985	52028-9721	4	49985-A	RE 13A511	No	
49985-A		1		RE 13A511		
491107	52036-1293	4	N17-H-52040-9361		Yes	
491536	52025-2276	4	49507-B w/49534	RE 13A511	No	
491536-A	52025-2281	4	49507-B w/49534	RE 13A511	No	
491849	52017-7051	4				See BuMed Report
492013		4	H-3/ARR-3	MIL-H-5589-A	No	
H-1/AR	N16-H-3940-1	4	H-87/U			ASO
H-2/AR		4				ASO
H-3/ARR-3	51989-5281	1		MIL-H-5589-A		
H-3/ARR-3	52031-2081	4				
H-4/UR	51989-5261	4				ASO
H-4/UR	51989-5276	4				ASO
H-4/UR	51989-5375	4				ASO
H-7/GT		4		271-1693		Sig C Cog
H-10/GR		4				Sig C Cog
H-11/GR	52036-1303	4	H-2/AR			Cancelled
H-13/GR		4				Sig C
H-14/AR		4				USAF See HS-33
H-15/U		4		71-3128		Sig C Cog
HS-16-A	52020-8021	4	49985-A			Sig C Cog
H-16/U	52020-8021	4				Sig C Cog
H-16/U	52038-8255	4		71-3128		Sig C Cog
H-16/V	52038-8260	4				Sig C Cog
H-20/U		4		SD-14026		Sig C Cog
HS-22-A	52039-5335	4	N17-H-52040-9361	Spec 71-938		Sig C Cog
HS-22-B	52039-5361	4	N17-H-52040-9361	Spec 71-938		Sig C Cog
HS-23-U	52016-1011	4	N17-H-52040-9361	Spec 71-863		Sig C Cog
H-24/U		4				Sig C Cog
HS-30-U	52016-7601	4		71-1518C		Sig C Cog
H-32/U	52046-4087	4	N17-H-52040-9361			Sig C Cog
HS-33-A	52039-8381	4		USAF 49B 13276		USAF
HS-34-U	51987-2453	4				ASO, Sig C
H-39/U	51962-8453	4	H-39A/U			

REPLACEMENT LIST (Cont'd)

TYPE NO.	NSN N17-H-	CATE- GORY	REPLACED BY	SERVICE DWG/SPEC	FIELD CHANGE REQ.	REMARKS
H-39A/U	52047-2158	3				
H-43/U	52047-2108	1		RE 51D636		
H-43A/U		1		RE 51D636		
H-47/U		4	49469-A		Yes	USAF
H-57/U		4		SC-D-7606-1		Sig C
H-58/U	52042-5060	4	N17-H-52040-9361			Sig C
H-59/U		4				Sig C
H-65/U		4		SC-D-11534		Sig C
H-69/PRA-2	52021-2900	5				
H-70/AIC		4				USAF
H-71/AIC		4				USAF
H-72/U	52024-8203	4	49507-B	MIL-H-3879	No	
H-73/PRS-3		4	49507-B	SC-D-7653-24	No	Sig C Cog
H-75/AIC		4				USAF
H-76/U		4				ASO
H-77/U		4	H-87/U			ASO
H-79/AIC		4				USAF
H-82/U		4	49507-B w/49534	RE 51D123	No	
H-83/U		4	H-86/U	RE 51B124		
H-85/PQM-1A						
H-86/U	51951-1201	1		RE 51B124		
H-87/U		4				ASO Cog
H-96/U		4		75-527		Sig C
P-18	52042-9877	4	N17-H-52040-9361	71-494A		Sig C Cog
P-20	52016-1001	4	N17-H-52040-9361			Sig C Cog
P-23	52016-1017	4	N17-H-52040-9361	Spec 71-1059		Sig C Cog
	51951-1051	5				
	51951-1153	4				GSSO
	51964-4324	4	H-39A/U		Yes	
	51979-2758	5				
	51989-8761	4	49985-A	RE 13A511	No	
	52001-3365	5				Transferred to F17-H-52000-3365
	52017-6401	5				
	52017-7622	4	49985-A		No	
	52017-9589	5				
	52018-2047	4	49469-A	RE 13A511	No	
	52018-3095	4	49985-A	RE 13A511	No	
	52020-3271	4	49985-A	BuShips Plan #11-T-5249L	No	GSSO
	52025-1851	4	49985-A	RE 13A511	No	
	52029-1411	4	49985-A	RE 13A511	No	
	52029-4343	4	49985-A	RE 13A511	No	
	52029-6401	4	49985-A	RE 13A511	No	Sig C Cog
	52029-7236	4	49985-A	RE 13A511	No	
	52031-1552	4	49985-A	RE 13A511	No	
	52031-6831	4	49985-A	RE 13A511	No	
	52038-1351	4	N17-H-52038-1523			
	52038-1361	4	N17-H-52038-1523			
	52038-1420	4	N17-H-52038-1523			GSSO
	52038-1450	4	N17-H-52038-1523			
	52038-1501	4	N17-H-52038-1523			
	52038-1523	3				
	52038-1623	5				
	52038-3833	4	N17-H-52038-1523			Sig C Cog
	52038-3906	4	N17-H-52038-1523			
	52038-3916	4	N17-H-52038-1523	BuShips Plan BB61-565-373		GSSO
	52040-9361	3				
	52046-3994	4	N17-H-52040-9361			Sig C
	52046-3999	4	N17-H-52040-9361			
	52048-1303	5				
	52050-1001	4	H-39A/U		Yes	

INTERCHANGEABILITY LIST

TYPE A GENERAL USE (600 ohm imp)

I - HEADSETS - DIRECTLY INTERCHANGEABLE

NT-49444	N17-H-52031-6851	
NT-49455	N17-H-51989-5191	
NT-49467	N17-H-52028-5731	
NT-49479	N17-H-52029-7221	
NT-49502	N17-H-52028-9711	
NT-49753	N17-H-52028-9456	
NT-49985	N17-H-52028-9721	
NT-49985-A		PREFERRED
HS-16	N17-H-52020-8021	
	N17-H-51989-6761	
	N17-H-52017-7622	
	N17-H-52018-3095	
	N17-H-52020-3271	
	N17-H-52025-1851	
	N17-H-52029-1411	
	N17-H-52029-4343	
	N17-H-52029-6401	
	N17-H-52029-7236	
	N17-H-52031-1552	

II - THE FOLLOWING TYPES ARE INTERCHANGEABLE WITH TYPES LISTED UNDER ITEM I WITH THE ADDITION OF PARTS AS LISTED:

NT-49005		ADD
NT-49015	N17-H-52024-6786	NT-49028 Headband
NT-49015-A	N17-H-52024-6791	NT-49028 Headband
		NT-49028 Headband
NT-49214	N17-H-52024-3813	NT-49019 Extension Cord
NT-49214-A	N17-H-52024-3891	
NT-49471	N17-H-52022-1053	NT-49028 Headband
		NT-49028 Headband
NT-49542		NT-49534 Extension Cord
		NT-49028 Headband
NT-49559	N17-H-52031-6811	NT-49534 Extension Cord
H-4/AR	N17-H-51989-5261	
	N17-H-51989-5276	NT-49534 Extension Cord
	N17-H-51989-5375	
H-14/AR		NT-49534 Extension Cord
H-34/U	N17-H-51987-2543	NT-49510 Headband
H-76/U		NT-49510 Headband
H-77/U		NT-49510 Headband
H-87/U		NT-49510 Headband

III - HEADSETS INTERCHANGEABLE FOR USE IN HIGH NOISE AMBIENT AND IN RUGGED CONDITIONS. IN EMERGENCY THESE TYPES CAN BE SUBSTITUTED FOR ITEMS IN CATEGORY I WHEN SUPPLIED WITH PARTS AS SPECIFIED BELOW UNDER ADD.

NT-49507	N17-H-52025-2186	ADD
NT-49507-A	N17-H-52025-2191	NT-49534 Extension Cord
NT-49507-B	N17-H-52025-2091	NT-49534 Extension Cord
NT-491536	N17-H-52025-2276	NT-49534 Extension Cord PREFERRED
NT-491536-A	N17-H-52025-2281	PL-55 Plug
HS-33-()	N17-H-52016-1011	PL-55 Plug
H-72/U	N17-H-52024-8203	NT-49534 Extension Cord
H-82/U		NT-49534 Extension Cord
		Nothing

IV - HEADSETS INTERCHANGEABLE FOR USE WHERE AN EXTENDED RANGE EARPHONE IS NEEDED

NT-49621	N17-H-51990-5060
NT-492013	
H-3/ARR-3	N17-H-51989-5281
H-3/ARR-3	N17-H-52031-2081

INTERCHANGEABILITY LIST (Cont'd)

TYPE B SINGLE RECEIVER TYPE HEADSET (300 ohm imp)

NT-49230	N17-H-52017-7149
NT-49469	N17-H-52031-2281
NT-49469-A	N17-H-52031-2286 PREFERRED
NT-49486	N17-H-52017-9492
H-47/U	
	N17-H-52018-2047

TYPE C MINIATURE INSERT TYPE

I - DIRECTLY INTERCHANGEABLE

NT-491849	N17-H-52017-7051
H-13/AR	
H-30/U	N17-H-52016-7601
H-69/PRR-2	N17-H-52021-2900

TYPE D HIGH IMPEDANCE

I - HEADSETS INTERCHANGEABLE 80,000 OHM IMPEDANCE RANGE

NT-49165	N17-H-51969-1725
NT-49187	N17-H-51961-7636
NT-49187-A	N17-H-51969-1715
NT-49429	N17-H-51969-1705
H-39/U	N17-H-51962-8453
	N17-H-51964-4324

II - HEADSETS INTERCHANGEABLE 20,000 OHM IMPEDANCE RANGE

(a) Terminates in a PL-55 Plug

H-39A/U	N17-H-51047-2158
	N17-H-52050-1001

(b) Terminates in a UG-88/U Connector

H-43/U	N17-H-51047-2108
H-43A/U	

III - HEADSETS INTERCHANGEABLE 10,000 OHM IMPEDANCE RANGE

NT-491107	N17-H-52036-1293
H-16/U	N17-H-52038-8255 (RUGGEDIZED FOR TANK USE)
H-16/V	N17-H-52038-8260 (RUGGEDIZED FOR TANK USE)
HS-22-A	N17-H-52039-5335
HS-22-B	N17-H-52039-5361
HS-23-B	N17-H-52016-1011
HS-32-U	N17-H-52046-4087
H-57/U	
H-58/U	N17-H-52040-5060
P-18	N17-H-52042-9877
P-20	N17-H-52001-1001
P-23	N17-H-52016-1017
	N17-H-52040-9361
	N17-H-52046-3994
	N17-H-52046-3999
	N17-H-52048-1303

IV - HEADSETS INTERCHANGEABLE 2000 OHM IMPEDANCE RANGE



NT-49231	N17-H-52037-7634
	N17-H-52038-1351
	N17-H-52038-1361
	N17-H-52038-1420
	N17-H-52038-1450
	N17-H-52038-1501
	N17-H-52038-1523
	N17-H-52038-3833
	N17-H-52038-3906
	N17-H-52038-3916





INTERCHANGEABILITY LIST (Cont'd)





TYPE E LOW IMPEDANCE





I - HEADSETS INTERCHANGEABLE





NT-49180	N17-H-51976-3251
H-70/AIC	
H-71/AIC	
H-75/AIC	
H-98/U	
	N17-H-51951-1153
	N17-H-51979-2758





	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly 49005	Headset Assy	49005	ESO N-16-H-3934-19	Dynamic
	Headband Cushions	NAF 48490-1		
	Receiver Connector	49456 NAF 215285-2	N17-R-43390-3151	100-6800 cps, 400-500 ohms Same as NT-49034-A
	Cord	NAF F47613-2		
Migr: CNA-CW-CQF(PDR-8)-CBM(518) Spec: RE 9175 Remarks:				
Headset Assembly 49015 and 49015-A	Headset Assy	49015	N17-H-52024-6786	Magnetic
	Headband	49020	N17-H-77851-1002	Helmet type holder
	Cushion			
	Receiver	49016	N17R-43423-7026	600 ohms, 200-2000 cps
	Connector	PL-54		
	Cord	49017	N17-C-920001-109	12-1/2" long
	Cord Ext.	49019	N17-C-920001-121	57-1/4" long
Migr: CTE Spec: RE 49A118 Remarks: The Navy type 49015-A is similar to NT-49015 except includes a baffle to improve frequency of receiver				
	Headset Assy	49165	N17-H-51969-1725	Crystal
	Headband			Double, flat, metal
	Cushion			
	Receiver			80,000 ohms, 100-12,000 cps
	Connector			None
	Cord			None
Migr: CBD (A1) Spec: Remarks: p/o CXBO-RBF-3(3)				
	Headset Assy	49180	N17-H-51076-3251	CW#1D flat, double, metal
	Headband			
	Cushion			
	Receiver			CW F1 711A rec (2) 28 ohm
	Connector			100 - 7000 cps
	Cord	49012-C	N17-C-920001-124	
Migr: CW-711A Spec: Remarks: Used for monitoring speech in broadcast and sound picture field				





	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49187 PL-54	N17-H-51961-7634	Piezo-electric Double, flat, metal 30,000 ohms, 50-1000 cps 5' long rubber-covered 2-cond
<p>Headset Assembly 49187</p> <p>Mfr: CBD "A" Spec: Remarks: Used with sound equipment JN-1</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49187-A	N17-H-51969-1715	Piezo-electric 80,000 ohms (50-10,000 cps) 5' long rubber-covered
<p>Headset Assembly 49187-A</p> <p>Mfr: CBD(A-1) Spec: Remarks: Similar to 49187 except has more uniform frequency response, less sensitivity and higher impedance; p/o underwater sound JN, JO, JQ(2), QBG, QBG-1</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy	49214	N17-H-52024-3813	Magnetic
	Headband			Rubber-covered
Cushion			None	
Receiver	49215	N17-R-51987-2491	600 ohms	
Connector			Breakaway plug molded in cord	
Cord	49216	N17-C-920001-137	15-1/4" long, rubber-covered	
<p>Headset Assembly 49214</p> <p>Mfr: CFE(RBR), CCI(145-332), CUP Spec: Remarks: p/o radio equipment MU, MV, MW, MX</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy	49214-A	N17-H-52024-3891	Magnetic
	Headband			Rubber-covered
	Cushion			None
Receiver	49215	N17-R-51987-2491	600 ohms	
Connector			Breakaway plug molded into cord	
Cord	49216-A		15-1/4" long, rubber-covered	
<p>Headset Assembly 49214-A</p> <p>Mfr: CFE(RBR), CCI(145-3.32), CUP Spec: Remarks: Similar to 49214 except uses NT-49216-A cord and plug; u/w RBZ</p>				





	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver	49230	N17-H-52017-7149	CW#11 double, flat, metal
	49023	N17-R-43427-6451	One rec 300 ohms (200-2000 cps) CW-528	
	49006A 49012	N17-P-61243-9536 N17-C-920001-123	Cotton braid covered	
Mfgr: CW 716B Spec: RE 13A 511 Remarks: Similar to NT-49469 except uses different receiver; used with telegraph OAH(7), OAH-1(7)				
Headset Assembly 49230				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49231	N17-H-52037-7634	Magnetic Double, flat, metal 1335 ohms Incl Incl
Mfgr: CW(D-173149) Spec: Remarks: Used with sound equipment OBF, QJA				
Headset Assembly 49231				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver	49429 HB-7 NAF-48490-1	N17-H-51969-1705 N17-H-46179-7751	Crystal HB-7 80,000 ohms (50-10,000 cps) A-1, 2-3/8" x 15/16"
	49109 CO-286	N17-P-61264-5423		
Mfgr: CBD A-1 Spec: RQ 49F 109-A Remarks: Same as H-39/U and NT-49187-A except has higher impedance and different cord and plug; u/w underwater sound JP-1				
Headset Assembly 49429				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector	49444 49510 49016 PL-54	N17-H-52031-6851 N17-H-46161-1786 N17-R-43423-7026	Magnetic Leather #9064 #11660 600 ohms Ext. cord equip. with JK-26 & NAF-1136-1 Jack & Plug #11650
	Cord Cord Ext.			
Mfgr: CVA(9021) Spec: MIL-H-3679 Remarks:				
Headset Assembly 49444				




	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49455 49453-A 49104-B 49456 49034-A 49012-C	N17-H-51989-5191 N17-H-46178-2761 N17-C-965001-110 N17-R-43390-3151 N17-C-920001-124	Dynamic Double, flat, metal 600 ohms (100-6800 cps) 67" long, rubber-covered
<p>Headset Assembly 49455</p> <p>Migr: CQF, PDR-8 Spec: RE 9175 Remarks: Used with sonic equipment JM, JR, JR(1)</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushions Receiver Connector Cord	49467 49028 49016 49034 49012	N17-H-52028-5731 N17-H-46178-4441 N17-R-43423-7026 N17-P-61248-7262 N17-C-920001-123	Magnetic type Double, flat, metal None 600 ohms, 200-2000 cps Cotton braid, 67" long
<p>Headset Assembly 49467</p> <p>Migr: CTE Spec: RE 13A 511 Remarks: Used with JR-1</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49469 49016 PL-55 49012	N17-H-52031-2281 N17-R-43423-7026 N17-C-920001-123	Magnetic #11AV One rec 300 ohms (200-2000 cps) Cotton braid 4'
<p>Headset Assembly 49469</p> <p>Migr: CW, COQ Spec: RE 13A 511 Remarks: Same as NT-49230 except has different receiver. Same as NT-49469-A except cord is different</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord Cord Ext.	49471 49215 49216 NAF 38611-5	N17-H-52022-1053 N17-R-51987-2491 N17-C-920001-137	Magnetic Helmet NT-10204 600 ohms 15-1/4" long, rubber-covered
<p>Headset Assembly 49471</p> <p>Migr: CUP#US-42 Spec: Remarks: p/o aircraft radio equipment similar to NT-49214-A</p>				





	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver	49479		N17-H-52029-7221 N17-H-46179-7751
	Connector Cord	PL-55		5' long, rubber-covered
Headset Assembly 49479 Mfr: CW (D-173321) Spec: H-15 Remarks: Used with radio equipment MAH				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver	49486 49009 49485		N17-H-52017-9497 N17-H-46185-2191 N17-R-43421-7351
	Connector Cord	49034-A 49012	N17-P-61248-7242 N17-C-920001-123	Cotton braid covered
Headset Assembly 49486 Mfr: CBM(518-L), CW Spec: RE 13A 511 (on rec) RE49AA116 (headband) Remarks: Used with sound equipment WCA-2, NGA, QGA(4), WCA-3(7), WFA(5)				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49502 49028 49016 49034-A 49064		N17-H-52028-9711 N17-H-46178-4441 N17-R-43423-7026 N17-C-920001-117
Headset Assembly 49502 Mfr: CTE(600Z) CRV #303284 Spec: RE 49AA 141E Remarks: Used with QGB				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49507 49504 49506 49505 PL-54B 49503		N17-H-52025-2186 N17-H-46161-3526 N17-C-965001-104 N17-R-43431-6426 N17-C-920001-133
	Cord Ext.	49534-A	N17-C-920001-165	Rubber-covered (shoulder length) Not included but used with above
Headset Assembly 49507 Mfr: CW, CTE, CCN, CRV Spec: MIL-H-3679 Remarks: Used with radio equipment MAR, RDR				





	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband	49507-A 49504	N17-H-52025-2191 N17-H-46161-3526	Magnetic Single, flat, metal, plastic covered
	Cushion Receiver Connector Cord	49506 49505 PL-54 49503-A	N17-C-965001-104 N17-R-43431-6426 N17-C-920001-132	Neoprene 600 ohms (200-4000 cps) Shoulder length, rubber-covered
<p>Mfgr: CW, CTE, CCN, CRV Spec: MIL-H-3679 Remarks: Same as 49507 except uses different headband covering</p>				
Headset Assembly 49507-A				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband	49507B 49504	17H-52025-2091 17H-46161-3526	Magnetic type Single, flat, plastic covered
	Cushions Receiver Connector Cord	49506A 49505A PL-54 49503B	17C-965001-211 17R-43426-1401 17-P 17C-920001-166	200-4000 cps, 600 ohms 13" long, rubber-covered
<p>Mfgr: CCN, CTE, CW Spec: 17H9 Remarks: Ext. cord used with above NT-49534-A (SNSN-17-C-920001-165)</p>				
Headset Assembly 49507B				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver	49537 49538	N17-H-52000-3355 N17-R-43434-9801	Dynamic Wire 11A 1000 ohms CW # 509 2-27/64" x 1-11/64"
	Connector Cord			
<p>Mfgr: CW # D-173231 #67B Spec: Remarks: Part of TS-190/U test set; c/o socket connector & test pick w/sw for shortening 50,000 ohms resistance in series with receiver</p>				
Headset Assembly 49537				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49542 49505 PL-54 49533	N17-R-43431-6426	Magnetic None None 600 ohms (200-4000 cps) RE 49AA 238A
<p>Mfgr: Spec: MIL-H-3679 Remarks: Used with armored vehicle crash helmets; incl two phone clips</p>				
Headset Assembly 49542				




	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49559 49215 PL-54	N17-H-52031-6811 N17-R-51987-2491	Magnetic Rubber-covered 2 rec, 800 ohms, 2" dia x 1/2" d Incl Incl
Headset Assembly 49559 Mfgr: CBMH # 164-P-26502 Spec: Remarks: Used with DAV-2 similar to NT-49214 except for length of cord and plug				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49586 49456 PL-55	N17-H-52582-2441 N17-R-43390-3151 N17-P-61264-5423	Magnetic 3 rec CQF (PD-8) 600 ohms 2 plugs 1-2 ckt & 1-3 ckt (CA-4) 5' long, rubber-covered (CA-41)
Headset Assembly 49586 Mfgr: CQF, CRV Spec: Remarks: One receiver used as a microphone; used with radio equipment JT				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49621 49453 49004B 49456 49109	N17-H-51990-5060 N17-H-46179-7551 N17-R-43390-3151 N17-P-61264-5423	Dynamic Double, metal CQF(PH-b) 600 ohms (100-6800 cps) PL-55 5' long, rubber-covered
Headset Assembly 49621 Mfgr: CQF(DHS-17), CBM(518M), CRP Spec: RE 9175 Remarks: Similar to AN type H-3/ARR-3 except has no leather cover and canvas boots and uses different plug. Used with telephone JP-1, JP-2, JP-3, WEA(4)				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushions Receiver Connector Cord	49753 49028 49016 49006 49012-C	N17-H-52028-9736 N17-H-46178-4441 N17-R-43423-7026 N17-P-61248-7262 N17-C-920001-124	Magnetic Flat, double, metal 600 ohms (200-2000 cps) 50" long, rubber insulated
Headset Assembly 49753 Mfgr: CTE(TH-37), CRV(#W-303284-181) Spec: RE 13A 511 Remarks:				





	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushions Receiver Connector Cord	49985 49028 49016 49109 49012	 N17-R-43423-7026 N17-P-61264-5423 N17-C-920001-123	N17-H-52028-9721 N17-H-46178-4441 N17-R-43423-7026 N17-P-61264-5423 N17-C-920001-123
<p>Headset Assembly 49985</p> <p>Mfr: CTE Spec: RE 13A 511 Remarks:</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	491107 PL-55	 N17-P-61264-5423	N17-H-52036-1293 N17-H-46179-7501 N17-P-61264-5423
<p>Headset Assembly 491107</p> <p>Mfr: CTX(134-10) #157 Spec: Remarks: Used with radio equipment LU-3</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	491536 49103 49104 49016 49012-C	 N17-C-965001-110 N17-C-920001-124	N17-H-52025-2276 N17-H-46191-7263 N17-C-965001-110 N17-R-43423-7026 N17-C-920001-124
<p>Headset Assembly 491536</p> <p>Mfr: CTE #TC 139 Spec: RE 13F 511 Remarks: Used with portable equipment TBX-1, TBX-2, TBX-5, TBX-6</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	491536-A 49103 49104 49016 49034-A 49064-A	 N17-C-920001-135	N17-H-52025-2281 N17-H-46191-7263 N17-C-965001-110 N17-R-43423-7026 N17-C-920001-135
<p>Headset Assembly 491536-A</p> <p>Mfr: CTE Spec: Remarks: Same as NT-491536 except uses different cord. Used with TBX-4 and 4A</p>				





	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	491849 HB-30-D M-300 R-30-D CD-620-D	N17-H-52017-7051 N17-R-43419-9103	Magnetic 600 ohms Has spade type lugs
<p>Mfgr: CHZ Spec: Remarks: Ear inserts M-300 and clamp to fasten to clothing included. Same as Signal Corps HS-30-D</p>				
<p>Headset Assembly 491849</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord Cord Ext.	H-2/AR 49510 PL-54 NAF-1136-1 NAF-F-47613-3 CX-3/AR	N17-H-46161-1786	Magnetic 2400 ohms Uses 2 of each Uses 2 cords 67" long, rubber covered
<p>Mfgr: CQF, CVA #(9068) Spec: H-15 Remarks: Used for split phone operation</p>				
<p>Headset Assembly H-2/AR</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord Cord Ext.	H-3/AAR NAF-600745 NAF-48490-1 49456 PL-354 CX-3/AR	N17-H-52031-2081 N17-H-46179-7751 N17-R-43390-3151 N17-C-48583-6300	Dynamic HB-7 49510 600 ohms (300-6800 cps) 5' long, incl, rubber-covered
<p>Mfgr: CQF Spec: RE 9175 Remarks: Similar to NT-49621 except uses different plug and canvas boots on headphones</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord Cord Ext.	H-4/AR NAF-49453 48486 NAF-48490 ANB-H-1A NAF-215285 NAF-47613-2	NAF-600745-1 N17-H-46179-7551	Double, flat, metal 600 ohms(ANB-1) (200-4000 cps) 21" long cotton braid
<p>Mfgr: CQF, CDC Spec: H-15 Remarks: Used with but does not include ext. cord CX-3/AR; similar to headset HS-33 except for headband and cord</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	H-4/AR NAF-49453 48486 NAF-48490 ANB-H-1A NAF-215285 NAF-47613-2	NAF-600745-1 N17-H-46179-7551	Double, flat, metal 600 ohms(ANB-1) (200-4000 cps) 21" long cotton braid
<p>Mfgr: CQF, CDC Spec: H-15 Remarks: Used with but does not include ext. cord CX-3/AR; similar to headset HS-33 except for headband and cord</p>				
<p>Headset Assembly H-4/AR</p>				


	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord Cord Inserts	H-7/UT HB-30 R-30 CX-20/UT CX-21/UT M-300		N17-R-43419-9103
<p>Headset Assembly H-7/UT</p> <p>Mfgr: GE Co (Kellogg) Spec: 271-1693 (Sig C) Remarks: Part of H-9/UT chestset for use on 2 separate ckts</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Ear Cushion Receiver Connector Cord	H-10/GR HB-7 MC-162 MC-162A R-14 PL-55		N17-H-46179-7751
<p>Headset Assembly H-10/GR</p> <p>Mfgr: Spec: Remarks: Headset for split unit use using a modified HS-23 headset</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Ear Cushion Receiver Connector Cord Inserts	H-13/GR R-30-U CD-860 M-300		N17-R-43419-9103
<p>Headset Assembly H-13/GR</p> <p>Mfgr: Spec: Remarks: Plastic tubes connect acoustically to neoprene ear inserts. Receivers mounted in steel cups</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Ear Cushion Receiver Connector Cord	H-14/AR HB-7 MC-162-A ANB-H-1 PL-354		
<p>Headset Assembly H-14/AR</p> <p>Mfgr: Spec: Remarks: Part of AN/APA-9(), used for split phone operation. Modified HS-33</p>				

	ITEM	TYPE	SNSM	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	H-15/U R-30-U CD-860	N17-R-43419-9103	8000 ohm (modified) min
Mfgr: Spec: Remarks: Same as H-13/GR except imp. plastic tubes connect acoustically to neoprene inserts				
	ITEM	TYPE	SNSM	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	HS-16 HB-1 CC-307	N17-H-52020-8021	Magnetic Fixed, metal, w/webbing 500 ohms (2 rec) Term. TM-39 54'' long, braid covered
Mfgr: CTX # 44-4 Spec: Remarks:				
	ITEM	TYPE	SNSM	DESCRIPTION
	Headset Assy Headband Earcups Earcups Receiver Connector Cord	H-16/U MX-175/U MX-239/U MX-240/U R-30-U PL-54 CD-307-A	N17-H-52038-8255 N17-H-46189-7616	Plastic covered Plastic cups 8000 Used with but not part of
Mfgr: Spec: 71-3128 (Sig C) Remarks: Incl imp. matching trans. to provide 8000 ohm imp. Consist of tube to ear inserts (soft). Used with chestset TD-4()				
	ITEM	TYPE	SNSM	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord Inserts Neckband	H-20/U MX-199/U H-21/U CD-620-A M-300 MX-200/U	Sig C 2B-470-21	
Mfgr: Spec: Sig C D-14026 Remarks: Used with boards for wire com & radio sets. Rec similar to R-30/U except has special molded cap with protective ear flanges				

	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly HS-22-B	Headset Assy	HS-22-B	N17-H-52039-5361	Headband strap 8000 ohms (2 rec) 2-5/8" dia x 3/4" t 4 term. 3' long, braid covered
	Headband Cushion Receiver Connector Cord	SC-20 R-14 TM-89 CO-73-A		
Mfgr: Spec: Remarks: Part of SCR-194				
	Headset Assy	HS-23/U	N17-H-52016-1011 N17-H-46161-1786	Double, flat, metal, leather covered Incl 8000 ohms (2 rec) 17-1/2" long, braid covered
	Headband Cushion Receiver Connector Cord	49510 R-14 PL-54 CO-169		
Mfgr: Bendix C-59593 Spec: Remarks: U/W SCR-574-A				
	Headset Assy	H-24/U	2B800-24	Min magnetic
	Headband Cushion Receiver Connector Cord	HB-30 R-30-U CX-407/U	N17-R-43419-9103	25 ohms
Mfgr: Spec: Remarks: Similar to HS-30-U except cord is changed from CD-620-U				
	Headset Assy	H-30()/U		Magnetic Fairprene covered metal Right Left 600 ohms, min, hearing aid type
	Headband Cushion Receiver Connector Cord	MX-750 MX-809/U MX-810/U H-31()/U CX-1055/U		
Mfgr: Spec: Signal Corps 71-1518C Remarks: Lightweight corrosion-proof for high ambient noise level, better response than R-30 receivers				





	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband	H-32/U	N17-H-52046-4087	Magnetic Trim #157-double, metal, leather-covered
	Cushion Receiver Connector Cord	PL-55	N17-P-61264-5423	17,000 ohms 6' long, rubber-covered
Headset Assembly H-32/U Mfr: CTX 157 Spec: Remarks: Used by Signal Corps with SCR-244-() and OA-58()/FRC equipment				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver	HS-33-A NAF48490-1	N17-H-52029-8381 N17-H-46179-7751	Magnetic HB-7 600 ohms (200-4000 cps) ANB-H1
	Connector Cord	PL-354 Co-162		17-1/2" long cotton braid
Headset Assembly HS-33-A Mfr: CTE CVA #9600 Spec: USAF dwg 49B13276, Sig C #SC-D-58136 Remarks: Same as HS-33 except uses navy ear cushions and provides better insulation against ambient noise				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver	H-34/U	N17-H-51978-2543	Magnetic or dynamic None, u/w crash helmet ANB-H1 or 1A 600 ohms (200-4000 cps) PL-54
	Connector Cord Ext.	49109 CX-3/AR	N17-P-61264-5423 N17-C-48583-6300	JK-26 & PL-55 5' long
Headset Assembly H-34/U Mfr: Spec: Remarks:				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver	H-39A/U 49510	N17-H-52047-2158 N17-H-46161-1786	Magnetic Double, metal, rubber-covered None 20,000 ohms
	Connector Cord	491964 491965 PL-55	N17-R-43440-9341 N17-R-43440-9346 N17-P-61264-5423	5' long, rubber-cov, shielded CTE #21053-3
Headset Assembly H-39A/U Mfr: CTE Spec: RE 13A 511 (for receivers) Remarks: Used with AN/PDR-5, 6, 7				





	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband	H-43/U 49510	N17-H-52047-2108 N17-H-46161-1786	Magnetic Double, metal, rubber- covered None
Cushion Receiver	491964 491965	N17-R-43440-9341 N17-R-43440-9346	20,000 ohms	
Connector Cord	UG-88/U		5' long, rubber-cov, shielded CTE #21053-3	
Headset Assembly H-43/U Mfr: CTE(20011), CRV(A8845126-1) Spec: RE 13A 511 and drawing RE 49D 636 Remarks: Same as H-39A/U except for connector				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	H-47/U R-22-A PL-68 Co-145	4B2522 N17-P-61400-7505	Magnetic Double, wire 250 ohms (1 rec) Rubber-covered, 6' long
Headset Assembly H-47/U Mfr: CCN(20342) Spec: USAF Remarks: Used with AN/CRS-6B radar set, Signal Corps. Used for connecting an additional operator for monitoring a duty controller's circuit				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	H-57/U R-14-U		Steel chrome covered High imp., rubber-covered, 8000 ohms 2-cond, rubber-covered
Headset Assembly H-57/U Mfr: Spec: ERDL dwg D-7606-1 Remarks: Used with AN detector set AN/PRS-3()				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	H-58/U PL-55	N17-H-52040-5060 N17-P-61264-5423	Magnetic Flat, steel, single None 10,000 ohms 45'' long, rubber-covered cord
Headset Assembly H-58/U Mfr: CWU #111 101A Spec: Remarks: For general training use				





	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly H-59/U	Headset Assy Headband Cushions Receivers Connector Cord	H-59/U		Flat, metal, 1/2" wide plastic covered 600 ohm, 1/4" dia x 3/8" d
	Mfgr: Spec: Remarks: Part of transducer kit MX-870/U			
Headset Assembly H-65/U	Headset Assy Headband Cushion Receiver Connector Cord	H-65/U MX-1081 MX-239/U 240/U		Magnetic Single, flat, metal 4000 ohms each
	Mfgr: Spec: Sig C C-11534(dwg) Remarks: For split phone operation			
 Headset Assembly H-69/PRR-2	Headset Assy Headband Cushion Receiver Connector Cord	H-69/PRR-2 PL-68	N17-P-61400-7505	Magnetic Flex tubular plastic 500 ohm (2 min rec) parallel Min connectors & PL-68 3' 2" long, 2-cond (shielded)
	Mfgr: Spec: Remarks: Part of AN/PRR-2 incl two sound tubes from receiver to ear			
Headset Assembly H-70()/AIC	Headset Assy Headband Cushion Receiver Connector Cord	H-70/AIC H-79/AIC U-93()/U		Dynamic Nylon webbing skull band Incl 7 ohms 1-7/8" dia Combination headset and microphone cord
	Mfgr: RCA Spec: USAF Remarks: c/o 2 rec, 2 ear cushions and brackets for mounting microphone			


NAVSHIPS 91955





	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly H-71/AIC	Headset Assy Headband Cushion Receiver Connector Cord	H-71/AIC H-79/A1C U-93/U		Dynamic Nylon webbing skull band 2 rec 7 ohm Combination microphone and headset cord, 7-cond
	Mfgr: Spec: Remarks: Part of AN/AIC-10; used up to 40,000 ft incl bracket for boom microphone			
Headset Assembly H-72/U	Headset Assy Headband Cushion Receiver Connector Cord Cord Ext.	H-72/U PL-54 49534	N17-H-52024-8203	Magnetic Flat, metal, black plastic #752 or equal Roanwell #217 or equal 600 ohm #9799 or equal #16910 or equal
	Mfgr: Spec: MIL-H-3879 Remarks: Part of AN/SQQ-4 NObsr-49008			
Headset Assembly H-73/PRS-3	Headset Assy Headband Cushion Receiver Connector Cord	H-73/PRS-3 CX-1746/ PRS-3 or CX-1747/ PRS-3		Magnetic Dwg D-7653-25 600 ohm rubber-covered immersion proof
	Mfgr: Spec: MIL-D-10259 dwg D-7653-24 (Sig C) Remarks: Part of Arctic kit DD-44/PRS-3			
Headset Assembly H-75/AIC	Headset Assy Headband Cushion Receiver Connector Cord	H-75/AIC U-93/U		Dynamic Used with crash helmet P-1A 2 rec 7 ohm
	Mfgr: CRV Spec: Remarks: Used with crash helmet P-1A. Part of AN/AIC-10			


	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushions Receiver Connector Cord	H-82/U 49504 49506A 49505A PL-55	N17-H-46161-3526 N17-R-43426-1401 N17-P-61264-5423	Magnetic type Single, flat, plastic covered 200-4000 cps, 600 ohms 36'' long, rubber-covered
Mfgr: CCN, CTE, CW, CVA Spec: 17H9 (with exception of cord length) Remarks: Same as NT-49507B except cord is 36'' long				
Headset Assembly H-82/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	H-86/U	N17-H-51951-1201	Ceramic, 40,000 $\mu\mu\text{f}$ Plastic earpiece, telex mfgr or equal 4000-6000 ohms Plug molded in cord 3' long, rubber-covered
Mfgr: CVL(130) Spec: RE 51B 124A Remarks: U/W AN/PDR-32A				
Headset Assembly H-86/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Cord Connector	H-96/U NAF-48490-1 NAF-215285-2		Dynamic Double, steel, leather covered 50 ohms, 2 CQF# PDR-17 5' 1'', cotton-braid
Mfgr: CQF# DHS-29 Spec: Sig Corps 75-527 Remarks: Sealed for humidity and temperature resistance				
Headset Assembly H-96/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord		F17-H-51951-1153	2 arched metal bands, leather covered 25 ohms CW#563A 5'8'' long, WECO 1014-A or equal
Mfgr: CW #1014-A Spec: Remarks:				
Headset Assembly F17-H-51951-1153				



 <p>Headset Assembly N17-H-51964-4324</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord			N17-H-51964-4324
Mfgr: CBD # A Spec: Remarks: Navy dictophone 0-1				
 <p>Headset Assembly N17-H-51979-2758</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49510 PL-55		N17-H-51979-2758 N17-H-46161-1786 N17-P-61264-5423
Mfgr: CQF (DHS-8) Spec: Remarks:				
 <p>Headset Assembly 49215</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49215 PL-54		N17-H-51987-2491
Mfgr: CUP # US-42 Spec: Remarks: Used with DAV-2				
 <p>Headset Assembly N17-H-51989-6761</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49009 49023 49012		N17-H-51989-6761 N17-H-46185-2191 N17-R-43427-6451 N17-C-920001-123
Mfgr: CBM # 518F Spec: RE13A511 Remarks: Used with sounding equipment WEA-2				

 <p>Headset Assembly N17-H-52001-3365</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord		N17-H-52001-3365	Dynamic Double adj metal, cotton covered 3000 ohms 2 rec Std phone tips 4-1/2' long, cotton covered
Mfr: CBMH SC-3 Spec: Remarks:				
 <p>Headset Assembly P-23</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	P-23 HB-7 MC-162 R-14 PL-55 CO-189 CO-289	N17-H-52016-1017 N17-H-46179-7751 N17-P-61264-5423	8000 ohms
Mfr: Spec: Sig C 71-1059 Remarks:				
 <p>Headset Assembly N17-H-52017-7622</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49009 49023	N17-H-52017-7622 N17-H-46185-2191 N17-R-43427-6451	Magnetic Double, metal, fabric covered type 1B 600 ohms (2 rec) CW# 528 None None
Mfr: CW # 716B Spec: Remarks:				
 <p>Headset Assembly N17-H-52017-9589</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49485	N17-H-52017-9589 N17-H-46179-7601 N17-R-43421-7351	Magnetic Wire, leather covered, type 1B (0-3000 cps) 300 ohms CW # 716B w/phone tips 2 pair, 2-cond, braid covered 8' long
Mfr: CW # 716B Spec: Remarks: Split phone operation				

	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly N17-H-52018-2047	Headset Assy Headband Cushion Receiver Connector Cord	49016 PL-55 49012-C	N17-H-52018-2047 N17-R-43423-7026 N17-P-61264-5423	Magnetic Wire, leather covered 300 ohms (one) 45'' long, rubber-covered
	Mfr: CTE # 37 Spec: Remarks:			
Headset Assembly N17-H-52018-3095	Headset Assy Headband Cushion Receiver Connector Cord	49028 49016	N17-H-52018-3095 N17-R-43423-7026	Magnetic Flat, metal, canvas covered Incl 600 ohms (2 rec) 2-3/4'' x 1'' Type "N" 6' long, rubber-covered
	Mfr: CVA # 9310, CG # K-7103609 Spec: Remarks:			
Headset Assembly N17-H-52020-3271	Headset Assy Headband Cushion Receiver Connector Cord		N17-H-52020-3271	Magnetic Flat, double, metal, leather covered 450 ohms 21' long
	Mfr: CTX # NB-1318-Z CABF # F-31590 Spec: Remarks: Used with announcing system			
	Headset Assy Headband Cushion Receiver Connector Cord	49009 49023	N17-H-52025-1851 N17-H-46185-2191 N17-R-43427-6451	CTX # 690 600 ohms (2 rec) CTX # 501B
	Mfr: CTX # PI-7105 #156 Spec: Remarks: Used with HT-571			





	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49028 49215 49034 49012-C	 N17-R-51987-2491 N17-P-61248-7262 N17-C-920001-124	N17-H-52029-1411 N17-H-46178-4441
Mfgr: CTX # 156-1 Spec: Remarks: Used with USCG R DSC-121; similar to NT-49753 except for receiver Headset Assembly N17-H-52029-1411				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49016	 N17-R-43423-7026	N17-H-52029-4343 N17-H-46179-7601
Mfgr: CW # 635 Spec: Remarks: Headset Assembly N17-H-52029-4343				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49028 49016 49012	 N17-R-43423-7026	N17-H-52029-6401 N17-H-46178-4441
Mfgr: CTX # 70 Spec: Remarks: Used with AUR-20 Headset Assembly N17-H-52029-6401				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49028 49016	 N17-R-43423-7026	N17-H-52029-7236 N17-H-46178-4441
Mfgr: CTE # TH-37A Spec: Remarks: Used with maintenance equipment AN/UPM-1 Headset Assembly N17-H-52029-7236				



	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushions Receiver Connector Cord	49028 49016 49109 49012	N17-H-52031-1552 N17-H-46178-4441 N17-R-43423-7026 N17-P-61264-5423 N17-C-920001-123	Magnetic Rubber-covered None 600 ohm Braid covered
Mfgr: CW# BL-60552 Spec: RE13A511 Remarks: u/w Radar equipment SV-3 Headset Assembly N17-H-52031-1552				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49103 49016 49109 49012-C	N17-H-52031-6831 N17-H-46191-7263 N17-R-43423-7026 N17-P-61264-5423 N17-C-920001-124	Magnetic None 600 ohms PL-55 2-cond, "Y" junction, rubber-covered
Mfgr: CTE # Spec: Remarks: Part of USCG # TRP-141 Headset Assembly N17-H-52031-6831				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49538	N17-H-52038-1351 N17-R-43434-9801	Magnetic Double, flat, metal 2000 ohms (2 rec) 6' long, braid covered
Mfgr: CBHM # PC-Z Spec: Remarks: Headset Assembly N17-H-52038-1351				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushions Receiver Connector Cord		N17-H-52038-1361	Magnetic Double, flat, metal None 2000 ohms 5' long, braid covered
Mfgr: CTX #65 Spec: Remarks: Given use Headset Assembly N17-H-52038-1361				

	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly N17-H-52038-1420	Headset Assy Headband Cushion Receiver Connector Cord		N17-H-52038-1420	Magnetic Elastic fabric 2000 ohms (2 rec) 20' long
Mfgr: CRV #MI-2172 Spec: Remarks: Used with announcing system				
	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly N17-H-52038-1450	Headset Assy Headband Cushion Receiver Connector Cord	49538	N17-H-52038-1450	Magnetic Wire w/cotton braid 2000 ohm (2 rec) Inch 5 1/2' cord
Mfgr: CBHM # CC-2 mod Spec: Remarks:				
	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly N17-H-52038-1501	Headset Assy Headband Cushion Receiver Connector Cord	49538	N17-H-52038-1501 N17-H-46179-7601 N17-R-43434-9801	Magnetic Metal, type 1B 2200 ohms (2 rec) CW#509 4' 9" long, CW # R2CY
Mfgr: CW # 1002C Spec: Remarks:				
	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly N17-H-52038-1523	Headset Assy Headband Cushion Receiver Connector Cord	49538 PL-155	N17-H-52038-1523 N17-H-46170-7601 N17-R-43434-9801	Magnetic Flat, metal 2000 ohms (2 rec) 6' long
Mfgr: Murdock # HSP-46 (or equal) Spec: Remarks:				

NAVSHIPS 91955

	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly N17-H-52038-1623	Headset Assy		N17-H-52038-1623	Magnetic
	Headband Cushion Receiver Connector Cord		N17-R-43436-8878	2-wire CW # 11A or equal 2200 ohms (1 rec) Alligator clips 6' long, rubber-covered
Mfgr: CW # 716C Spec: Remarks:				
	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly N17-H-52038-3833	Headset Assy		N17-H-52038-3833	Dynamic
	Headband	HB-7	N17-H-46179-7751	Double, flat, metal, leather covered
	Cushion Receiver	MC-162-C		5500 ohms (2 rec) PDR-13 2" dia x 3/4" t
	Connector Cord	49109 CO-169 CO-286	N17-P-61264-5423	
Mfgr: Spec: Remarks: Used with radio equipment RC-350				
	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly N17-H-52038-3906	Headset Assy		N17-H-52038-3906	Magnetic
	Headband		N17-H-46179-7601	Type CW # 1B
	Cushion Receiver Connector Cord		N17-R-43436-8878	5500 ohms (2 rec) 20' long, CW # R2CY or equal
	Mfgr: CW Spec: Commercial CW # D-150-168 Remarks: Used with anti-aircraft systems			
	ITEM	TYPE	SNSN	DESCRIPTION
Headset Assembly N17-H-52038-3916	Headset Assy		N17-H-52038-3916	CW # 1B or equal
	Headband		N17-H-46179-7601	
	Cushion Receiver		N17-R-43436-8878	5500 ohms (2 rec) 2-27/64" dia x 1-11/64" t
	Connector Cord			20' long
Mfgr: CW # 150194 Spec: CW # D-17304-A Remarks: With olive drab textile covered headband				

	ITEM	TYPE	SNSN	DESCRIPTION
 <p>Headset Assembly H-22-A</p>	Headset Assy	HS-22-A	N17-H-52039-5335	Magnetic
	Headband	SC-20		Adj webbed headband
	Cushions			None
	Receiver	R-14		8000 ohms
	Connector	PL-54		
	Cord	CO-73-A		3' long, braid covered
<p>Mfgr: Spec: Sig C 71-938 Remarks: Includes headharness SC-20, u/w Radio set SCR-194</p>				
 <p>Headset Assembly N17-H-52040-9361</p>	Headset Assy		N17-H-52040-9361	Double, flat, metal, cotton covered
	Headband	49028	N17-H-46178-4441	
	Cushion			10,000 ohms (2 rec)
	Receiver			2-1/4" dia x 3/4" t
	Connector			Pin term.
	Cord			5' long, braid covered
<p>Mfgr: Murdock #101 or equal Spec: Remarks:</p>				
 <p>Headset Assembly P-18</p>	Headset Assy	P-18	N17-H-52042-9877	
	Headband	HB-4		
	Cushion			12,000 ohms
	Receiver	R-2-A		
	Connector	PL-55	N17-P-61264-5423	
	Cord	CO-78-A		7' long
<p>Mfgr: CTX # 7043 Spec: Sig C 71-494A Remarks: Part of SCR-196-177-178-188-203.211A, c/o 1 strap SC-20</p>				
 <p>Headset Assembly N17-H-52046-3994</p>	Headset Assy		N17-H-52046-3994	Magnetic
	Headband			Leather covered, flat, wire
	Cushions			None
	Receiver			17,000 ohms
	Connector	PL-55	N17-P-61264-5423	
	Cord			5' long, braid covered
<p>Mfgr: CTX# 157 Spec: Sig C Remarks:</p>				

	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	PL-55	N17-H-52046-3999	Magnetic Double, flat, metal 17,000 ohm (2 rec) 2-1/8" dia x 3/4" t 6' long, braid covered (# 512) plug
Mfgr: CTX# 157-1 Spec: Remarks: Part of direction finder equipment. Same as HS-32U except has braid cord				
Headset Assembly N17-H-52046-3999	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushions Receiver Connector Cord	49009 49003 49012	N17-H-52048-1303 N17-H-46185-2191 N17-R-43441-1681 N17-C-920001-123	Magnetic Adj flat, metal None 20,000 ohms 6' long, braid covered
Mfgr: CTX#29 Spec: RE13A511 Remarks:				
Headset Assembly N17-H-52048-1303	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord	49510 491965 49007-A	N17-H-52050-1001 N17-H-46161-1786 N17-R-43440-9346 N17-P-61400-7505	Magnetic 20,000 ohms (2 rec) PL-68 5' long
Mfgr: Spec: Remarks: Same as H-43/U				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Assy Headband Cushion Receiver Connector Cord			
Headset Assembly N17-H-52050-1001				
	ITEM	TYPE	SNSN	DESCRIPTION

SECTION 3 MICROPHONES

PREFERRED PARTS

This list contains those microphones which are considered standard for the applications listed. In the design of new equipments, all microphones procured should be procured from this list. No other types should be procured except those required for maintenance of equipment already in the field for which no standard part is applicable.

I - MICROPHONES - FOR GENERAL USE

- (a) NT-51004-C (Carbon)
- (b) SNSN-17-M-47570-1034 (Dynamic) Low Impedance
- (c) NT-51039 (Dynamic) High Impedance

II - MICROPHONES - FOR CHESTSET USE

- (a) NT-51089-A

III - MICROPHONES - FOR NOISE CANCELLATION AND BOOM MOUNTING

- (a) M-6A/UR*

*For use with headset NT-49507-B use boom assembly MX-1435/U

* For use with headset H-3/ARR-3 use boom assembly MX-314/UR

DESIGN INFORMATION

IMPEDANCE AND CONNECTOR DATA ON PREFERRED TYPES OF MICROPHONES

Preferred Type I (a) Impedance: 100 ohms

Plug: PJ-068

I (b) Impedance: 50 ohms

Plug: PJ-068

I (c) Impedance: 25,000 ohms

Plug: PJ-068

II (a) Impedance: 100 ohms

Plug: None

III (a) Impedance: 100 ohms

Plug with boom mtd. PL-241

CROSS INDEX

TYPE NUMBER TO STOCK NUMBER

TYPE NO.	NSN	SIG C STOCK NO.	SIG C TYPE	TYPE NO.	NSN	SIG C STOCK NO.	MFR'S TYPE
51000	F16-T-37456-5104	2C6901-13	CDC-(AR-50)	M-9A/U		2B1657-9A	
51004	N17-M-46601-9181		CTE	M-10/FIA-1	N17-M-47551-7001	2B1758-10	CW-(633A)
51004-A	N17-M-46601-9272		CTE-(RS-38)	M-11/U		2B1758	CW-(633A)
51004-B	N17-M-46601-9400		CTE-(RS-38-B)	M-15/UR			
51004-C	N17-M-46601-9221	2B1742-1	CTE-(RS-38-A)	M-16/U			
51004-D	N17-M-46601-9321		CTE-(RS-38-A)Mod	M-17/U		2B1180/3	
51006	N17-M-46568-7011		CAU-(35A7) Mod	M-19/U			
51006-A	N17-M-46568-6901		CAU-(41 Cell)	M-20/U			
51010	N17-M-46568-6951		CAU-(Z-8509)	M-21/U			
51014	N17-M-46568-6971		CAU	M-22/U			
51016	N17-M-46568-6931		CAU-(Z-3363)	M-23/U	N17-M-47559-1525	2B1701	CVX-(D4)
51016-A	N17-M-47568-6921	2B1712-3		M-24/U		2B1657-24	CTQ-(22D)
51034	N17-M-46593-1876		CTQ-(22D)				Desk
51039	N17-M-47601-9368	2B1650	CVL-(600C)	M-25/U		2B1657-25	CTQ-(22D)
51041	N17-M-47601-9371		CCI-				Floor
51042	N17-M-47601-9341		CTE-(38A)	M-26/U			CVL-(630)
51047	N17-M-46568-7041		CAU	M-27/U	N17-M-46579-7501	2B1720-3	CAFI-(102-B)
51047-A	N17-M-46568-6901		CAU-(H-70740-20)	M-28/U			
51048	N17-M-46605-1791		CCI-	M-29/U			CVA-(9928)
51049	N17-M-47570-8751		CTQ-(196)	M-30/U			CVL-(646-S)
51051	N17-M-47627-6251	2B1746-1	OCS-(8-372A)	M-31/U			
51057	N17-M-48142-1001		CVX-(D4T)	M-32/U			CRV
51057-A	N17-M-48142-1001		CAU-(GH-77021-1)	M-33/U			CRV
51066	N17-M-46602-3246	2B1750-1	CVA-(9844)	M-34/U			CRV
51071	N17-M-46589-6471	2B1750-2	CW-(D-173360)	M-35/U			CVL-(918)
51077	N17-M-46568-6991		CW-(D-173359)	M-36/U	F17-M-47564-9401		CVL-(638)
51089	N17-M-46576-2041		CAU-	M-37/U			Utility Co.
51089-A	N17-M-46576-2001		CAU-	M-38/U			PR2877B)
51094	N17-M-46602-2091		CW-	M-39/U	N17-M-47559-1001		CVA#8500210-505
51096	N17-M-47573-8801		CAFI-5SB	M-40/U			CVL#630 Mod
51098	N16-M-47600-9251		CTQ-(999FC)	M-41/U			CVL#630 Mod
51099	N17-M-47600-9301		CTQ	M-42/U			CVL#630 Mod
51109	N17-M-46551-1007		CANG-(AR-10)	M-43/U			
51115	N17-M-47590-3000		CEM-(111)	M-44/U			
51118	Trans. From N to F		CRV-(MI-23508)	M-45/U			CVX#D-44-A
51120	F17-M-47600-9201		CRV-(MI-4048-1)	M-46/U	Not to be Stocked		CAFI#505
M-2/U		2B1657-2	CVX-(D4T)	IC/MFN-3R	N17-M-48144-5501		
M-3/U			CVA-	T-17	N17-M-46581-7501	2B1617	
M-3A/U	N17-M-46581-8001		CVA-	T-27-A	N17-M-46551-1010	2B1627	
M-4/AR			CVA-(9200)	T-30-V	N17-M-46618-8501	2B1630	
M-5/UR	N17-M-46589-6411	2B1475-5	CW-(173332)	T-36-C	N17-M-	2B1636-C	
M-5A/UR	N17-M-46589-6446		CW-(173379)	T-38-A	N17-M-46601-9271	2B1638-A	
M-6/UR	N17-M-46589-6426	2B1595-6		T-38-E	N17-M-46603-5750	2B1638-E	
M-6A/UR	N17-M-46589-8001	2B1595-6A		T-45	N17-M-46581-8351	2B1645	
M-8/FIQ-1		2B1657-8		T-48-()	N17-M-46551-1008	2B1648	
M-9/U		2B1657-9		T-48-A	N17-M-46551-1006	2B1648-A	
				T-50	N17-M-49685-3001	2B1650	E-V#600C Gah
							Radio #MO-4124
				T-55		2B1655	E-V #600
				ANB-M-CI		2B1660	

CROSS INDEX

STOCK NUMBER TO TYPE NUMBER

SNSN	SIG C STOCK NO.	TYPE NO.	MFR'S TYPE
F16-T-37456-5104		5100	
N17-M-46551-1006	2B1648-A	T-48-A	
N17-M-46551-1007		51109	CVX#AR-10
N17-M-46551-1008	2B1648	T-48-()	See N17-M-46551-1006
N17-M-46551-1010	2B1627-A	T-27-A	
N17-M-46568-6901		51006-A	CG#P-7761768-1
N17-M-46568-6921		51016-A	CAUM41 Cell
			CG#P-7764898-1
			CAUMZ-3363
N17-M-46568-6931		51016	CG#P-7761782-1
N17-M-46568-6951		51010	CRV#P-71716S-Pl
N17-M-46568-6971		51014	CRV#P-720304-2
N17-M-46568-6991		51077	CG#P-64J82
N17-M-46568-7011		51006	CG#P-7761768-1
N17-M-46568-7041		51047-A	CAUMH-70740-20
			CG#M-7468281-1
N17-M-46576-2001		51089-A	
N17-M-46576-2041		51089	
N17-M-46579-7501	2B1720-3	M-27/U	Utility Elec. TB-1094
N17-M-46581-7501	2B1617	T-17	
N17-M-46581-8001		M-6A/LR	
N17-M-46581-8351	2B1645	T-45	
N17-M-46585-3501	2B1712-2		PTS#22Y
N17-M-46587-2381	2B1704-2		CVA#9808
N17-M-46589-6411		M-5/LR	
N17-M-46589-6426		M-6/LR	CW#D-173264
N17-M-46589-6446		M-5A/LR	CW#D-173379
N17-M-46589-6471	2B1750-2	51071	CW#D-173359
N17-M-46598-2401	2B1645	T-45	Trans. To N17-M-46581-8351
N17-M-46601-9181		51004	
N17-M-46601-9221		51004-C	
N17-M-46601-9271		51004-A	CTE#RS-38
N17-M-46601-9321		51004-D	CTE#RS-38-A
N17-M-46601-9341		51042	CTE#RS-38-A
N17-M-46601-9371		52041	
N17-M-46601-9400		51004-B	CTE#RS-38-B
N17-M-46602-2091		51094	CW
N17-M-46602-3246	2B1750-1	51066	CW#D-173360
N17-M-46603-5411			CTE#RS-83
N17-M-46603-5750		T-38-E	CVA#9104
N17-M-46605-1791		51048	
N17-M-46618-1001			CAFI#102-C
N17-M-46618-8501		T-30-V	CTE#RS-76
N17-M-46646-8001			CRV#MI-6225-A
N17-M-47051-1011	2CS37A/A3		CG#IX28687

SNSN	SIG C STOCK NO.	TYPE NO.	MFR'S TYPE
N17-M-47104-5501			CAFI#707A
N17-M-47134-6501	2B1710		CQA#JT-30-TT
N17-M-47138-6800			CED#107938-FL-1
N17-M-47140-2351	2B1752		CQA#A126264
N17-M-47551-1005			P-274C
N17-M-47551-1011			CTQ#211
N17-M-47551-7001		M-10/FIA-1	CW-633A
N17-M-47551-7016			CW-633A
N17-M-47551-8526			CW-632
N17-M-47554-4901			CAFI#556
N17-M-47557-3101			
N17-M-47558-5001			CRV#MI-12016-A
N17-M-47558-9701			ST. CARL # 19ASN
N17-M-47559-1001		M-39/U	
N17-M-47559-1525	2B1701	M-23/U	CVX#D4
N17-M-47564-3856	2B1749		CAFI-51
			CTQ-999
			CQA#DN-MZ
N17-M-47564-3876			
N17-M-47564-9401		M-37/U	
N17-M-47565-7227			CAAG-204EP
N17-M-47570-1034			CVL-600D
N17-M-47570-8751		51049	CTQ-196
N17-M-47571-2501		51120	CRV-MI-4048-1
N17-M-47573-8801		51096	CAFI-55B
N17-M-47588-4011			CRV-6206
N17-M-47588-5001			CRV#MI-12016-A
N17-M-47593-1876		51034	CTQ-22D
N17-M-47590-3000		51115	CBM-1111
F17-M-47600-9201		51118	
N17-M-47600-9251		51098	CTQ-999PC
N17-M-47600-9301		51099	
N17-M-47601-9368	2B1650	51039	
N17-M-47613-6526			CVL-600C
N17-M-47623-7051			CAFI-55C
N17-M-47625-6000			MICRO - DST
N17-M-47627-6251		51051	CQA#DN-HZ
N17-M-47627-6821			CVX-D4T
N17-M-47650-3001			CVX-D7TP
N17-M-47650-3201			CQA#DN-HZ
N17-M-47650-3601			Ampro#18310
N17-M-48051-1020			CAFI-52
N17-M-48060-3501			CAFI-97-704
			CRV#W-130537-503
N17-M-48142-1001		51057	CAUMCH77020-1
N17-M-48142-1001		51057-A	
N17-M-48144-5501		IC/MPN-3R	CRV-312512
N17-M-			
N17-M-			

NAVSHIPS 91955

REPLACEMENT LIST

TYPE NO.	SHSN N17-M-	CATE- GORY	REPLACED BY	SERVICE DWG/SPEC	FIELD CHANGE REQ.	REMARKS
51000		4				GSSO
51004	46601-9181	4	51004-C		No	
51004-A	46601-9272	4	51004-C		No	
51004-B	46601-9400	4	51004-C		No	
51004-C	46601-9221	1				
51004-D	46601-9321	4	51004-C		No	
51006	46568-7011	4	51042		No	
51006-A	46568-6901	4	51004-C		No	
51010	46568-6951	4	51089-A		No	
51014	46568-6971	4	51089-A		No	
51016	46568-6931	4	51089-A		No	
51016-A	46568-6921	4	51089-A		No	
51034	46593-1876	3				
51039	47601-9368	1				Sig C Cog
51041	47601-9371	4	51042 w/49212 w/49213		No	
51042	47601-9341	1				
51047	46568-7041	4	51089-A			
51047-A	46568-6901	4	51089-A			
51048	46605-1791	4	51042 w/49212 w/49213		No	
51049	47570-8751	4	51034		No	
51051	47627-6251	4				GSSO
51057	48142-1001	4	51057-A	RE 51AA120		
51066	46602-3246	4	M-6A/UR			
51071	46589-6471	4	M-6A/UR			
51077	46568-6991	4	51089-A			
51089	46576-2041	4	51089-A			
51089-A	46576-2001	1				BuMed
51094	46602-2091	4		RE 51F118		
51096	47573-8801	5				
51096	47600-9251	5				
51099	47600-9301	5				
51109	46551-1007	4	51004-C			
51115	47590-3000	5				GSSO
51118	47600-9201	4				
51120	47571-2501	5				
M-2/U		5		MIL-D-11101		Sig C
M-3/U		4	M-6A/UR MX-521/U			ASO
M-3A/U	46581-8001	4	M-6A/UR MX-521/U	MIL-M-5793		ASO
M-4/AR						
M-5/UR	46589-6411	4	M-6A/UR MX-314/UR	NAF 9201		Obsolete
M-5A/UR	46589-6446	4	M-6A/UR MX-314/UR	NAF 9201		ASO
M-6/UR	46589-6426	4	M-6A/UR			ASO
M-6A/UR	46589-8001	1				ASO
M-8/PIQ-1		4		Spec 71-3163		Sig C Cog
M-9/U		4				USAF
M-9A/U		4				USAF
M-10/FIA-1	47551-7001	4				USAF
M-11/U		5				
M-15/U		4	51004-C			Sig C Cog
M-16/U		4		AAF Dwg 45D1016		Sig C Cog
M-17/U		4	51004-C			Sig C Cog
M-19/U		4				Sig C Cog
M-20/U		4				Sig C Cog
M-21/U		4				Sig C Cog
M-22/U		5		SCL-3066		Sig C Cog
M-23/U	47559-1525	5				Sig C Cog
M-24/U		5				Sig C Cog
M-25/U		5				Sig C Cog
M-26/U		5				Sig C Cog
M-27/U	46579-7501	4	51004-C	Spec 71-3290	Yes	Sig C Cog
M-28/U		5				
M-29/U		4				Sig C Cog
M-30/U		4	N17-M-47570-1034	MIL-M-11193		
M-31/U		5				
M-32/AIC		4				USAF
M-33/AIC		4				USAF
M-34/AIC		4				USAF

REPLACEMENT LIST (Cont'd)

TYPE NO.	NSN N17-M-	CATE- GORY	REPLACED BY	SERVICE DWG/SPEC	FIELD CHANGE REQ.	REMARKS
M-35/U		5				
M-36/U		4		MIL-M-15277		Cancelled
M-37/U	47564-9401	4				GSSO
M-38/U		4	51004-C			Sig C Cog
M-39/U	47559-1001	5				
M-40/U		5				Sig C Cog
M-41/U		5				Sig C Cog
M-42/U		4				Sig C Cog
M-43/U		4		MIL-D-11101		Sig C Cog
M-44/U		4		MIL-D-11101		Sig C Cog
M-45/U		4		75-527		Sig C Cog
M-46/U		4	51004-C			
T-17	46581-7501	4	51004-C			Sig C Cog
T-27-A	46551-1010	4	51004-C			Sig C Cog
T-30-V	46618-8501	4		NAF 214356-1		Sig C Cog
T-36-C		4		71-1062		Sig C Cog
T-38-A		4	51004-C			Sig C Cog
	46603-5750	4	51004-C			Sig C Cog
T-45	46581-8351	4	M-6A/UR	MIL-M-11703 SC-D-9971		Sig C Cog
T-48	46551-1008	4	51004-C	Spec 71-1386		Sig C Cog
T-48-A	46551-1006	4	51004-C	Spec 71-946-A		
T-50	49685-3001	4	51039			Sig C Cog
T-55		4				Sig C Cog
ANB-M-C1		4				ASO
	46551-1007	4	51004-C			
	46585-3501	4	51004-C			
	46587-2381	4	51004-C			
	46603-5411	4	ANB-M-C1			Obsolete
	46618-1001	4	51004-C			
	46646-8001	5				
	47051-1011	5				
	47104-5501	5				
	47134-6501	5				
	47138-6800	4				GSSO
	47170-2351	5				
	47551-1005	5				
	47551-1011	5				
	47551-7016	5				
	47551-8526	5				
	47554-4901	5				
	47557-3101	5				
	47558-5001	5				
	47558-9701	4	N17-M-47570-1034			
	47559-1525	5				
	47564-3856	5				
	47564-3876	5				
	47565-7227	4	N17-M-47570-1034			
	47570-1034	1				
	47588-4011	5				
	47588-5001	5				
	47625-6000	5				
	47627-6821	4	51039			
	47650-3000	5				
	47650-3001	5				
	47650-3201	5				
	47656-3601	4				GSSO
	48051-1020	5				
	48060-3501	5				
IC/MPM-3R	48144-5501	4				GSSO
	49613-6526	4				
	49623-7051	4				

INTERCHANGEABILITY LIST

TYPE A - CARBON (100-200 ohm) HANDHELD

I DIRECTLY INTERCHANGEABLE - WITHOUT CORD OR CONNECTOR

NT-51006	N17-M-46568-7011
NT-51042	N17-M-47601-9341

II DIRECTLY INTERCHANGEABLE - COMPLETE WITH 4 FOOT CORD AND PJ-068 PLUG

NT-51000	
NT-51004	N17-M-46601-9181
NT-51004-A	N17-M-46601-9272
NT-51004-B	N17-M-46601-9400
NT-51004-C	N17-M-46601-9221
NT-51004-D	N17-M-46601-9321
NT-51006-A	N17-M-46568-6901
NT-51109	N17-M-46551-1007
M-15/UR	
M-17/U	
M-27/U	
M-38/U	
M-46/U	
T-17	N17-M-46581-7501
T-27-A	N17-M-46551-1010
T-36-C	
T-38-A	
T-38-E	N17-M-46603-5750
T-48- ()	N17-M-46551-1008
T-48-A	N17-M-46551-1006
	N17-M-46618-1001
	N17-M-46585-3501

Microphones of Group I supplied with type FT-2 cable 4 feet long and a PJ-068 plug

III MICROPHONES INTERCHANGEABLE - COMPLETE WITH SPECIAL CORD ASSEMBLY AND PLUG

NT-51041	N17-M-47601-9371
NT-51048	N17-M-46605-1791

Microphones of Group I supplied with NT-49212 and NT-49213 cord assemblies

IV MICROPHONES INTERCHANGEABLE - NOISE CANCELLING

NT-51094	N17-M-46602-2091
M-29/U	

TYPE B - CHEST MICROPHONES - CARBON

I MICROPHONES INTERCHANGEABLE

NT-51005	
NT-51010	N17-M-46568-6951
NT-51014	N17-M-46568-6971
NT-51016	N17-M-46568-6931
NT-51016-A	N17-M-46568-6921
NT-51047	N17-M-46568-7041
NT-51047-A	N17-M-46568-6901
NT-51077	N17-M-46568-6991
NT-51089	N17-M-46576-2041
NT-51089-A	N17-M-46576-2001
NT-51118	N17-M-47600-9201

TYPE C - BOOM TYPE - NOISE CANCELLING

I MICROPHONES INTERCHANGEABLE - BOOM NOT INCLUDED

NT-51066	N17-M-46602-3246
NT-51071	N17-M-46589-6471
M-6/UR	N17-M-46589-6426
M-6A/UR	N17-M-46589-8001
T-45	N17-M-46581-8351

II MICROPHONES INTERCHANGEABLE - BOOM MX-521/U INCLUDED

M-3/U

INTERCHANGEABILITY LIST (Cont'd)

TYPE C - PART II Continued

M-3A/U N17-M-46581-8001
Microphones of Type C Group I supplied with boom - MX-521/U

III MICROPHONES INTERCHANGEABLE - BOOM - 314/UR INCLUDED

M-5/UR N17-M-46589-6411
M-5A/UR N17-M-46589-6446
Microphones of Type C Group I supplied with boom - MX-314/UR

TYPE D - DYNAMIC

I MICROPHONES INTERCHANGEABLE - HANDHELD LOW IMPEDANCE

M-30/U
IC/MPM-3R N17-M-48144-5501
 N17-M-47558-9701
 N17-M-47565-7227
 N17-M-47570-1034

II MICROPHONES INTERCHANGEABLE - HANDHELD HIGH IMPEDANCE

NT-51039 N17-M-47601-9368
T-50 N17-M-49685-3001
 N17-M-47627-6821

TYPE E - DYNAMIC - STAND MOUNTED TYPE

I MICROPHONES INTERCHANGEABLE - STAND NOT INCLUDED - LOW IMPEDANCE

M-22/U
M-23/U
M-42/U
M-43/U
M-44/U
M-45/U
 N17-M-47551-8526
 N17-M-47559-1525
 N17-M-47564-3856
 N17-M-47564-3876
 N17-M-48051-1020

Microphones of Type E Group IV

II MICROPHONES INTERCHANGEABLE - MEDIUM IMPEDANCE - STAND NOT INCLUDED

NT-51098 N17-M-47600-9251
 N17-M-47588-4011
 N17-M-47588-5001
 N17-M-48060-3501

Microphones of Type E Group IV

III MICROPHONES INTERCHANGEABLE - HIGH IMPEDANCE - STAND NOT INCLUDED

M-16/U
M-26/U
 N17-M-47625-6000
 N17-M-47650-3000
 N17-M-47650-3001
 N17-M-47650-3201
 N17-M-47656-3601
 N17-M-47623-7051

Microphones of Type E Group IV

IV MICROPHONES INTERCHANGEABLE - MULTI-IMPEDANCE - STAND NOT INCLUDED

NT-51096 N17-M-47573-8801
 N17-M-47554-4901
 N17-M-47564-3876
 N17-M-47650-3201

INTERCHANGEABILITY LIST (Cont'd)**TYPE E - PART V Continued****V MICROPHONES INTERCHANGEABLE - LOW IMPEDANCE - STAND INCLUDED**

M-40/U

N17-M-49613-6526

Microphones Type E Group I supplied with floor stand

VI MICROPHONES INTERCHANGEABLE - MEDIUM IMPEDANCE - STAND INCLUDED

NT-51099

N17-M-47600-9301

Microphones of Type E Group II supplied with floor stand

VII MICROPHONES INTERCHANGEABLE - HIGH IMPEDANCE - STAND INCLUDED

M-11/U

M-25/U

Microphones of Type E Group III supplied with floor stand

VIII MICROPHONES INTERCHANGEABLE - LOW IMPEDANCE - STAND INCLUDED (DESK)

M-10/F1A-1

M-37/U

F17-M-47564-9401

M-41/U

N17-M-47551-7001

N17-M-47551-7016

Microphones of Type E Group I supplied with desk stand

IX MICROPHONES INTERCHANGEABLE - MEDIUM IMPEDANCE - STAND INCLUDED (DESK)

NT-51120

M-2/U

Microphones of Type E Group II supplied with desk stand

X MICROPHONES INTERCHANGEABLE - HIGH IMPEDANCE - STAND INCLUDED (DESK)

NT-51051





M-9/U





M-9A/U





M-24/U





N17-M-47551-1011












Microphones of Type E Group III supplied with desk stand





	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Holder	51000 51003	 N17-H-75541-1003	F16-T-37456-5104
Mgr: CDC Spec: Remarks: Acoustically filtered by means of a rubber disk; u/w GM				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51004-A 51004 49007	 N17-P-61400-6840	N17-M-46601-9271 N17-M-46601-9181
Mgr: CTE(RS-38) Spec: 17M27 Remarks: NT-51004-A similar to the B model except B is more sensitive				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51004-C 51042 PL-88	 N17-P-61400-7505	N17-M-46601-9221 N17-M-46601-9341
Mgr: CTE(RS-38A), CVA(9044) Spec: 17M27 Remarks: Handheld, anti-noise baffle included; u/w CXBU-1, MAH, TCS-13(2), TCS-14(2)				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Element Cord Connector Switch	51006	 	N17-M-46568-7011 N17-T-89553-2355
Mgr: CAU(35A7) Spec: Remarks: Similar to NT-51006A except uses type 35A7 cell instead of type 41, and cable is not included				





 <p>Microphone Assembly 51006-A</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Element	51006-A	N17-M-46568-6901 N17-T-89553-2276	Carbon, unidirect handheld 30 ohms (200-3000 cps) 3-3/8 high x 3-1/4 wide x 2-25/32 deep
	Cord Connector Switch	49007	N17-P-61400-6840	5' long, 3 cond, rubber-covered Push-to-talk
<p>Migr: CAU Spec: Remarks: Used with TBX-2, 4, 4A; include cell type 41.</p>				
 <p>Microphone Assembly 51010</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51010 49119 49034	N17-M-46568-6951 N17-C-920001-139 N17-P-61248-7242	Carbon, unidirect handheld 30 ohms (200-3000 cps) 65" long None
<p>Migr: CAU(Z8509) Spec: Remarks: Similar to NT-51006 and 51016 except for case and omission of push-to-talk switch. Mounts on chest set NT-51012.</p>				
 <p>Microphone Assembly 51014</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch±	51014 51008	N17-M-46568-6971 N17-M-46568-7011	Carbon, unidirect handheld 30 ohms (200-3000 cps) 4' long, 3 cond, rubber-covered None Push-to-talk
<p>Migr: CAU Spec: Remarks: Same as NT-51010 except incl push-to-talk switch, handheld</p>				
 <p>Microphone Assembly 51016</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51016	N17-M-46568-6931 N17-T-89553-2355	Carbon, unidirect handheld 30 ohms (200-3000 cps) mic cell # 35A7
<p>Migr: CAU(Z3363) Spec: Remarks: Same as NT-51006 and 51010 except for case and omission of push-to-talk switch; NT-51016-A incl mic cell # 41; u/w CAU-51012A chest set</p>				





	ITEM	TYPE	SNSN	DESCRIPTION
 <p>Microphone Assembly 51034</p>	Microphone Assembly Microphone Cord Connector Switch Stand	51034	N17-M-47593-1876	Dynamic 50 ohms (70-9000 cps) 20' long, 4 cond, shielded Push-to-talk Desk type incl
	Mfgr: CTQ # 22D Spec: Remarks: u/w Navy recording equipment #PD; same as NT-51049 except switch in base			
 <p>Microphone Assembly 51039</p>	Microphone Assembly Microphone Cord Connector Switch	51039	N17-M-47601-9368 N17-M-49685-3001	Dynamic unidirectional, hand-held or desk mounted 21,000 ohms (200-2000 cps) 10' long, rubber covered, Press-to-talk, 2 separate (SPST)
	Mfgr: CVL(600C) Spec: Remarks: Same as Sig C T-50; special cable construction; u/w Sig C SCR-299			
 <p>Microphone Assembly 51041</p>	Microphone & Cover Assy	51041	N17-M-46601-9371	Carbon, unidirectional, handheld 100 ohms (300-3500 cps) 27-1/2" long, 1 cond, rubber-covered 38" long, 5 cond, rubber-covered 5 contact & 11 contact CTE (TC-128-2)
	Microphone	51042	N17-M-46601-9341	
	Cord	49212	N17-C-48534-8211	
	Connector Switch	24159	N17-C-920221-107	
Mfgr: CCI Spec: 17M27 (microphone) Remarks: Used with radio MU, MV, MW, DAB(2)				
 <p>Microphone Assembly 51042</p>	Microphone Assembly Microphone	51042	N17-M-46601-9341	Carbon, unidirectional, handheld 100 ohms, 300-3500 cps; 2-1/8" dia x 2-7/16" high x 1-5/16" long None None Push-to-talk
	Cord			
	Connector Switch			
Mfgr: CTE(RS-38A) Spec: 17M27 Remarks: Used in microphone assembly NT-51004-C				





	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51047 51006-A 49007	N17-M-46568-7041 N17-M-46568-6901 N17-P-61400-6840	Carbon, unidirectional, handheld 30 ohms (200-3000 cps) 5' long Push-to-talk
Mfr: CAU Spec: RE 8944A, "A" circuit Remarks:				
Microphone Assembly 51047				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51047-A 51006-A 49007-A	N17-M-46568-7041 N17-M-46568-6901 N17-P-61400-7505	Carbon, unidirectional, handheld 30 ohms (200-3000 cps) 6' long Push-to-talk
Mfr: CAU (H-70740-20) Spec: RE 8944 Remarks: Same as NT-51047 except cord is longer and uses NT-49007-A plug; u/w TBX-3, TCK				
Microphone Assembly 51047-A				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone & Cover Assy. Microphone Cord Connector Switch	51048 51042 49212 49213 24159	N17-M-46605-1791 N17-M-46601-9341 N17-C-48534-8211 N17-C-920221-107 N17-S-56687-3051	Carbon, unidirectional, handheld 125 ohms (200-3500 cps) 27-1/2" long (special purpose) 38" long 5 contact and 11 contact breakaway plug Push-to-talk - molded into cord
Mfr: CCI Spec: Remarks: Used with radio MAB Air Force				
Microphone Assembly 51048				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	51049	N17-M-47570-8751	Carbon, unidirectional, desk mounted 50 ohms (200-4000 cps) 20' long, 4 cond (shielded) Push-to-talk Incl 11" h x 4-1/2" w
Mfr: CTQ(196), CCS(8-372A) Spec: Remarks: Same as NT-51034 except push-to-talk switch is located in tubing instead of base: used with equipment PD-1				
Microphone Assembly 51049				






	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly	51051	N17-M-47627-6251	Magnetic-cardioid pattern; 9" long, 2-1/8" dia
	Microphone Cord	PL-68	N17-P-61400-5186	38,000 ohms (60-7500 cps) 20" long
	Connector Switch Stand			Incl slide switch; desk, incl
<p>Microphone Assembly 51051</p> <p>Mfgr: CVX, D4T Spec: Remarks: Has built in transformer matching voice coil to input of amplifier; stand included; u/w PE-1 voice recorder</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly	51057	N17-M-48142-1001	Carbon, unidirectional, desk mounted (1100-2500 cps) 600 ohms (800-3000 cps) 5' long, 4 cond MC4M
	Microphone Cord			Push-to-talk (in stand)
	Connector Switch			
<p>Microphone Assembly 51057</p> <p>Mfgr: CAU (GH-77020-1) Spec: RE 51AA 120 Remarks: Electrically and mechanically interchangeable with NT-51057-A; u/w TDO</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly	51057-A	N17-M-48142-1001	Carbon, unidirectional, desk mounted
	Microphone			600 ohms (200-3000 cps)
	Cord			6' long, 4 cond MC4M
	Connector			Push-to-talk (mounted in stand)
	Switch			
<p>Microphone Assembly 51057-A</p> <p>Mfgr: CVA(9844) Spec: RE 51AA 120 Remarks: Special feature sound powered; electrically and mechanically interchangeable with NT-51057; to be procured for replacement only</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly	51066	N17-M-46602-3246	Carbon, noise cancelling 100 ohms (300-4000 cps)
	Microphone			None
	Cord			None
	Connector			None
	Switch			None
	Mounting	10312	N17-H-261001-101	Face harness
<p>Microphone Assembly 51066</p> <p>Mfgr: CW(D-173360) Spec: RE 9340A Remarks: Similar to microphone M-6/UR</p>				





	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting	51071 51066 PL-291 10312	 N17-M-46589-6471 N17-M-46602-3246 N17-H-261001-101	Carbon, noise cancelling 100 ohms (300-4000 cps) 15-1/2" long w/plug 6" long None Face harness
<p>Microphone Assembly 51071</p> <p>Migr: CW(D-173359) Spec: RE 9340A; 16M12; RE 51AA113A; BuAer M-25 Remarks: Used with NT-49507 headset; u/w MAR, MAW, TBX-8</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounted	51077 51006 49007-A	 N17-M-46568-6991 N17-M-46568-7011 N17-P-61400-5186	Carbon, unidirectional 40 ohms (200-3000 cps) 20' long Push-to-talk; red circuit On chest plate
<p>Microphone Assembly 51077</p> <p>Migr: CAU Spec: RE9367-A Remarks: P/O chest set NT-51078; same as microphone NT-51016 except switch is in microphone proper; u/w TCK-4, TCK-7</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51089-A FT-3	 N17-M-46576-2001 N17-T-70595-5690	Carbon, 35 ohms 150-5000 cps Spec.15C9, 3-1/2" long Push-to-talk
<p>Microphone Assembly 51089-A</p> <p>Migr: Spec: RE51F117D Remarks: P/O chest set 51092-A and 51093-A; same as NT-51089 except uses different cartridge and mouthpiece</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51094 M-6A/UR PL-68	 N17-M-46602-2091 N17-M-46581-8001 N17-P-61400-7505	Carbon, noise cancelling 100 ohms (300-4000 cps) 5' long, 3 cond Push-to-talk (actuated by lip)
<p>Microphone Assembly 51094</p> <p>Migr: CW Spec: 16M12(RE) Remarks: Not considered acceptable for sanitary reasons, see COMOPDEVFOR Report on project OP/S105/A-6-2</p>				



	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51096	N17-M-47573-8801	Dynamic, unidirectional, desk or floor mounted 200-250 ohms (40-8000 cps); 50-250-25,500 ohms (35,000 cps) None None None
Mfgr: CAFI(55B), CVL #726, CDI 500, CB 8, CAFI-55 Spec: Remarks: U/W PR				
Microphone Assembly 51096				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	51098	N17-M-47600-9251	Dynamic, unidirectional, desk or floor mounted; 3-7/16" wide x 3-7/16" deep x 5-5/8" high 500 ohms (300-5000 cps) None None on microphone PC3F None Not ind
Mfgr: CTQ(999P.C.) Spec: Remarks: U/W YR				
Microphone Assembly 51098				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	51099 51098	N17-M-47600-9301 N17-M-47600-9251	Dynamic, unidirectional (floor standing) 500 ohms (300-5000 cps) CQA # B-28171
Mfgr: CTQ Spec: Remarks: Stand included with microphone; used with equipment YR-2				
Microphone Assembly 51099				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51109 49007	N17-M-46551-1007 N17-P-61400-6840	Carbon, handheld, 1-3/4" dia x 1-1/4" thick 200 ohms (400-5000 cps) 4' long, rubber-covered Push-to-talk, DPST
Mfgr: CAAG(AR-10), COL # 20N404 Spec: Remarks: Antinoise baffle included; u/w equipment TCH and TCH-1				
Microphone Assembly 51109				





	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51115	N17-M-47590-3000	Dynamic, 4-11/16" high x 2-1/2" wide x 1-27/32" long 300 ohms (40-4000 cps) 6' long, 2 cond, rubber covered None Push-to-talk (in front)
<p>Mfgr: CBM-1111 Spec: Remarks: U/W equipment JAA</p>				
Microphone Assembly 51115				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	51118	F17-M-47600-9201	Dynamic, 4-1/4" long x 2-1/2" wide x 2" high 500 ohms (300-4500 cps) MCOS-6, 6' long None Push-to-talk
<p>Mfgr: CRV(MI-23508), CLV# X-3757 Spec: Remarks: Used with chest set; u/w AN/SAC-1</p>				
Microphone Assembly 51118				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	51120	N17-M-47571-2501	Dynamic, semidirectional, desk mounted, 13" high x 5-1/2" deep 50 or 250 ohms (60-10,000 cps) 18" long Push-to-talk (on side of stand) Desk (MI-4048-1)
<p>Mfgr: CRV(88A) MI-4048-1 Spec: Remarks: Used with equipment transmitters TEJ and TEX</p>				
Microphone Assembly 51120				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	M-2/U		Dynamic, omni-directional, mounted on desk stand 200 ohms (100-7000 cps) Amphenol #75-PCIM or equal; check plug if 1 contact impedance is 3800050 None
<p>Mfgr: CVX #D4T except for imp. Spec: MIL-D-11101 (Sig C) Remarks: P/O AN/TIQ-2() public address; stand mounted</p>				
Microphone Assembly M-2/U				





	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Boom	M-3/U M-6/UR PL-291 MX-521/U	N17-M-46589-6411	Carbon 40-90 ohms (100-7000 cps) None Mounts on bracket MX-522/U fastened to ear cushion
<p>Microphone Assembly M-3/U</p> <p>Mfr: 16M12 Spec: 16M12 Remarks: Can be used where T-30 and ANB-M-C1 are now used; p/o H-46A/AR</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Boom	M-3A/A M-6/UR PL-292 MX-521A/U MX-522A/U	N17-M-46589-6411	Carbon, noise cancelling 100 ohms (300-4000 cps) 2 cond; dwg #48G40490 None
<p>Microphone Assembly M-3A/A</p> <p>Mfr: CVL Spec: MIL-M-5793A(USAF) Remarks: P/O headset microphone assembly H-46A/UR</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	M-4/AR PL-291		Carbon, boom mounted 17'' long, rubber covered, 2 cond None
<p>Microphone Assembly M-4/AR</p> <p>Mfr: CVA(9200) Spec: NAF-311603 Remarks: For use at non-oxygen altitudes; includes mounts to earphone</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Boom	M-5A/UR M-6/UR PL-291 MX-314/UR	46589-6446 N17-M-46589-6411	Carbon, noise cancelling 100 ohms (300-4000 cps) 17'' long, rubber covered, 2 cond None
<p>Microphone Assembly M-5A/UR</p> <p>Mfr: CVA, CTE, CW(D-173379) Spec: Remarks: For general use at non-oxygen altitudes, supersedes M-5/UR</p>				



	ITEM	TYPE	SNSM	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Face Harness	M-5/UR 51066 10312	N17-M-46589-6411 N17-M-46602-3246 N17-H-261001-101	Carbon, noise cancelling 100 ohms (300-4000 cps) None Mounts on aviator's helmet
Mfr: CW(D-173332) Spec: Microphone Assembly M-5/UR Remarks: For general use				
	ITEM	TYPE	SNSM	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	M-8/PIQ-1 MC-419 CO-132 AN-3106A-14S-5P	N17-C-70600-1135	Carbon, handheld, bi-directional 100 ohms (300-4000 cps) 4' long Incl
Mfr: Spec: Sig C 71-3163 Remarks: P/O AN/PIQ-1() public address system and loudspeaker LS-110				
	ITEM	TYPE	SNSM	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	M-9A/U CX-583/-GNQ-2A		Dynamic, semi-directional 12,000 ohms (400-4000 cps) AN(MT-355/U)
Mfr: Spec: AAF- Remarks: P/O recorder reproducer AN/GNQ-1A and 2A; olive drab finish, zinc material				
	ITEM	TYPE	SNSM	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	M-10/FIA-1	N17-M-47551-7016 N17-M-47551-7001	Dynamic, semi-directional, desk mounted 20± 2 ohms (40-10,000 cps) 8'-10'' 2 cond shielded 8'-5'' 4 cond power MC4M Desk chd (5/8''27)
Mfr: CW 633-A Spec: Remarks: Similar to M-11/U except has desk stand included and latter has floor stand; u/w USCG CGR-66, ME-103				
	ITEM	TYPE	SNSM	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	M-11/U		Dynamic, semi-directional; floor-mounted 20± 2 ohms (40-10,000 cps) 25' shielded cable MC4M Floor
Mfr: CW#633-A Spec: Remarks: Similar to M-10/FIA-1 except has floor stand				

	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	M-15/UR CO-122/A CO-122/B PL-68 SW-109	N17-P-61400-7505	Carbon, handheld, noise cancelling 60-120 ohms (300-4000 cps) 5' long
Mfr: CW Spec: Sig C 71819-D (tentative) Remarks: Similar to T-17 except uses microphone element M-14/U; used for Signal Corps communications				
Microphone Assembly M-15/UR	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	M-16/U M-9A/U CX-583/- GNQ-2A MT-355/U		Carbon, stand mounted 12,000 ohms (400-4000 cps)
	Mfr: Spec: AAF dwg 45D1010-45D1016 Remarks: P/O AN/GNQ-2A			
Microphone Assembly M-16/U	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Handle	M-17/U TA-119 U/U	4B118013 N17-M-49658-2405	Carbon, noise cancelling; immersion proof 100 ohms
	Mfr: CW(FI-1411914) Spec: Remarks:			
Microphone Assembly M-17/U	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	M-19/U MC-419 U-66/U		Carbon 1-19/64" high x 1-1/4" wide x 1/2" thick 100 ohms, 300-4000 cps; uni-directional 2 cond, small diameter cord Not incl
	Mfr: Spec: Remarks: Gas mask mounted microphone unit (mounts in outlet valve)			
Microphone Assembly M-19/U				

	ITEM	TYPE	SNSN	DESCRIPTION
Microphone Assembly M-20()/U	Microphone Assembly	M-20()/U		Carbon, mounted in face mask 100 ohms (300-4000 cps) 2 cond Face strap
	Microphone Cord Connector Switch Mounted	PL-291		
Mfgr: Spec: RE48657 Remarks: Furnished with removable cover to render unit frost proof, dirtproof, waterproof and windproof; see T-45				
Microphone Assembly M-21/U	Microphone Assembly	M-21/U		Carbon (miniature) 100 ohms (300-2000 cps) Push-to-talk
	Microphone Cord Connector Switch	CX-1069/U SA-133/U		
Mfgr: Spec: Remarks: Pear shaped; p/o AN/PRC-6()				
	Microphone Assembly	M-22/U		Dynamic, uni-directional Noise cancelling, 100 ohms (200-5000 cps) 6' long Included
	Microphone Cord Connector Switch			
Mfgr: CVA Spec: SCL-3066 Remarks: Sig C development (weight 1/2 pound)				
	Microphone Assembly	M-23/U	N17-M-47559-1525	Dynamic, stand mounted 30-50 ohms (70-9000 cps) 2 cord Amphenol 80 #PC2M or equal Thd 5/8"-27 desk or floor
	Microphone Cord Connector Switch Stand	CX-2128		
Mfgr: CVX(D-4) Spec: Sig C 71-2431 Remarks: Part of Sig C reproducing equipment MC-364-D; olive drab finish; u/w turntable MX-932/U				

	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	M-24/U		Dynamic 25,000 ohms (40-8000 cps) 25' long Locking on-off switch Desk stand Carl #32 or equal; thd - 5/8" 27 (incl)
<p>Mfr: CTQ (22DS) Spec: Remarks: Used with amplifier AM-92()/T1</p>				
<p>Microphone Assembly M-24/U</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	M-25()/U RG-58/U		Dynamic stand mounted 25,000 ohms (40-8000 cps) 25' long Locking on-off switch Floor (incl)
<p>Mfr: CTQ(22DS) Spec: Remarks: Part of amplifier AM-92()/T1; same as M-24/U except for stand</p>				
<p>Microphone Assembly M-25()/U</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	M-26()/U PL-68	N17-P-61400-7505	Dynamic unidirectional 12,000 ohms (200-4000 cps) 20' long, 2 cond and Amphenol #91-M3CM Desk (not incl); 5/8"-27 thd
<p>Mfr: CVL (630) Spec: USAF #7120 Remarks: Part of recorder-reproducer AN/GNQ-1A & 2A; interchangeable with microphone M-16/U; satin chrome finish</p>				
<p>Microphone Assembly M-26()/U</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch	M-27/U	N17-M-46579-7501	Carbon 30-50 ohms 300-3000 cps; unidirectional 3' long, 3 cond Amphenol #91-MC4M or equal
<p>Mfr: CAF1 #102-B Spec: 71-3290 (Sig C) Remarks: Part of AN/VRC-2; stock number for 102-C (ESO #N16-M-2300-20)</p>				
<p>Microphone Assembly M-27/U</p>				


 <p>Microphone Assembly M-29/U</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly	M-29/U	N17-M-46589-6426	Bakelite holder carbon N/C; 5-1/4" long x 2-1/2" txd x 1" thick
	Microphone Cord	M-6/UR		40-100 ohms (200-4000 cps) Molded to connector 6' long min
	Connector Switch	U-77/U		Push-to-talk
Mfr: CCN (#D-3561), CVA (#9928) Spec: MIL-M-11193 Remarks: Noise cancelling; used with AN/GRC-3 and 8				
 <p>Microphone Assembly M-30/U</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly	M-30/U		Dynamic or crystal lapel microphone
	Microphone Cord	WD-28/U		150 ohms (300-4000 cps) 15' long
	Connector Switch			Cannon type XL-3-12 or equal
Mfr: CVL 646-S Spec: MIL-M-11051 Remarks: Waterproof, shock resistant				
 <p>Microphone Assembly M-31/U</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly	M-31/U		Capacitor, omnidirectional (50-8000 cps) 3 mc at 1000 cps
	Microphone			200 volt polarizing
	Cord Connector Switch			
Mfr: CW (hi-fi) Spec: Remarks:				
 <p>Microphone Assembly M-32()/AIC</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly	M-32()/-AIC		Dynamic, noise cancelling
	Microphone Cord			5 ohms
	Connector Switch Mounted	PJ-291		12" long, 2 cond; Buna S jacket
Mfr: RCA Spec: Remarks: Part of intercommunication set AN/AIC-10(); includes polyethylene frost and windblast shield				

	ITEM	TYPE	SNSN	DESCRIPTION
Microphone Assembly M-33/AIC-10	Microphone Assembly Microphone Cord Connector Switch	M-33/AIC-10		Dynamic, boom mounted, noise cancelling 5 ohms None
	Mfgr: CRV Spec: Remarks: Part of AN/AIC/10-()			
Microphone Assembly M-34()/AIC	Microphone Assembly Microphone Cord Connector Switch Shield	M-34()/- AIC MX-1334/U		Dynamic, noise cancelling, handheld, 6'' long x 2-1/2'' deep x 1-1/2'' small end dia 5 ohms 6' long, 4 cond None Push-to-talk For protection against ambient noises
	Mfgr: CRV Spec: AMC exhibit TSELT. 171 Remarks: Designed to be permanently wired into interphone system; part of AN/AIC-10()			
 Microphone Assembly M-36/U	Microphone Assembly Microphone Cord Connector Switch	M-36/U PL-68	N17-P-61400-7505	Ceramic, Barium-Titanate, handheld Capacitance, 1100 μμfds; 300-4000 cps 4' long, 2 cond cord Push-to-talk
	Mfgr: Electro-Voice #918 Spec: MIL-M-15277 Remarks:			
 Microphone Assembly M-37/U	Microphone Assembly Microphone Cord Connector Switch	M-37/U		Dynamic, stand mounted 50 ohms (45-8000 cps); 200-25,000 10' long Amphenol #91-MC4N or equal Press-to-talk; incl std
	Mfgr: CVL-628 CASM(MO-4124) Spec: MIL-R-15710 Remarks: Resists high humidity, corrosion effects and shock; part of radio beacon equipment AN/URN-5			

	ITEM	TYPE	SNSN	DESCRIPTION
Microphone Assembly M-39/U	Microphone Assembly Microphone Cord Connector Switch Stand	M-39/U	N17-M-47559-1001	Dynamic 30 ohms (200-5000 cps) 8' long Push-to-talk Desk stand
	Mfr: CVA# 8500210-505 Spec: Remarks: Terminated w/build-in terminal board in base; u/w OA-403/FRA-6 equipment			
Microphone Assembly M-40/U	Microphone Assembly Microphone	M-40/U		Dynamic, omnidirectional 150 ohms, 60-11,000 cps; 4-3/4" long x 2" wide x 4-1/2" high
	Cord Connector Stand	CX-2150/U		Length to be specified Built-in Floor stand, included
Mfr: CVL #630 mod Spec: Remarks: Microphone has swivel head to permit 90° vertical tilt; for general use				
Microphone Assembly M-41/U	Microphone Assembly Microphone	M-41/U		Dynamic, omnidirectional 150 ohms (60-11,000 cps); 4-3/4" long x 2" wide x 4-1/2" high
	Cord Connector Switch Stand	CX-2150/U		Length to be specified Built-in Incl on-off Incl desk stand
Mfr: CVL# 630 mod Spec: Remarks: Same as M-40/U except has desk stand instead of floor stand				
Microphone Assembly M-42/U	Microphone Assembly Microphone	M-42/U		Dynamic, omnidirectional, handheld 150 ohms (60-11,000 cps); 4-3/4" long x 2" wide x 4-1/2" high
	Cord Connector Switch	CX-2150/U		Length to be specified Built-in Incl on-off
Mfr: CVL# 630 mod Spec: Remarks: Same as M40/U except is handheld instead of stand mounted				

Microphone Assembly M-43/U	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone	M-43/U		Dynamic, nondirectional 150 ohms (150-4500 cps); 3" long x 3" wide x 4" high
	Cord Connector Mounted			None Built-in, to mate with Cannon XL-3-11 By bushing, 5/8" dia, 27 threads/inch
Mfgr: Spec: MIL D-11101 Remarks: Ruggedized, moisture and fungus-proofed; general purpose use				
Microphone Assembly M-44/U	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone	M-44/U		Dynamic, nondirectional 150 ohms (100-10,000 cps); 3" long x 3" wide x 8" high
	Cord Connector Mounted			None Built-in, to mate with Cannon XL-3-11 By bushing; standard microphone thread
Mfgr: Spec: MIL-D-11101 Remarks: For general use				
Microphone Assembly M-45/U	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone	M-45/U		Dynamic, unidirectional, hi-fi 50 ohms (50-15,000 cps); 3-3/4" long x 3-1/2" high x 5" deep
	Cord Connector Mounted			None Built-in By pin type mount w/locking thread
Mfgr: CVX # D-44-A Spec: Sig C 75-527 Remarks: Is shock mounted and has wind shield				
Microphone Assembly M-46/U	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone	M-46/U		Reluctance type, handheld 150 ohms, 100-9000 cps, 2-3/4" long x 2-1/32" wide x 3-13/16" high
	Cord Connector Mounting Switch			10' long (Incl.)
Mfgr: CAFI # 505 Spec: Remarks: U/W AN/SAC-4				



	ITEM	TYPE	SNSN	DESCRIPTION
Microphone Assembly T-17	Microphone Assembly	T-17	N17-M-46581-7501	Carbon, unidirectional 35-90 ohm (400-2600 cps) 5', 3 cond Push-to-talk
	Microphone Cord	CD-76	N17-M-49658-4331	
	Connector	PL-68	N17-P-61400-7505	
	Switch	SW-109		
	Mounting			
Mfgr: Spec: Remarks:				
Microphone Assembly T-27-A	Microphone Assembly	T-27-A	N17-M-46551-1010	Carbon CW #246E (or equal) CW #246E (or equal) Push-to-talk Incl
	Microphone Cord			
	Connector			
	Switch			
	Stand			
Mfgr: Spec: Remarks: U/W Transmitter BC-315-329A				
Microphone Assembly T-30-V	Microphone Assembly	T-30-V	N17-M-46618-8501	Carbon, unidirectional 200 ohm, 400-1200 cps 4-1/2' long Neckband
	Microphone Cord			
	Connector	PL-291		
	Switch			
	Mounting	M-199		
Mfgr: CTE # RS-76 Spec: NAF dwg 214356-1 Remarks: Throat microphone; 2 buttons in series; replaced by T-45				
Microphone Assembly T-48-A	Microphone Assembly	T-48-A	N17-M-46551-1006	Carbon, 4052 impedance (1000-4000 cps) 6', 2 cond None incl Desk stand incl
	Microphone Cord			
	Connector	PL-68	N17-P-61400-6840	
	Switch			
	Stand			
Mfgr: CRR # A-107738 Spec: Sig C 71-1386 Remarks: U/W RM-23-() control unit; not since Navy T-38 has desk stand				








NAVSHIPS 91955





	ITEM	TYPE	SNSN	DESCRIPTION
Microphone Assembly T-38-E	Microphone Assembly Microphone Cord	T-38-E	N17-M-46603-5750	Carbon, 2-7/16" long x 1-5/16" wide x 2-1/8" dia 200 ohms, 300-3000 cps Coiled, 6' long, 3 cond
	Connector Switch Mounting	49007-A	N17-P-61400-5186	
Mfgr: CVA #9104 Spec: T-38E Remarks: NAF #213264-6; same as 51004 C except for coiled cord				
	ITEM	TYPE	SNSN	DESCRIPTION
Microphone Assembly T-45	Microphone Assembly Microphone Cord	T-45	N17-M-46598-2401	Carbon 40-100 ohm (100-4000 cps) Vinylite covered, 2 cond, 12" long
	Connector Switch Face Strap	PL-291-A ST-53		
Mfgr: Spec: Remarks: U/W intercom set PA-8				
	ITEM	TYPE	SNSN	DESCRIPTION
Microphone Assembly T-48-A	Microphone Assembly Microphone Cord	T-48-A	N17-M-46551-1006	Carbon None Desk stand, incl
	Connector Switch Mounting			
Mfgr: CRR #A-107438 Spec: Sig C 71-1386 Remarks: U/W RM-23-() control unit				
	ITEM	TYPE	SNSN	DESCRIPTION
Microphone Assembly 51109	Microphone Assembly Microphone Cord	51109	N17-M-46551-1007	Carbon 200 ohms (400-5000 cps) 4' long, 2 cond, rubber covered, shielded Push-to-talk
	Connector Switch Mounting	49007	N17-P-61400-6840	
Mfgr: Spec: Remarks:				



Microphone Assembly N17-M-46585-3501	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand	PL-68	N17-M-46585-3501	Carbon 50 ohms (250-3500 cps) 32' long Push-to-talk Handheld
Mfgr: Kaar # 4C Spec: Remarks: U/W Kaar transmitter PTS-22X				
Microphone Assembly N17-M-46587-2381	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Element Cord Connector Switch Stand		N17-M-46587-2381 N17 M-49657-1073	Carbon, noise cancelling, unidirectional 50 ohms (300-5000 cps) In standard SPDT Desk stand
Mfgr: CVA #9808, CW #8500210-63 Spec: Remarks: P/O CY-888/CRC; in 4 tem barrier type board				
Microphone Assembly 311156-1	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting	311156-1	N17-M-46603-5411	Carbon 100 ohm Rubber covered 3 cont
Mfgr: CTE #R-83 Spec: Remarks: For oxygen masks; superseded by AMB-1C				
Microphone Assembly N17-M-46618-1001	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand		N17-M-46618-1001	Carbon 200 ohms (100-3000 cps) "Kooled Kord" 5' long Push-to-talk Handheld
Mfgr: CBAF #102C Spec: Remarks: Includes wall bracket and mounting hook				





	ITEM	TYPE	SNSN	DESCRIPTION
Microphone Assembly N17-M-46646-8001	Microphone Assembly Microphone Cord Connector Switch Mounting		N17-M-46646-8001	Carbon, 2 button, 6'' long x 3-1/2'' wide x 2'' high 200 ohms (50-6500 cps) 12'', 3 cond Desk stand
	Mfgr: CRV # MI-6225A Spec: Remarks: U/W USCG # LSR-328			
Microphone Assembly N17-M-47051-1011	Microphone Assembly Microphone Cord Connector Switch Mounting		N17-M-47051-1011	Crystal
	Mfgr: CGG # 1X28687 Spec: Remarks: u/w Sig C Receiver BC-611-A			
 Microphone Assembly N17-M-47104-5501	Microphone Assembly Microphone Cord Switch Mounting		N17-M-47104-5501	Crystal, semi-directional, 2-3/8'' dia x 2-7/8'' high High impedance (30-6000 cps); .5 to 5 megload 1 cond, shielded, 7' On desk or floor stand; none incl
	Mfgr: CAFI #707-A Spec: Remarks			
 Microphone Assembly N17-M-47134-6501	Microphone Assembly Microphone Cord Connector Switch Stand		N17-M-47134-6501	Crystal, 50-10000 cps; 8'' high x 3-1/8'' deep x 2-5/16'' dia 84,000 ohms Cap., 1900 μfds Buna covered, single cond, 15' long, shielded Incl 7'' high wood handle
	Mfgr: CQA JT-30-TT Spec: Commercial Remarks: Astatic model JT-30-TT; Bimorph Rochelle Salt element; ESO stock number N16-M-2350-100; wood handle			


	ITEM	TYPE	SNSN	DESCRIPTION
Microphone Assembly N17-M-47138-6800	Microphone Assembly Microphone Cord Connector Switch Mounting		N17-M-47138-6800	Crystal, nondirectional 1 megohm (100-5000 cps) 8' long, 1 cond 75-MC1F, Amphenol Handheld or on desk stand
	Mfr: CBD #107938-PL-1 Spec: Remarks: p/o recorder-reproducer VRT-3			
 Microphone Assembly N17-M-47140-2351	Microphone Assembly Microphone Cord Connector Switch Stand		N17-M-47140-2351	Crystal, unidirectional, close talking (30-7500 cps), high impedance 5' long, w/plug Built-in cord connection None Not included
	Mfr: CQA #D-104 Spec: Remarks:			
Microphone Assembly N17-M-47551-1005	Microphone Assembly Microphone Cord Connector Switch Stand		N17-M-47551-1005	Dynamic Included Desk type included
	Mfr: CGG #P-274-C Spec: Remarks: u/w remote control unit #8274-F Motorola			
Microphone Assembly N17-M-47551-1011	Microphone Assembly Microphone Cord Connector Switch Stand		N17-M-47551-1011	Dynamic, semi & nondirectional; 4-1/2" long x 3-7/8" high x 2-1/4" wide High impedance (30-10,000 cps) 20' long, shielded 3 pin
	Mfr: CTQ #211 Spec: Remarks: For general use			

 <p>Microphone Assembly N17-M-47551-8526</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting			N17-M-47551-8526
Mfgr: CW #632-A Spec: Remarks: p/o USCC CGR-67				
 <p>Microphone Assembly N17-M-47554-4901</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting			N17-M-47554-4901
Mfgr: CAFI #556; CVL#731 Spec: Remarks: p/o AN/UQP-T1				
 <p>Microphone Assembly N17-M-47557-3101</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting			N17-M-47557-3101
Mfgr: Spec: Remarks: u/w St. Carl #30 Ampl; Check M-30				
 <p>Microphone Assembly N17-M-47558-9701</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting			N17-M-47558-9701
Mfgr: St. Carl #19ASN Spec: Remarks: For amp St. Carl #30				

 <p>Microphone Assembly N17-M-47564-3856</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand			N17-M-47564-3856
<p>Mfgr: CTQ #999 Spec: Remarks: Similar to NT-51096</p>				
 <p>Microphone Assembly N17-M-47564-3876</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand			N17-M-47564-3876
<p>Mfgr: CTQ #U9S, CAPI #51, CQA # DN-MZ Spec: #47' Remarks:</p>				
 <p>Microphone Assembly N17-M-47565-7227</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting			N17-M-47565-7227
<p>Mfgr: CAAG #204EP (handimike) Spec: Remarks: p/o LSR-319E</p>				
 <p>Microphone Assembly N17-M-47570-1034</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting			N17-M-47570-1034
<p>Mfgr: CVL # 600D Spec: Remarks: Shock resistant, waterproof</p>				

	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand		N17-M-47588-4011	Dynamic, nondirectional, 6'' long x 2'' diameter x 2-1/2'' deep 250 ohms (60-10,000 cps) 30' long, 2 cond, shielded Not included
Microphone Assembly N17-M-47588-4011	Mfgr: CRV # MI 6206 (black finish) Spec: Remarks: u/w Radio REK			
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting		N17-M-47588-5001	Dynamic, nondirectional, 3-3/8'' long x 2-5/8'' wide x 3'' high 250 ohm (200-7000 cps) 30' long
Microphone Assembly N17-M-47588-5001	Mfgr: CRV #MI-12016-A Spec: Remarks:			
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand		N17-M-47613-6526	Dynamic, cardioid directional 7-25/32'' high x 3-2/16'' wide, 3-9/16'' thick 35,000 ohms (30-10,000 cps) 50' long, single cond Floor or desk type (not included)
Microphone Assembly N17-M-47613-6526	Mfgr: CAFI # 55C Spec: Remarks: Includes int transmitter			
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting		N17-M-47623-7051	Dynamic, non and semi- direct; 2'' deep x 3-3/4'' long 38,000 ohms (40-9000 cps) 12-1/2'' long Included Swivel mounted
Microphone Assembly N17-M-47623-7051	Mfgr: Micro #DST dwg 326157 Spec: Remarks: p/o machine gun trainer MK-2			

 <p>Microphone Assembly N17-M-47625-6000</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand			N17-M-47625-6000
Mfgr: CQA #DN-HZ Spec: Remarks:				
 <p>Microphone Assembly N17-M-47627-6821</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand			N17-M-47627-6821 ESO N16-M-2332
Mfgr: CVX D7PT Spec: Commercial Remarks: American Microphone Co's D7TP, handheld, general use				
 <p>Microphone Assembly N17-M-47650-3001</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Stand			N17-M-47650-3001
Mfgr: CQA # DN-HZ Spec: Remarks:				
 <p>Microphone Assembly N17-M-47650-3201</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch			N17-M-47650-3201
Mfgr: CBMT # 18310 Spec: Remarks:				

	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch		N17-M-47656-3601	Dynamic, semidirectional, 3-1/2" long x 2-3/32" dia 11,000 ohms (60-8000 cps) 15'
Microphone Assembly N17-M-47656-3601	Mfgr: CAFI #52 Spec: Remarks: u/w AN/UNQ-1			
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting		N17-M-48051-1020	Magnetic, semidirectional 60 ohms (300-4000 cps) 2-1/2' long, 2 cond, shielded By bracket
Microphone Assembly N17-M-48051-1020	Mfgr: CAFI #97-704 Spec: Remarks:			
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Holder		N17-M-48060-3501	Magnetic, unidirectional, 2-3/4" long x 2-1/2" dia 225 ohms (60-8000 cps) Push-to-talk Swivel mounted in yoke
Microphone Assembly N17-M-48060-3501	Mfgr: CRV # dwg W-130537-503 Spec: Remarks:			
	ITEM	TYPE	SNSN	DESCRIPTION
	Microphone Assembly Microphone Cord Connector Switch Mounting	1C/MPN-3R MCOS-5	N17-M-48144-5501	Magnetic, unidirectional, handheld 150 ohms (200-8000 cps) 18" long, MCOS-5 6 pin term Press-to-talk Handheld
Microphone Assembly 1C/MPN-3R	Mfgr: CRV # 312512 Spec: Navy R17A11 BUSHIPS plan 9000 - S6502-F-74164 Remarks: Announcing equipment G-503			

NAVSHIPS 91955

	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION

SECTION 4 CHEST SETS

PREFERRED PARTS

This list contains those chestsets which are considered standard for the applications listed. In the design of new equipments, all chestsets procured should be procured from this list. No other types should be procured except those required for maintenance of equipment already in the field for which no standard part is applicable.

I - CHESTSET - FOR GENERAL USE

NT-51090-A

DESIGN INFORMATION

IMPEDANCE AND CONNECTOR DATA ON PREFERRED

TYPES OF CHESTSETS

Impedance of Microphone 100 ohms

Connector AN-3106-A-14S-5P

CROSS INDEX

TYPE NUMBER TO STOCK NUMBER

TYPE NO.	SHSH	SIG C STOCK NO.	NFOR TYPE
51005	N17-C-51019-7639		CW#D-97068
51011	N17-C-51079-4173		CRV#P-717165-503
51012-A	N17-C-51012-9672		CRV#MI-8705 CG#P-7761782 CAU#ES76-5628
51012-B	N17-C-51013-4297		CG#P-7762407
51012-C	N17-C-51013-4288		CG#P-7764898 CAU#70750-1
51015	N16-M-2340		
51015-A	N16-M-2340-1		CRV#P-720304-504
51018	N17-C-51007-2131		CRV#MI-8728
51018-A	N17-C-51012-4161		CRV#MI-2474
51044	N17-C-51009-3536		See 51012-C
51044-A	N17-C-51009-3536	4B415-2	See 51012-C
51045	N17-C-51013-4370		
51046	N17-C-51013-4370		CG#P-7765043-1 CAU#707509 CAU#H-77746-1
51078	N17-C-51015-4734		CAV#9623
51090	N17-C-51025-7631		
51090-A	N17-C-51025-7551		
51091	N17-C-51025-7571		
51091-A	N17-C-51025-7581		
51092	N17-C-51025-7591		
51092-A	N17-C-51025-7666		
51093	N17-C-51025-7611		
51093-A	N17-C-51025-7656		
H-12/GT		4B422-12	
H-17/GT		4B420-17	
H-18/GT		4B422-18	

TYPE NO.	SHSH	SIG C STOCK NO.	NFOR TYPE
H-25/GT		4B1270-25	CAU#GL-844
H-26/CR			Replaces USMC MES-8
H-27/CR			Replaces USMC MES-9
H-28/CR		4B422-28	
H-29/CR			
H-35/U	N17-H-45567-1101	4B1360-3	
H-35A/U	N17-H-45566-9018	4B1360-3	
H-36/U	N17-H-45567-1001	4B1360-2	
H-41/U	N17-C-50975-9231	To BuShips Cog.	CRV#MI-23507
H-44/U	N17-H-45607-6001	4B1360-10	Replaces ES-19A
TD-1		4B417	
TD-1-A	N17-C-51046-7431	4B417-A	
TD-2	N17-C-51040-1001	4B417-2	Replaces ES-17-A
TD-2-A		4B417-2A	
TD-3		4B417-3	
TD-4		4B417-4	
TD-5		4B417-5	
T-26	N17-C-51059-3871	4B418	
T-26-A	N17-C-51072-7581	4B418-A	
T-35	N17-C-50966-1005	4G1335	
T-51		4B419-51	
T-52		4B419-52	
HS-17-A	N17-H-45597-5506	4B1270	
		4B1277A	Replaces ES-17A
		4B1277-A	

STOCK NUMBER TO TYPE NUMBER

SHSH	TYPE NO.	SIG C STOCK NO.	NFOR TYPE
N17-H-45566-9018	H-35A/U	4B1360-3	
N17-H-45567-1001	H-36/U	4B1360-2	
N17-H-45567-1101	H-35/U	4B1360-3	
N17-H-45584-3527	51056		
N17-H-45584-5501			Kellog ES-3540
N17-H-45584-5506			Kellog ES-3541
N17-H-45597-1001			CRV#M-141916-504
N17-H-45597-5506	HS-17-A	4B1270A	
N17-H-45607-6001	H-44/U	4B1360-10	
N17-H-45655-5518			CRV#
N17-C-50966-1005	T-35	4G1335	
N17-C-50975-9231	H-41/U		Trans. to BuShips Cog.
N17-C-50983-2881			Changed from BuShips Cog.
N17-C-50996-4714			Changed from BuShips Cog.
N17-C-51000-8426			Changed from BuShips Cog.
N17-C-51006-9168			
N17-C-51007-2131	51018A		CRV#MI-2474
N17-C-51009-3536	51044	Changed from	F17-C-51005-4320
N17-C-51009-3536	51044-A	4B415-2	CG#P-7764898
N17-C-51012-4161	51018		CRV#MI-8728
N17-C-51012-9672	51012-A		CG#P-7761782
N17-C-51013-4288	51012-C		CG#P-7764898
N17-C-51013-4297	51012-B		CG#P-7762407
N17-C-51013-4370	51045	Changed from	N17-C-51013-4328
N17-C-51013-4370	51046		
N17-C-51014-9025			ADON#B-1315-A
N17-C-51015-4734	51078		CAV#H-77746-1
N17-C-51019-7639	51005		CW#D-97068

SHSH	TYPE NO.	SIG C STOCK NO.	NFOR TYPE
N17-C-51019-8277			CW#
N17-C-51025-7551	51090-A		
N17-C-51025-7571	51091		
N17-C-51025-7581	51091-A		
N17-C-51025-7591	51092		
N17-C-51025-7611	51093		
N17-C-51025-7631	51090		
N17-C-51025-7656	51093-A		
N17-C-51025-7666	51092-A		
N17-C-51040-1001	TD-2	4B417-2	
N17-C-51046-7431	TD-1-A	4B417	
N17-C-51058-8378		Changed to	N17-C-51025-7551
N17-C-51058-8409		Changed to	N17-C-51025-7581
N17-C-51058-8415		Changed to	N17-C-51025-7656
N17-C-51058-8420		Changed to	N17-C-51025-7666
N17-C-51059-3871	T-26	4B418	
N17-C-51062-3637			CRV#2462
N17-C-51062-3641			CRV#2463
N17-C-51062-3716			CRV#2162-A
N17-C-51062-3791			CRV#2162
N17-C-51065-6501			
N17-C-51072-7581	T-26-A	4B418-A	
N17-C-51079-4173	51011		
N17-C-51079-4232	51018-A	Changed to	N17-C-51012-4161

REPLACEMENT LIST

TYPE NO.	SNSN N17-C-	CATE-GORY	REPLACED BY	SERVICE DWG/SPEC	FIELD CHANGE REQ.	REMARKS
51005	51019-7639	4	51090-A		Yes	
51011	51079-4173	4	51090-A		Yes	
51012-A	51012-9672	4	51090-A		Yes	
51012-B	51013-4297	4	51090-A		Yes	
51012-C	51013-4288	4	51090-A		Yes	
51015	N-16-M-2340	4	51090-A		Yes	GSSO
51015-A	N16-M-2340-1	4	51090-A		Yes	GSSO
51018-A	51007-2131	4	51090-A		Yes	
51018-A	51012-4161	4	51090-A		Yes	
51044	51009-3546	4	51090-A	RE 51F119	Yes	
51044-A	51009-3536	4	51090-A	RE 51F119	Yes	
51045	51013-4370	4	51090-A	RE 51F119	Yes	
51046	51013-4370	4	51090-A		Yes	
51078	51015-4734	4	51090-A	RE 9367A	Yes	
51090	51025-7631	4	51090-A	RE 51F117	No	
51090-A	51025-7551	1		RE 51F117		
51091	51025-7571	4	51090-A	RE 51F117	Yes	
51091-A	51025-7581	4	51090-A	RE 51F117	Yes	
51092	51025-7591	4	51090-A	RE 51F117	Yes	
51092-A	51025-7666	4	51090-A	RE 51F117	Yes	
51093	51025-7611	4	51090-A	RE 51F117	Yes	
51093-A	51025-7656	4	51090-A	RE 51F117	Yes	
H-12/GT		4		SC-D-17098 Spec 71-3186		Sig C Cog
H-17/GT		4		SC-D-17106		Sig C Cog
H-18/GT		4		SC-D-17105 Spec 71-3186		Sig C Cog
H-28/GR		4		SC-D-17462 Spec 71-3186		Sig C Cog
H-29/GR		4				Sig C Cog
TD-1		4				Sig C Cog
TD-1-A	51046-7431	4		SC-D-8324-D		Sig C Cog
TD-2	51040-1001	4		Spec 71-1529		Sig C Cog
TD-2-A		4		Spec 71-1529		Sig C Cog
TD-3		4		Spec 71-1533		Sig C Cog
TD-4		4		Spec 71-3122		Sig C Cog
TD-5		4				Sig C Cog
T-26	51059-3871	4				Sig C Cog
T-26-A	51072-7581	4		Spec 71-1529		Sig C Cog
T-35	50966-1005	4		SC-D-6605-A		Sig C Cog
T-51		4		SC-D-14004		Sig C Cog
T-52						
	50983-2881	4		NavShips 365-00286		GSSO
	50996-4714	4		NavShips 365-0992		GSSO
	51000-8426	4		NavShips 365-1139		GSSO
	51006-9168	4		NavShips 365-0504		GSSO
	51014-9025	4		NavShips 365-0331		GSSO
	51019-8277	4		NavShips 365-0093		GSSO
	51058-8378	4	51090-A		No	
	51058-8409	4	51090-A		Yes	
	51058-8415	4	51090-A		Yes	
	51058-8420	4	51090-A		Yes	
	51062-3637	4		BuShips Plan S6502-705512		GSSO
	51062-3641	4		NavShips 365-1694		GSSO
	51062-3716	4		NavShips 365-1056		GSSO
	51062-3791	4		NavShips 365-0245		GSSO

INTERCHANGEABILITY LIST

TYPE A

I DIRECTLY INTERCHANGEABLE

NT-51005	N17-C-51019-7839
NT-51012-A	N17-C-51012-9672
NT-51012-B	N17-C-51013-4297
NT-51012-C	N17-C-51013-4288
NT-51044	N17-C-51009-3546
NT-51044-A	N17-C-51009-3536
NT-51045	N17-C-51013-4370
NT-51046	N17-C-51013-4370
NT-51078	N17-C-51015-4734
H-19/U	
H-28/GR	

II INTERCHANGEABLE

NT-51015	N16-M-2340
NT-51015-A	N16-M-2340-1
NT-51090	N17-C-51025-7631
NT-51090-A	N17-C-51025-7551
NT-51091	N17-C-51025-7571
NT-51091-A	N17-C-51025-7581

Chestsets of Type A Group I when supplied with proper connector

III INTERCHANGEABLE

NT-51018	N17-C-51007-2131
NT-51018-A	N17-C-51012-4161
NT-51092	N17-C-51025-7591
NT-51092-A	N17-C-51025-7666
NT-51093	N17-C-51025-7611
NT-51093-A	N17-C-51025-7656

Microphones of Type A Group I and II when supplied with proper connector

IV INTERCHANGEABLE

TD-1	
TD-1-A	N17-C-51046-7431
TD-2	N17-C-51040-1001
TD-2-A	

TYPE B - CHESTSET

I INTERCHANGEABLE





TD-3
T-46
T-46-A
T-51
T-52
H-12/GT





II INTERCHANGEABLE





TD-4
TD-5





III INTERCHANGEABLE EXCEPT FOR PLUG




H-17/GT	Plug PJ-292
H-18/GT	Plug U-31/GT
H-41/U	Plug Six Prong



	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Connector Cord Cord Switch	51005	N17-C-51019-7639	125 ohms CW#D-97068 CW # 2A or equal CW # 221 or equal CW # 96989 or equal CW # 97069
<p>Mfr: CW#D-97068 Spec: Remarks: Used with TBM, TBM-2, TBN, TBN-3</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Connector Cord Switch	51011 51010 49034 49119	N17-C-51079-4173 ESO-M-16-M-2310 N17-M-46568-6951	30 ohms impedance, 200-3000 cps. Cardioid shape Omitted
<p>Mfr: CRV # P-717165-503 Spec: Remarks: Same as 51006 & 51016 except for case and omission of push-to-talk switch; used with CRV-50064</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Connector Cord Switch	51012-A 51016 49007 24071	N17-C-51012-9672 N17-M-46568-6931 N17-P-61400-6840	Black finish 35 ohms (200-3000 cps) Pressed steel 4' long, 2 cond Push-to-talk
<p>Mfr: CAU # ES-76-5628, GE # P-7761782-1 Spec: Remarks:</p>				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Connector Cord Cord Switch	51012-B 51016 49007 24071	N17-C-51013-4297 N17-P-61400-6840	35 ohms Pressed steel, black 9" long, RC cable for switch 20' long, microphone cable
<p>Mfr: CAU # H-70750-1 (NT-51012-C) CAU # P-7762407 Spec: Remarks: NT-51012B and C are similar except latter uses a type 41 cell</p>				

	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate	51015 51014		ESO-16-M-2340 N17-M-46568-6971
	Connector Jack Cord Switch	MC4F 49121-A		5 cond, shielded
Chest Set Assembly 51015 Migr: CRV # P-720304-502 Spec: Remarks: Used with TBT				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Connector Cord Switch	51015-A		
	MC4F TCOP-1/2T			
Chest Set Assembly 51015-A Migr: CRV # P-720304-504 Spec: Remarks: Same as 51015 except microphone changed to cell type 41; special feature - all parts common to sound powered telephone are used				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Connector Cord Switch	51018		N17-C-51007-2131
Chest Set Assembly 51018 Migr: CRV #MI-2474, dwg # P-720304-503 Spec: Remarks: ESO # N16-M-2342-1				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Connector Cord Switch	51018-A		N17-C-51012-4161
Chest Set Assembly 51018-A Migr: CRV # MI-8728, P-72034-501 Spec: Remarks:				


	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Switch Connectors Cord (mic) Cord (sw)	51044 51016 24071 49007	 	N17-C-51009-3546 N17-M-46568-6931
Mfgr: Spec: RE51F119 Remarks: Similar to NT-51012-B except uses "A" circuit				
Chest Set Assembly 51044				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Switch Connector Cord (mic) Cord (sw)	51044-A 51016-A 24071-A 49007-A	 	N17-C-51009-4320 N17-M-46568-6921
Mfgr: CAU # H-70750-1, CG # P-7764898 Spec: RE51F119 Remarks: Same as NT-51012-C except uses "A" circuit as per RE8944 and same as NT-51044 except for mic and plug. Used with TCK-1, TCK-3, TCK-6				
Chest Set Assembly 51044-A				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Microphone Chestplate Connector Cord Cord Switch Plug	51045 51016-A 24071-A 49007	 	N17-C-51013-4370
Mfgr: CAU # H-70750-8, CG # 7765043-1 Spec: Remarks: Same as NT-51012-C except for cord length; u/w TCN, TCM				
Chest Set 51045				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Switch Connector Cord (mic) Cord (sw)	51046 51016-A 24071 49007-A	 	N17-C-51013-4870 N17-M-46568-6921
Mfgr: CAU # H-70750-9 Spec: RE 8944 Remarks: Same as NT-51044-A except for cord length				
Chest Set Assembly 51046				

	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Switch Connector Cord Cord	51078 51077	N17-C-51015-4734 N17-M-46568-6991	25-45 ohms (200-3000 cps) Push-to-talk 20' long
<p>Mfgr: CAU # H-77746-1, CG # P-64J82 Spec: RE 9367A Remarks: Similar to NT-51044A except for position of switch; u/w TCK-4, TCK-7</p>				
Chest Set Assembly 51078				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Switch Connector Cord Cord	51090-A 51089-A 10455-A AN-3106A-14S-5P 49873	N17-C-51025-7551 N17-M-46516-2041 N17-C-919761-105	35 ohms (150-5000 cps) Semi-cardioid alum. Incl. MMOP-5, 20' long
<p>Mfgr: CVA # 9623 Spec: RE 51F 117C Remarks: Cord same as 49118 except for lengths. Similar to NT-51090 except w/p box mounted on chest plate</p>				
Chest Set Assembly 51090-A				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Switch Connector Cord Cord	51091-A 51089-A 10455-A 49619 49873	N17-C-51025-7581 N17-M-46576-2001 N17-C-71512-3100 N17-C-919761-105	35 ohms Semi-cardioid 20' long
<p>Mfgr: Spec: RE 51F 117C Remarks: Similar to NT-51091 except for w/p box mounted on chest plate</p>				
Chest Set Assembly 51091-A				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Switch Connector Cord	51092-A 51089A 10455-A 49928 49873	N17-C-51025-7666 N17-M-46576-2001 N17-C-919761-105	Semi-cardioid alum. 20' long
<p>Mfgr: Spec: RE 51F 117C Remarks:</p>				
Chest Set Assembly 51092-A				

	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Switch Connector Cord	51093-A 51089-A 10455-A 49928 49873	N17-C-51025-7656 N17-M-46576-2001 N17-C-919761-105	35 ohms Semi-cardioid 20' long
Mfgr: CVA # Spec: RE 51F 117C Remarks: Similar to NT-51092-A except plug is wired differently				
Chest Set Assembly 51093-A				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Chest Unit Connector Cord Switch	H-12/GT T-51 CX-67/GT		Jack to take PJ-48, PJ-54
Mfgr: Spec: Sig C 71-3186 Remarks: When used with H-24/U headset replaces head chest set HS-27-()				
Chest Set H-12/GT				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Unit Chest Unit Microphone Connector Cord Switch	H-17/GT T-51 PL-291-A CX-714/U		6" h x 2-1/4" w x 4-1/2" d Chest plate steel 40-50 ohms SC-D-17107
Mfgr: Spec: Remarks:				
Chest Unit H-17/GT				
	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Chest Unit Connector Cord Switch Strap	H-18/GT H-17/GT CX-67/GT ST-24 ST-25		40 ohms 300-3000 cps
Mfgr: Spec: Sig C 71-3186 Remarks: Part of Office Set TC-4				
Chest Set H-18/GT				

 <p>Chest Set, Elec H-28/GR</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set, Elec Microphone Chest Unit Connector Cord Switch	H-28/GR H-17/GT CX-660/GR		30 ohms carbon (400-3200 cps) Rectangular phenolic
<p>Mfgr: Spec: Sig C 71-3186 Remarks:</p>				
<p>Chest Set H-29/GR</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Microphone Chest Unit Connector Cord	H-29/GR H-17/GT CD-802		
<p>Mfgr: Spec: Remarks:</p>				
 <p>Chest Microphone Assembly H-41/U</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Plate Switch Connector Cord	H-41/U MCOS-6	N17-C-50975-9231	300-4500 cps, dynamic, 500 ohms Semi-cardioid Push-to-talk 5 contact 6' long
<p>Mfgr: CRV # M-123507 Spec: Remarks:</p>				
<p>Chest Set Assembly TD-1-A</p>	ITEM	TYPE	SNSN	DESCRIPTION
	Chest Set Assembly Microphone Chest Unit Connector Cord Switch Strap	TD-1-A T-26-A PL-58 CC-343-A SW-229 ST-24 ST-25	N17-C-51046-7431 N17-C-51072-7581	50 ohms Rectangular, steel Jack JJ-026, JJ-055, PJ-292 6' long
<p>Mfgr: Spec: Sig C # SC-D-8324-D Remarks: When used with headset HS-30 replaces head chestset HS-19-A. Used with sound ranging set</p>				

	ITEM	TYPE	SNSN	DESCRIPTION
Chest Set Assembly TD-2	Chest Set Assembly	TD-2	N17-C-51040-1001	9''h x 3''w x 3''d
	Microphone	T-26	N17-T-89554-5076	40 ohms #D-141914 (or equal)
	Chest Unit	PL-58	N17-C-51072-7581	Steel
	Connector	CC-343-A		10' long
	Cord	ST-24		
	Switch	ST-25		
	Strap			
Migr: CW Spec: Sig C 71-1529 Remarks: Used with HS-30-(); replaces Head & Chest Set HS-17-A; part of SCR-624A & B; similar to TD-1-A except for cord length				
Chest Set Assembly TD-3	Chest Set Assembly	TD-3		60 ohms
	Microphone	T-46		
	Chest Unit	CC-343-A		
	Cord	CC-346		
	Switch	SW-118		On breast plate
	Strap	ST-24		
	Strap	ST-25		
	Connector	PL-58		
Migr: Spec: Sig C 71-1533 Remarks: Used with EE-8 telephone; u/w T-45, T-50; HS-30 and TD-3 replace HS-27				
Chest Set Assembly TD-4	Chest Set Assembly	TD-4		6''h x 3-1/2''w x 1-1/8''d
	Microphone	T-51		60 ohms
	Chest Unit	PL-68-A		Aluminum chest plate
	Connector	PL-55-A		
	Cord	CD-802-A		
	Switch			
Migr: Wood Electric Company Spec: Sig C 71-3122 Remarks: Used for connecting headset H-16/U and microphone T-45 to radio set; used with SCR-300.				
Chest Unit T-26-A	Chest Unit	T-26-A	N17-C-51072-7581	11'' x 4'' x 4'', brass plate
	Microphone	SW-229	N17-T-89554-5076	# 14914 or equal, 60 ohms
	Switch	ST-24		
	Strap	ST-25		
	Cord	CD-1250		Between transmitter and switch, 6', 3 cond
	Plug	PL-58		
Migr: CW Spec: Sig C 71-1529 Remarks: Part of Chest Set TD-1-A, TD-2-A; u/w Sig C SCR-624-A				



	ITEM	TYPE	SNSN	DESCRIPTION
Chest Set Assembly T-35	Chest Set Assembly Microphone Chest Plate Connector Cord Switch	T-35 491909 T-26-A PL-51 CC-342 SW-229	N17-C-50966-1005 N17-T-89554-5076 N17-C-51072-7581	Transmitter element 50 ohms 10', 3 cond
	Mfgr: Spec: Sig C 71-1346, dwg SC-D-6605-A Remarks: Used with Radio Set SCR-206-555-556			
Chest Unit T-51	Chest Unit Jack Strap	T-51 ST-24 ST-25		Plastic case on aluminum plate 6''h x 3-1/2''w x 1-1/8''d To take plug PJ-48, PL-54
	Mfgr: Spec: Remarks: Part of chest set TD-4-(); part of chest unit H-121/GT, H-17/GT, H-18/GT, H-28/GR, H-29/GR			
Headset Chestset Assembly N17-H-45584-5501	Headset Chest- set Assembly Headset Microphone Chestset Switch Connectors Cord	PL-55 PL-126 PL-58 JK-48	N17-H-45584-5501	Brass, yoke mounted trans- mitter, chest plate 600 ohm ES-3570 30 ohm ES-40401-2 ES-3569
	Mfgr: Kellogg switchboard # ES-3540 Spec: Remarks: u/w SP-LM			
Chest Set Assembly N17-C-51006-9168	Chest Set Assembly Microphone Chest Plate Connector Cord Switch		N17-C-51006-9168	11-1/2''h x 5-1/2''w x 2-1/2''d #W-100069 or equal #W-100032 or equal #L-50053
	Mfgr: CRL # N-236-6, dwg # U-2871 Spec: Remarks: Used with battle announcing system; see instruction book M-236-6, *NT-MCG			

NAVSHIPS 91955

	ITEM	TYPE	SNSN	DESCRIPTION
Chest Set Assembly N17-C-51014-9025	Chest Set Assembly Microphone Chest Plate		N17-C-51014-9025	7-1/4''h x 5-3/16''w x 2-5/8''d CW # D-173279 Rectangular shape CAU # GH-76042-2
	Connector Cord Switch	AN-3106- 2255		21' long
Mfr: Operado # MB-1315-A, plan # F-3155A Spec: Remarks: General announcing and antiaircraft use; instruction book NavShips 365-0331; 1 mc and 2 mc circuits				
Chest Set Assembly N17-C-51019-8277	Chest Set Assembly Microphone Chest Plate Connector Cord Switch		N17-C-51019-8277	10-1/2''h x 5-5/16''w x 2-11/16''d CW # D-173128 CW # D-97644 CW # B-405847-80
	Mfr: CW Spec: Remarks: Used with landing craft announcing system; instruction book NavShips 365-0093			
Chest Set Assembly N17-C-51062-3637	Chest Set Assembly Microphone Chest Plate		N17-C-51062-3637	FSSC 30 ohm # W-130537-503 # M-142041-501, rectangular shaped # 9-S-5005-L type T
	Connector Cord Switch Strap			
Mfr: CRV # MI-2462 Spec: BuShips plan S6502-705512 Remarks: Instruction Book NavShips 365-0177				
	ITEM	TYPE	SNSN	DESCRIPTION

	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION

**SECTION 5
HEADSET-CHESTSET ASSEMBLIES**


CROSS INDEX

STOCK NUMBER TO TYPE NUMBER

SNSN	SIG C STOCK NO.	TYPE NO.	MFGR NO.
N17-H-45364-3501			CAU#GL-7020
N17-H-45560-2801			CW#D-173213
N17-H-45566-9018	4B1360-3	H-35A/U	
N17-H-45566-1001	4B1360-2	H-36/U	
N17-H-45567-1101	4B1360-3	H-35/U	
N17-H-45584-3527		51056	
N17-H-45584-5501			Kellogg ES-3540
N17-H-45584-5506			Kellogg ES-3541
N17-H-45597-1001			CRV#W-130656
N17-H-45607-6001	4B1360-10	H-44/U	
N17-H-45655-5518			CRV#W-131104-504-1
N16-M-2301			Dwg W-303100
N16-M-2302			CRV#MI-2045E
		H-25/U	
		H-26/GR	
		H-27/GR	

REPLACEMENT LIST

TYPE NO.	SNSN N17-N-	CATE-GORY	REPLACED BY	SERVICE DWG/SPEC	FIELD CHANGE REQ.	REMARKS
	45364-3501	4		BuShips Plan S6501-735739-0		GSSO
H-35A/U	45560-2801	4				Sig C Cog
H-36/U	45566-9018	4				Sig C Cog
H-35/U	45566-1001	4				Sig C Cog
	45567-1101	4				
	45584-5501	4	NT-51090-A and NT-49507-B		Yes	
	45584-5506	4	NT-51090-A and NT-49507-B		Yes	
H-44/U	45597-1001	4		NavShips 365-0864		GSSO
	45607-6001	4		BuShips Plan S6501-573851		GSSO
	45655-5518	4		BuShips Plan S6502-699975		GSSO
	ESO					GSSO
H-25/U	N16-M-2301	4				Sig C Cog
H-26/GR	N16-M-2302	4				Sig C Cog
H-27/GR		4				Sig C Cog

	ITEM	TYPE	SNSN	DESCRIPTION
Head-Chestset Assembly H-25/U	Head-Chestset Assembly Headset Microphone Chestset Switch Connector Cord	H-25/U HS-30-R T-26 TD-3 SA-18 PL-68 CC-343	N17-H-52016-7601 N17-C-52059-3871	Sound-powered 250 ohms impedance Rectangular breast plate
	Mfr: Spec: Remarks: u/w but not p/o Telephone EE-8			
Head-Chestset Assembly H-26/GR	Head-Chestset Assembly Headset Microphone Chest Set Switch Connector Cord	H-26/GR 49507 T-26 TD-2 CX-489/GR	N17-H-52025-2186 N17-C-51059-3871 N17-C-51040-1001	
	Mfr: Spec: Remarks: To replace USMC-type MHS-8			
Head-Chestset Assembly H-27/GR	Head-Chestset Assembly Headset Microphone Chestset Switch Connector Cord	H-27/GR 49507 51071 TD-3 CX-489/GR	N17-H-52025-2186 N17-M-46589-6471	
	Mfr: Spec: Remarks: To replace MHS-8			
 Chest Headset Assembly H-35A/U	Chest Headset Assembly Headset Microphone Chest Set Switch Connector Cord	H-35A/U HS-30 H-18/GT PL-68 CD-604	N17-H-45566-9018 N17-H-52016-7601	600 ohms Rectangular, phenolic
	Mfr: Spec: Sig C Remarks:			

	ITEM	TYPE	SNSN	DESCRIPTION
Head-Chestset Assembly H-36/U	Head-Chestset Assembly	H-36/U	N17-H-45567-1001	250 ohms Rectangular breast plate
	Headset	HS-30	N17-H-52016-7601	
Head-Chestset Assembly H-36/U	Microphone	T-45	N17-M-46581-8351	Rectangular breast plate
	Chestset	TD-3		
Head-Chestset Assembly H-36/U	Switch	SA-18		Rectangular breast plate
	Connector			
Head-Chestset Assembly H-36/U	Cord	CC-343		Rectangular breast plate
Mfgr: Spec: Sig C Remarks:				
	ITEM	TYPE	SNSN	DESCRIPTION
Head-Chestset Assembly H-44/U	Head-Chestset Assembly	H-44/U	N17-H-45607-6001	Sound-powered 810 ohms w/block 1380 ohms w/free
	Headset	Type "S"		
Head-Chestset Assembly H-44/U	Headband		N17-H-46160-1901	150 ohms Irregular, brass
	Microphone		N17-T-89535-6076	
Head-Chestset Assembly H-44/U	Chestset			Navy #9-S-5005-L
	Switch			
Head-Chestset Assembly H-44/U	Connector			Navy #9-S-5005-L
	Cord			
Mfgr: CAPB #A-275 Spec: R17T23 Remarks: Used in battery system only in case of emergency				
	ITEM	TYPE	SNSN	DESCRIPTION
Head-Chestset Assembly H-44/U				
Head-Chestset Assembly H-44/U				
	ITEM	TYPE	SNSN	DESCRIPTION
Head-Chestset Assembly H-44/U				
Head-Chestset Assembly H-44/U				

SECTION 6
HEADSET-MICROPHONE ASSEMBLIES

PREFERRED PARTS

This list contains those parts which are considered standard for the applications listed. In the design of new equipments, all headset-microphone assemblies procured should be procured from this list. No other types should be procured except those required for maintenance of equipment already in the field for which no standard part is applicable.

I HEADSET-MICROPHONE ASSEMBLIES FOR GENERAL USE SHALL CONSIST OF:

- Headset NT-49507-B
- Boom MX-1435/U
- Microphone M-6A/UR

CROSS INDEX

TYPE NUMBER TO STOCK NUMBER

TYPE NO.	NSN	SIG C STOCK NO.	MFR'S TYPE
49586	N17-H-52582-2441		CQF#DHS-MA-1
51020	N17-H-52572-1361		CAU#P-7707359
51022	N17-H-52572-1381		CTE
51022-A	N17-H-52572-1391		CTE
51022-B	N17-H-52572-1411		CTE
51022-C	N17-H-52572-1371		CVA
51056	N17-H-45584-3527		
H-42/-			
URQ-1			
H-45A/UR			
H-46A/UR			
H-53/U			CCN#20341
H-55/U			CVA#753
H-62/U			
H-63/U	N17-H-51951-1011		
H-66/U		4B1362-66	CW-52AW
H-78/AIC			
H-81/U			CW-53BW
H-91/U			CCN
H-92/U			CW
H-95/U			CCN-350C
AN/URA-2	N17-H-52572-1261	2B1055-2	
	N17-H-52552-1001		CW-52AW

REPLACEMENT LIST

TYPE NO.	SNSN N17-N-	CATE- GORY	REPLACED BY	SERVICE DWG/SPEC	FIELD CHANGE REQ.	REMARKS
49586	52582-2441					
51020	52572-1361	4	49507-B MX-1435/U M-6A/UR		Yes	
51022	52572-1381	4	49507-B MX-1435/U M-6A/UR		Yes	
51022-A	52572-1391	4	49507-B MX-1435/U M-6A/UR		Yes	
51022-B	52572-1411	4	49507-B MX-1435/U M-6A/UR		Yes	
51022-C	52572-1371	4	49507-B MX-1435/U M-6A/UR		Yes	
51056	45584-3527	4	49507-B MX-1435/U M-6A/UR		Yes	
H-38/GR		4				Obsolete
H-42/URQ-1		4				ASO
H-45A/UR		4				ASO
H-46A/UR		4				USAF
H-53/U		4	H-66/U			Sig C
H-55/U		4	H-66/U			Sig C
H-62/U		4	49507-B MX-1435/U M-6A/UR	MIL-H-11190	No	Sig C
H-63/U	51951-1011	4		MIL-H-11190		Sig C
H-66/U		1				
H-78/AIC		4				USAF
H-81/U		4				Sig C Cog
H-91/U		4	H-66/U		Yes	Sig C Cog
H-92/U		4	H-66/U			Sig C Cog
H-95/U		4	49507-B MX-1435/U M-6A/UR		Yes	
AN/URA-2	52572-1261	4	49507-B MX-1435/U M-6A/UR			USMC
	52552-1001	4	H-66/U			

INTERCHANGEABILITY LIST

TYPE A

I COMBINATIONS INTERCHANGEABLE BY CHANGING CONNECTOR AS STATED (One rec, 300 ohms Impedance):





H-42/URQ-1	
H-53/U	None
H-55/U	Polarized
H-66/U	None
H-81/U	U-77/U
H-91/U	U-77/U
H-92/U	PL-289
	N17-H-52552-1001 PL-289



II COMBINATIONS INTERCHANGEABLE - MICROPHONE HANDHELD; HEADSET, 600 OHMS IMPEDANCE




NT-51020	N17-H-52572-1361
NT-51022	N17-H-52572-1381
NT-51022-A	N17-H-52572-1391
NT-51022-B	N17-H-52572-1411
NT-51022-C	N17-H-52572-1371





III MICROPHONE ATTACHED TO HEADSET BY BOOM


NT-49586	N17-H-52582-2441	PJ-068, PJ-055
NT-51056	N17-H-45584-3527	
H-45/U		PL-291, PL-354
H-46/U		U-75/U
H-62/U		PL-291, PL-54
H-63/U	N17-H-51951-1011	JK-55, TC-204-1
H-78/AIC		
H-95/U		PJ-068
AN/URA-1	N17-H-52572-1261	PJ-055, PJ-068 (with switch)

	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Ear Cushions Switch Connector Cord	51022-C 491536 51004-B 49495 49210	N17-H-52572-1371 N17-H-52025-2276 N17-C-965001-109	600 ohms 100-200 ohms (handheld) Push-to-talk Neoprene
Headset and Microphone Assembly 51022-C	Mfr: CTE Spec: RE13A511B Remarks: Same as 51022-B except uses different ear cushions			
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Ear Cushion Switch Connector Cord	51022-B 491536 51004-B 49104-A 49210	N17-H-52572-1411 N17-C-52025-2276 N17-C-965001-108 N17-C-71198-6402	600 ohms 100-200 ohms (handheld) Neoprene-covered
Headset and Microphone Assembly 51022-B	Mfr: CTE Spec: RE13A511B Remarks: Same as NT-51022-A except cord is neoprene-covered; uses headstrap NT-49103			
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Ear Cushion Switch Connector Cord	51022 491536 51004B 49104 49210 MC4F-1	17-H-52572-1381 N17-H-52025-2276 N17-C-965001-110 N17-C-71198-6402	600 ohms impedance, 200-2000 cps 100-200 ohms impedance, 200-2000 cps Push-to-talk long, rubber-covered, 4-cond
Headset and Microphone Assembly 51022	Mfr: CTE Spec: RE13A511B, 17M27(SHIPS) Remarks: Same as 51022-A except cord on "A" is neoprene-covered			
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Ear Cushion Switch Connector Cord	51022-A 491536 51004-B 49104-A 49210	N17-H-52572-1391 N17-H-52025-2276 N17-C-965001-108 N17-C-71189-6402	600 ohms 100-200 ohms (handheld) Push-to-talk Rubber-covered
Headset and Microphone Assembly 51022-A	Mfr: CTE Spec: RE13A511B, 17M27(SHIPS) Remarks: Same as NT-51022 except uses different ear cushions			


	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Ear Cushion Switch Connector Cord	51056 M-4/AR 48490-1	N17-H-45584-3527	600 ohms - ANB-H-1 earphone CVA # 9042 Incl. Incl. 60' long
Mfgr: CVA Spec: H-15 Remarks: p/o MN-4 Headset and Microphone Assembly 51056				
	ITEM	TYPE	SNSN	DESCRIPTION
	Handset & Headset Headset Microphone Ear Cushions Switch Connector Cord	H-38()/GR MC-419 U-66/U		Boom-mounted 3', 4-cond
Mfgr: Spec: SCEL (SCL-3085) Remarks: Headband of beryllium-copper; when folded can be used as a handset (lightweight); used with AN/PRC-6() Radio Set Headphone and Microphone Assembly and Handset-Headset H-38/GR				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Ear Cushions Switch Connector Cord	H-42/URQ-2 NAF-213264-6 AN-3108-14S-5P		Black bakelite 1000 ohms (R-30-K) 300 ohms telephonics NT-51006
Mfgr: Murdock # R-30-K Spec: Remarks: Used with receiver-transmitter RT-145()/URQ-2 Headset and Microphone Assembly H-42/URQ-2				
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Ear Cushion Switch Connector Connector Cord	H-45A/UR HS-33-A M-3/U NAF-48490-1 PL-291 PL-354		600 ohms (300-4000 cps) 40-100 ohms Mic Headset
Mfgr: Spec: 71-1183 Sig C (headset); M-587 (ear cushions) Remarks: Uses Headband HB-7 similar to H-46/U except latter uses U-75/U connectors Headset and Microphone Assembly H-45A/UR				

	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Assembly Ear Cushions Switch Connector Connector Cord	H-46A/UR HS-33-A M-3/A NAF-48490-1 None U-75/U		
Headset and Microphone Assembly H-46A/UR	Mfr: Spec: MIL-H-5795-A, dwg 46D40562 Remarks: Boom and Bracket assembly, incorporates adjustments; spec calls for plug U-75/U			
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Ear Cushion Switch Connector Cord Cord	H-53/U R-22-A T-38 None CX-879/U CX-543/U		One receiver 256 ohms 4' long 6' long
Headset and Microphone Assembly H-53/U	Mfr: CCN # 20341 Spec: Remarks:			
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Ear Cushion Switch Connector Cord	H-55/U		(1) receiver-150 ohms impedance, # 304 80 ohms # 505 3-way polarized min jack 28" long 4 cond
Headset and Microphone Assembly H-55/U	Mfr: Roanwell # 753 Spec: Remarks: Microphone mounted on boom to receiver			
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset Microphone Ear Cushion Switch Connector Connector Cord	H-62/U 49507B M-6/UR 49506-A None PL-54 PL-291 49503-A	N17-H-52025-2191 N17-C-985001-104 N17-C-920001-132	600 ohms (300-4000 cps) modified 70 ohms, noise cancelling 14" long, 2 cords-small, rubber
Headset and Microphone Assembly H-62/U	Mfr: CTE, CCN, CVA Spec: MIL-C-10392 (Cord); MIL-H-11190 Remarks: Used with chest-unit (T-51)			

	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset	H-63/U 49507-B	N17-H-52025-2091	600 ohms (CTE TC-204-1) modified 100 ohms
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset	H-66/U		WECO HC-3 (one receiver) 275 ohms 40 ohms
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset Mic or Handset Headset	H-81/U		Black thermo plastic battery-powered (1) receiver 275 ohms, 200-3000 cps Mic, 40 ohms
	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset	H-95/U 49507		Modified Mounted by boom to headset None
	Microphone	M-6A/UR		Special, wired to microphone & earphones, RC 4-1/2" long
	Switch			
	Connector	PL-68		
	Cord			
Migr: CVA, CCN, CTE Spec: MIL-C-10392 (cords); MIL-H-11190 Remarks:				
Migr: CW (52AW) Spec: Remarks: Telephone operator's headset				
Migr: Federal Telephone & Radio Corp. Spec: MIL-S-10399 (Sig C) Remarks: WECO 53BW telephone operator's set; may be used as handset				
Migr: CCN dwg # 3500 Spec: Remarks: U/W infrared set AN/PAC-1; similar to H-62/U except has a common connector for microphone & headset				

	ITEM	TYPE	SNSN	DESCRIPTION
	Headset & Mic Assembly Headset			17-H-52552-1001
	Microphone	None		
	Ear Cushion	None		
	Switch	PJ-289		
	Connector			
	Cord			Cotton braid L4Ag 5' long
Mfgr: CW # 52A W				
Spec:				
Remarks: Telephone operator's headset. Same as the H-66/U except has a PJ-289 plug.				
Headset and Microphone Assembly 17-H-52552-1001	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION

	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION
	ITEM	TYPE	SNSN	DESCRIPTION



Stanford University Libraries



3 6105 211 326 488

