


Class 26—Telegraph Keys

CLASS 26
TELEGRAPH KEYS
(MANUALLY OPERATED)

RESTRICTED

NAVSHIPS 900,109



Class 26—Telegraph Keys

3.26-1

NAVY TYPE DESIGNATION	FIRST ASSIGNED FOR	NAVY DRAWING OR SPECIFICATION	NAVY TYPE DESIGNATION	FIRST ASSIGNED FOR	NAVY DRAWING OR SPECIFICATION	NAVY TYPE DESIGNATION	FIRST ASSIGNED FOR	NAVY DRAWING OR SPECIFICATION
26000	GENERAL USE	RE 26F 102	CME 26003B	YA-1	6RE 26J 1154A	CJB 26009-A	GENERAL USE	RE 13A 525B
KEY - TELEGRAPH			KEY, TELEGRAPH			SPEED KEY		
AIRCRAFT FLAME PROOF.			FLAME PROOF - (SLIGHT IMPROVEMENTS IN COMPONENTS)					
		(1443B)						
2/24/32			1/6/38			6/20/39		
NOV. 41			NOV. 41			NOV. 41		
26001	GENERAL USE	RE 26F 112A	CMJ 26003C	YA-2 & VB-1	6RE 26J 1156A	CAY 26010	TBP	
KEY - TELEGRAPH			KEY, TELEGRAPH			KEY		
1/8" CONTACTS.			FLAME PROOF - SAME AS -26003B EXCEPT FOR LARGER TERMINAL TUBE FOR ARMORED CABLE.			FLAME-PROOF; INCLUDES TOGGLE SWITCH, 7" CORD AND PLUG.		
		(4361)						
2/24/32			10/4/39			11/10/39		P-7707160
NOV. 41			NOV. 41			NOV. 41		SUB. 9
26001A	GENERAL USE	RE 26F 112B	CHF 26004	*SEE BELOW	57RE26J1147	CAY 26010-A		
KEY-TELEGRAPH			KEY - SIGNALLING			KEY, CORD & PLUG UNIT		
SAME AS BASIC EXCEPT INSULATING MATERIAL CHANGED FROM PHENOLIC TO CERAMIC.						CANCELLED. REASSIGNED - 26013.		
5/13/37			* SEARCHLIGHTS					
AUG 43			11/7/34					
			NOV. 41					
26001B	GENERAL USE	RE 26F 112C	CG-26005	*SEE BELOW	6RE 26J 1148	CHF 26011	90013890014	57RE26J1155A
KEY - TELEGRAPH			KEY - SIGNALLING			SIGNALLING KEY		
CERAMIC INSULATION. SAME AS -26001A EXCEPT FOR SLIGHT CHANGES IN DIMENSIONS.						FOR OPERATING MAGNETIC SHUTTER.		
4/19/39			* 12" SEARCHLIGHTS					
NOV. 41			11/20/34			11/22/39		CHF:DMG 2009
			NOV. 41			NOV. 41		10/2/39
26001C	RE 26F-112E	RE 26F 112	CG-26006	*SEE BELOW	6RE 26J 1148	26012	GENERAL USE	RE 26F 115A
TELEGRAPH KEY			KEY - SIGNALLING			INSULATED TELEGRAPH KEY		
SAME AS NAVY TYPE -26001B EXCEPT FOR IMPROVEMENT OF COMPONENTS WHICH HAVE ALL BEEN DETAILED.			*24" SEARCHLIGHTS					
9/7/40			11/20/34			1/16/40		
NOV. 41			NOV. 41			NOV. 41		
26002	GM	CN-G-115	CAY 26007	*SEE BELOW	14RE26J1149	26012-A	GENERAL USE	RE 26F 113
KEY - CONTROL PUSH BUTTON			KEY - SIGNALLING			INSULATED TELEGRAPH KEY		
CANCELLED SUPERSEDED BY 26003 KEY*			*12" SEARCHLIGHTS			ELECTRICALLY AND MECHANICALLY INTERCHANGEABLE WITH BASIC TYPE, HAS A REMOVABLE BASE AND IMPROVED COMPONENTS.		
3/22/32			1/30/35			7/31/41		
NOV. 41			NOV. 41			NOV. 41		
CN-26003	GM	CN-G-115	CRV 26008	GP		26012-B	GENERAL USE	RE 26F113
KEY - TELEGRAPH			RELAY - KEYING			INSULATED TELEGRAPH KEY		
FLAME-PROOF			COIL: 6 VOLTS D.C. 27 OHMS (LEACH #354)			ELECTRICALLY & MECHANICALLY INTERCHANGEABLE WITH -26012-A. HAS BRASS INSTEAD OF NICKEL COPPER ALLOY PARTS.		
INSULATED FRAME.								
5/3/33			7/3/35		P-708675	12/1/43		
NOV. 41			NOV. 41			MAR. 44		
26003A	CO	RE 26F 111	CMK 26009	GENERAL USE	RE 13A 523A	CAY 26013	TBY	
HA40 TELEGRAPH KEY;			KEY - SPEED			KEY, CORD & PLUG UNIT		
FLAME PROOF, INSULATED FRAME. KNOB OF LAMINATED MATERIAL SPEC. 17-P-5 TYPE-P8M.			CHK-SCHEDULE-6802			FLAME PROOF TYPE. INCLUDES A SEND-RECEIVE TOGGLE SWITCH AND A FOUR FOOT CORD. SIMILAR TO NAVY TYPE CAY-26010 EXCEPT AS FOLLOWS: CORD LENGTH; PLUG KEYED TO PREVENT INSERTION IN TELEPHONE JACK; INCLUDES A RUBBER RAIN PROOF.		
						7/3/40		P-7707097
						MAR. 44		SUB. 8
10/11/33			2/6/36					
AUG. 42			NOV. 41					

RESTRICTED

NAVSHIPS 900,109

3.26-2

Class 26—Telegraph Keys

NAVY TYPE DESIGNATION	FIRST ASSIGNED FOR	NAVY DRAWING OR SPECIFICATION	NAVY TYPE DESIGNATION	FIRST ASSIGNED FOR	NAVY DRAWING OR SPECIFICATION	NAVY TYPE DESIGNATION	FIRST ASSIGNED FOR	NAVY DRAWING OR SPECIFICATION
		26013	CJB 26017	* SEE BELOW	55RE26F1152A	CM-26025	QJB	
MAY USE A NAVY TYPE -62136 CORD AND PLUG ASSEMBLY AS A REPLACEMENT CORD.			TELEGRAPH KEY			CONTACTS RATED 0.25 AMP AT 125 VOLTS DC. AIR GAP OF CONTACTS IS 0.062" ± 0.010. MOUNTED ON A PHENOL FIBRE BASE BY MEANS OF TWO MOUNTING BRACKETS.		
						2/1/45	CW:D-168923	CW:BA-104826
						FEB. 45		ISSUE 1
			* QC-5, QC-5a, QC-5b.					
			2/26/36	CBH 2338				
			NOV. 41.					
CRH 26013-A	TBY-4		CSE-26018	TCS-6		CA0Z-26026	MAR	
KEY, CORD, AND PLUG UNIT:			TELEGRAPH KEY			TELEGRAPH KEY		
SAME AS BASIC NUMBER EXCEPT RUBBER SEAL-PROVIDED INTERNALLY TO PREVENT ENTRANCE OF MOISTURE. MAY USE A NAVY TYPE -62136 CORD AND PLUG ASSEMBLY AS A REPLACEMENT CORD. USES EITHER GE TYPE IGA2A1 OR ARROW, HART & HEGEMAN 20902-P TOGGLE			SAME AS -26001 EXCEPT FOR SLIGHT VARIATION IN DIMENSIONS.			WATERPROOFED		
3/15/43	CRH:E-48527		5/18/43	M-100	CHZ:P1-1002	3/3/45	288	CRY:M-439146
MAR. 44	REV A		NOV. 43		REV 0	APR. 45		SUB 1
		CRH26013-A	COI-26019	TDO				
SWITCH.			KEY, CORD, AND PLUG ASSEMBLY					
			INCLUDES CSE TYPE M-100 KEY, 2 1/2 FT CORD AND CM TYPE 309 PLUG.					
			7/9/43	67A-3	COL:905B-2			
			NOV. 43					
CRH 26013-B	TBY-6, 7, 8		CFT-26020	YL				
KEY CORD AND PLUG UNIT			TELEGRAPH KEY					
SAME AS -26013-A EXCEPT FOR SUBSTITUTION OF NEOPRENE FOR RUBBER COVERED CABLE. MAY USE A NAVY TYPE -62136 CORD AND PLUG ASSEMBLY AS A REPLACEMENT CORD. USES EITHER GE TYPE IGA2A1 OR ARROW, HART & HEGEMAN 20902-P TOGGLE SWITCH.			ALL BRASS CONSTRUCTION WITH LACQUER FINISH. CONTACTS ARE 3/8" COIN SILVER. NAVY TYPE KEY KNOB.					
12/27/43	CR-:48527-G2	CRH:E-48527	7/28/43	CSE:R-64 MOD	CFT:RA-165B-3			
AUG. 44		REV D	NOV. 43		ISSUE B			
CRH 26013-C	TBY-6, 7, 8		CJB-26021	OAH-2				
KEY CORD AND PLUG UNIT			KEY ASSEMBLY					
			CONSISTS OF A TELEGRAPH KEY (NAVY TYPE -26001 LESS CLOSING SWITCH) MOUNTED ON A 3/8" WOODEN BOARD, 3" WIDE AND 5 1/2" LONG WITH 3 RUBBER FEET AND A RUBBER CORD APPROX. 33" LONG, TERMINATING ON A PL-55 PLUG.					
		CANCELLED	7/12/44					
			OCT. 44					
1/26/44								
MAR. 44								
CG-26014	YA-4, YB-4	GRE 26J 1157	CAQZ 26022	TBK-8				
SIGNALLING KEY.			KEY, CORD, & PLUG					
MOUNTS ON SEARCHLIGHT ARM. INCLUDES A TYPE CMT-26003A HAND TELEGRAPH KEY AND A TYPE CG-481047- CAPACITOR, HOUSED IN A WATERPROOF CONTAINER.			ASSEMBLY: CONSISTS OF A WATER PROOF KEY WITH PROVISIONS FOR MOUNTING ON THE TRANSMITTER RECEIVER UNIT OR ON A LEG BAND FOR MOUNTING ON THE OPERATORS LEG. CORD IS 5 FEET IN LENGTH AND TERMINATED IN A PL-55 PLUG. LEG BAND IS INCLUDED.					
5/21/41		CO:DNW M-599172	10/11/44	90062	10513			
NOV. 41		REV. 1	JAN. 45		REV. 0			
26015	NZ		CW26023	TEF				
TELEGRAPH KEY:			KEY PANEL					
ARMY TYPE J-45.			A KEY IN EACH CHANNEL IS PROVIDED TO SELECT INPUT CIRCUIT WHICH IS EITHER THE NORMAL AUDIO CHANNEL, 1000 CYCLE TEST TONE, OR A 1000 CYCLES TONE INTERRUPTED BY A TELEGRAPH KEY MOUNTED ON THIS PANEL					
2/6/43			1/17/45					
AUG. 43			FEB. 45					
CAY 26016	* SEE BELOW	14RE26Z1151A	CW26024	UP				
SIGNALLING KEY			ORDER WIRE KEY AND SOUNDER					
			CONSISTS OF A TELEGRAPH KEY & SOUNDER WITH A CORD & PLUG FOR JACK CONNECTIONS. SECURED TO RELAY TEST & LOUDSPEAKER PANELS BY AN ADAPTER DETAIL 7 IN. BY 4 3/8 IN. USED IN CONNECTION WITH TELEGRAPH ORDER WIRE.					
* 12-1-22 SEARCHLIGHT.			1/18/45	J70045D-2	J70045D-2			
2/18/36	12-J-7		FEB. 45	LIST 1	ISSUE 2			
NOV. 41								