

FILE IN BOOK 2A
TELETYPEWRITER STATION
STUNT BOX RECORD
CODE AG

4-2-65

Replacing date 11-15-63

| CUSTOMER | | | | | | | REQUISITION NO. | DATE |
|----------|----------------|-----------------------|----------------|--------------|------------|---------------|-----------------|--------------------|
| SLOT | ADDRESS | | | | | CONTACT INFO. | SHIFT SLIDES | LATCH RELEASE BAIL |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | | | |
| 1 | UNSH ON SP | 152660 + | 152642 | 152670 | NR | | | |
| 2 | FIGS. SHIFT | 152660 + | 152641 | 152666 | NR | | ← 155938 | |
| 3 | LTRS. SHIFT | 152660 + | 152641 | 152665 | NR | | ← 155939 | |
| 4 | | | | | | | | |
| 5 | CR | 154613 LS + | 162059 | 152667 | NR | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | UC BLK. } MTR. | 154613 LS + | 152121 | 152693** | UC | | ↑ 172501 | |
| 23 | UC H } STOP | 152660 + | 152641 | 152673 | UC | NO | ↓ 172501 | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | BLANK | 152660 + | 152641 | 152669 | NR | | ↑ 172501 | |
| 29 | UC S BELL | 152660 + | 152641 | 152672 | UC | NO | ↓ 172501 | |
| 30 | | | | | | | | |
| 31 | | | | | | | | |
| 32 | | | | | | | | |
| 33 | | | | | | | | |
| 34 | | | | | | | | |
| 35 | BLK } KYBD. | 154613 LS + | 152121 | 152669* | NR | | | |
| 36 | BLK } LOCK | 152660 + | 152642 | 152669 | NR | | | |
| 37 | | | | | | | | |
| 38 | LF SP. SUP. | 152660 + | 152641 | 152668 | NR | | | |
| 39 | | | | | | | | |
| 40 | LF. | 152660 + | 152641 | 15668 | NR | | | |
| 41 | | | | | | | | |
| 42 | | | | | | | | |

NOTES AND LEGEND

- CLIPS -
 * - 176642 Clip
 ** - 152127 Clip
 * - 157274 Clip
 + - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
] - Operates Contact in Lower Numbered Slot
 } - Sequence Operation

CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -

- P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case

CONTACT INFORMATION -

- NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - If feature is not required parts may be omitted or disabled.

LATCHING INFORMATION -

- LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade

GENERAL ABBREVIATIONS -

- Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 EOM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mtr. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical

REFERENCE

- Spec. RS-581.0. Sect. 23B
 Spec. RS-581.84. Sect. F
 Dwg. 2864-WD
 TTY Bulletin 1149B
 TP-153440 Universal Function Bar can be coded as required.
 See BSP 573-115-200

NOTE: Stunt Box Common to 28A, A-1 & A-2 Typing Units.

FILE IN BOOK 2A
TELETYPEWRITER STATION
STUNT BOX RECORD
CODE AN

| CUSTOMER | | | | | | REQUISITION NO. | DATE | |
|------------------|---------------|--------------------------|-------------------|-----------------|---------------|------------------|-----------------|-----------------------|
| S L O T | ADDRESS | | | | T.U. CODE | CONTACT INFO. | SHIFT SLIDES | LATCH RELEASE BAIL |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | | | |
| 1 | UNSH ON SP | 152660 + | 152642 | 155129 | NR | | | |
| 2 | FIGS. SHIFT | 152660 + | 152641 | 152666 | NR | | ← 155938 | |
| 3 | LTRS. SHIFT | 152660 + | 152641 | 152665 | NR | | ← 155939 | |
| 4 | | | | | | | | |
| 5 | CR | 154613 LS+ | 162059 | 152667 | NR | | | |
| 6 | CDC U | 152089 LR+ | 152298 | 155120 | S | | ← 155941 | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | FIGS. } (EOM) | 154613 LS+ | 152121 | 152666 | NR | | | |
| 11 | UC H } | 152660 + | 154647 | 152673 | UC | | | |
| 12 | | | | | | | | |
| 13 | CR } (EOA) | 154613 LS+ | 152121 | 152667 | NR | | | |
| 14 | LF } | 152089 LR+ | 152298 | 152668 | NR | | | |
| 15 | BLANK | 152660 + | 152641 | 152669 | NR | | ← 155938 | |
| 16 | LF | 152660 + | 152641 | 152668 | NR | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | 154669 |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | UC S BELL | 152660 + | 152641 | 153437 | P-UC | NO | | |
| 26 | LTRS. | 154613 LS+ | 154646 | 152665 | NR | NC | ↑ 172503 | |
| 27 | SPACE | 152660 + | 152642 | 155129 | NR | NC | | |
| 28 | UNIV. | 152089 LR+ | 152298 | 155126 | PS | NO | ↓ | |
| 29 | | | | | | | | |
| 30 | FIGS. } (EOM) | 154613 LS+ | 152121 | 152666 | NR | | | |
| 31 | UC H } | 152660 + | 154647 | 152673 | UC | | | |
| 32 | | | | | | | | |
| 33 | | | | | | | | |
| 34 | | | | | | | | |
| 35 | BLK } KYBD | 154613 LS+ | 152121 | 152669 | NR | | | |
| 36 | BLK } LOCK | 152660 + | 152642 | 152669 | NR | | | |
| 37 | LF | 152660 + | 152642 | 155130 | NP | | | |
| 38 | | | | | | | | |
| 39 | | | | | | | | |
| 40 | LF | 152660 + | 152642 | 153435 | P | | | |
| 41 | | | | | | | | |
| 42 | | | | | | | | |

NOTES AND LEGEND

- CLIPS -
 * - 176642 Clip
 ** - 152127 Clip
 # - 157274 Clip
 + - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
 } - Operates Contact in Lower Numbered Slot
 } - Sequence Operation

CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -

- P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case

CONTACT INFORMATION -

- NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - if feature is not required parts may be omitted or disabled.

LATCHING INFORMATION -

- LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade

GENERAL ABBREVIATIONS -

- Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 EOM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mtr. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical

REFERENCE

- Spec. RS-581.0, Sect. 23B
 Spec. RS-581.84, Sect. F
 Dwg. 3215-WD
 TTY Bulletin 1149B
 TP-153440 Universal Function Bar can be coded as required.
 See BSP 573-115-200

NOTE: Stunt Box Common to 28E Typing Unit

FILE IN BOOK 2A
TELETYPEWRITER STATION
STUNT BOX RECORD
CODE AR

4-2-65
Replacing date 11-15-63

| CUSTOMER | | | | | | REQUISITION NO. | DATE | |
|------------------|---------------|--------------------------|-------------------|-----------------|---------------|-----------------|-------------|-----------|
| S L O T | ADDRESS | | | | | CKT. NO. | STA. NO. | T.U. CODE |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | | | |
| 1 | UNSH. OM SP | 152660 + | 152642 | 155129 | NR | | | |
| 2 | FIGS. SHIFT | 152660 + | 152641 | 152666 | NR | | | |
| 3 | LTRS. SHIFT | 152660 + | 152641 | 152665 | NR | | | |
| 4 | | | | | | | | |
| 5 | CR | 154613 LS + | 162059 | 152667 | NR | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | BLANK | 152660 + | 152641 | 152669 | NR | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | UC BLK } MTR. | 154613 LS + | 152121 | 152693** | UC | | | |
| 29 | UC H } STOP | 152660 + | 152641 | 152673 | UC | NO | 172500 | |
| 30 | UC S BELL | 152660 + | 152641 | 153437 | P-UC | NO | | |
| 31 | | | | | | | | |
| 32 | | | | | | | | |
| 33 | | | | | | | | |
| 34 | | | | | | | | |
| 35 | BLK. } KYBD. | 154613 LS + | 152121 | 152669** | NR | | | |
| 36 | BLK. } LOCK | 152660 + | 152642 | 152669 | NR | | | |
| 37 | | | | | | | | |
| 38 | LF SP. SUP. | 152660 + | 152641 | 152668 | NR | | | |
| 39 | | | | | | | | |
| 40 | LF | 152660 + | 152642 | 153435 | P | | | |
| 41 | | | | | | | | |
| 42 | | | | | | | | |

NOTES AND LEGEND

CLIPS -
 * - 176642 Clip
 ** - 152127 Clip
 # - 157274 Clip
 - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
 } - Operates Contact in Lower Numbered Slot
 } - Sequence Operation

CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -
 P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case

CONTACT INFORMATION -
 NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - If feature is not required parts may be omitted or disabled.

LATCHING INFORMATION -
 LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade

GENERAL ABBREVIATIONS -
 Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 EOM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mtr. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical

REFERENCE
 Spec. RS-581.0, Sect. 238
 Spec. RS-581.84, Sect. F
 Dwg. 3214-WD
 TTY Bulletin 1149B
 TP-153440 Universal Function Bar can be coded as required.
 See BSP 573-115-200

NOTE: Stunt Box Common to 280 & D-1 Typing Units.

FILE IN BOOK 2A
**TELETYPEWRITER STATION
STUNT BOX RECORD
CODE AED**

4-2-65
Replacing date 11-15-63

| CUSTOMER | | | | | | REQUISITION NO. | DATE | |
|------------------|----------------------------|-----------------------|----------------|--------------|------------|-----------------|--------------|--------------------|
| S L O T | ADDRESS | | | | | T.U. CODE | | |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | CONTACT INFO. | SHIFT SLIDES | LATCH RELEASE BAIL |
| 1 | UNSH ON SP. | 152660 + | 152642 | 155129 | NR | | | |
| 2 | FIGS. SHIFT | 152660 + | 152641 | 152666 | NR | | ← | |
| 3 | LTRS. SHIFT | 152660 + | 152641 | 152665 | NR | | ← | |
| 4 | | | | | | | ← | |
| 5 | CR | 154613 LS + | 162059 | 152667 | NR | | | |
| 6 | CDC | 154613 LS + | 152121 # | | S | | | |
| 7 | CDC | 152089 LR + | 152298 # | | S | | | |
| 8 | BC-CDC | 154613 LS + | 152121 # | | S | | ← | |
| 9 | BC-CDC | 152089 LR + | 152298 # | | S | | ← | |
| 10 | UC H | 154613 LS + | 152121 | 152673 | UC | | | |
| 11 | LTRS (EOM) | 152660 + | 154647 | 152665 | NR | | | |
| 12 | V | 154613 LS + | 152121 | 155121 | S | | | |
| 13 | CR | 154613 LS + | 152121 | 152667 | NR | | | |
| 14 | LF (EOA) | 152089 LR + | 152298 | 152668 | NR | | ← | |
| 15 | BLANK | 152660 LS + | 152641 | 152669 | NR | | | |
| 16 | LF | 152660 LS + | 152641 | 152668 | NR | | | |
| 17 | HORZ TAB(NOTE 1) UC G | 152660 + | 152642 | 155135 | P-UC | | | |
| 18 | CDC | 154613 LS + | 157207 # | | S | 172562 | | |
| 19 | CDC | 154613 LS + | 157206 # | | S | NC | | |
| 20 | BC-CDC | 154613 LS + | 157207 # | | S | | | 155073 |
| 21 | BC-CDC | 154613 LS + | 157206 # | | S | NC | | |
| 22 | | | | | | | | |
| 23 | | | | | NC | 172510 | | |
| 24 | TSC | 154613 LS + | 157207 # | | S | NO | | |
| 25 | TSC | 154613 LS + | 157206 # | | S | NC | | |
| 26 | UC S BELL | 152660 + | 152641 | 153437 | P-UC | NO | 172523 | |
| 27 | UC H | 154613 LS + | 157207 | 152673 | UC | NO | | |
| 28 | LTRS | 152660 + | 157205 | 152665 | NR | NC | | |
| 29 | | | | | | | | |
| 30 | | | | | | | | |
| 31 | | | | | | | 172521 | |
| 32 | 1ST-1ST LTR | 152089 LR + | 152298 # | | S | NC | | |
| 33 | ANS. BACK | 152660 + | 153670 | 155121 | S | NO | | |
| 34 | 2ND-1ST LTR | 152089 LR + | 152298 # | | S | NC | 172522 | 157203 |
| 35 | BLK | 154613 LS + | 152121 | 152669 | NR | | | |
| 36 | BLK - SEQ. | 152660 + | 152642 | 152669 | NR | NO | | |
| 37 | LF | 152660 + | 152642 | 155130 | NP | | | |
| 38 | UNIVERSAL | 152660 + | 152642 | 155311 | S | NO | 172506 | |
| 39 | | | | | | | | |
| 40 | LF | 152660 + | 152642 | 153435 | P | | | |
| 41 | VERT. TAB UC J (NOTE 2) | 152660 + | 152641 | 155131 | P-UC | | | |
| 42 | FFO UC Z (NOTE 2) | 152660 + | 152641 | 155134 | P-UC | | | |

NOTES AND LEGEND

CLIPS -
 * - 176642 Clip
 ** - 152127 Clip
 # - 157274 Clip
 + - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
 } - Operates Contact in Lower Numbered Slot
 } - Sequence Operation

CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -

P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case

CONTACT INFORMATION -

NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - If feature is not required parts may be omitted or disabled.

LATCHING INFORMATION -

LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade

GENERAL ABBREVIATIONS -

Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 EOM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mtr. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical

REFERENCE

Spec. RS-581.0, Sect. 23B
 Spec. RS-581.84, Sect. F
 Dwg. 3318-WD
 TTY Bulletin 1149B
 TP-153440 Universal Function Bar can be coded as required.
 See BSP 573-115-200

NOTE 1: 28N T.U. Only

NOTE 2: 28M & 28N T.U. Only

NOTE: Stunt Box Common to 28H, M & N Typing Units.

TELETYPEWRITER STATION
STUNT BOX RECORD
CODES AFG & AHD

| CUSTOMER | | REQUISITION NO. | | | | | DATE | |
|------------------|------------------------|-----------------------|----------------|--------------|------------|---------------|--------------|--------------------|
| S L O T | ADDRESS | | | | | T.U. CODE | | |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | CONTACT INFO. | SHIFT SLIDES | LATCH RELEASE BAIL |
| 1 | UNSH ON SP. | 152660 + | 152642 | 155129 | NR | | | |
| 2 | FIGS. SHIFT | 152660 + | 152641 | 152666 | NR | | ←155938 | |
| 3 | LTRS. SHIFT | 152660 + | 152641 | 152665 | NR | | ←155939 | |
| 4 | CR | 154613 LS + | 162059 | 152667 | NR | | | |
| 5 | | | | | | | | |
| 6 | LF | 152660 + | 152641 | 152668 | NR | | | |
| 7 | UC H (EOM) | 154613 LS + | 157207 | 152673 | UC | NO | | |
| 8 | LTRS | 152660 + | 157205 | 152665 | NR | NC | 172542 | |
| 9 | UC S | 152660 + | 152641 | 153437 | P-UC | NO | | |
| 10 | TSC- | 154613 LS + | 157207 # | | S | NO | | |
| 11 | TSC-M | 154613 LS + | 157208 | 155112 | S | NC | 172607 | |
| 12 | CDC-AB | 154613 LS + | 157207 # | | S | NC | | |
| 13 | CDC-AB | 154613 LS + | 157206 # | | S | | | |
| 14 | CR (EOA) | 154613 LS + | 152121 | 155128 | S | | | |
| 15 | LF | 152089 LR + | 152298 | 155315 | S | NO | | ←155946 |
| 16 | | | | | | | | |
| 17 | HORZ TAB UC G (NOTE 1) | 152660 + | 152642 | 155135 | P-UC | | 172532 | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | 153318 |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | CDC- | 154613 LS + | 157207 # | | S | | | |
| 29 | CDC- | 152089 LR + | 152298 # | | S | | | ←162298 |
| 30 | | | | | | | | |
| 31 | | | | | | | | |
| 32 | | | | | | | | |
| 33 | UC H EOM | 154613 LS + | 152121 | 152673 | UC | | | |
| 34 | LTRS | 152660 + | 154647 | 152665 | NR | | | |
| 35 | BLK. | 154613 LS + | 152659 | 152669 | NR | | | |
| 36 | BLK.-SEQ. | 152660 + | 152642 | 152669 | NR | NO | 172551 | |
| 37 | SEL. LTRS. | 154613 LS + | 162484 | 155313 | S | NO | | |
| 38 | SEL. M-V | 154613 LS + | 163944 | 155218 | S | NO | | 162299 |
| 39 | SEL. V | 152660 + | 163943 | 155121 | S | | | |
| 40 | LF | 152660 + | 152641 | 153435 | P | | | |
| 41 | VERT TAB UC J (NOTE 2) | 152660 + | 152641 * | 155131 | P-UC | | | |
| 42 | FFO UC Z (NOTE 2) | 152660 + | 152641 * | 155134 | P-UC | | | |

NOTES AND LEGEND

CLIPS -
 * - 176642 Clip
 ** - 152127 Clip
 * - 157274 Clip
 + - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
 } - Operates Contact in Lower Numbered Slot
 } - Sequence Operation

CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -

P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case

CONTACT INFORMATION -

NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - If feature is not required parts may be omitted or disabled.

LATCHING INFORMATION -

LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade

GENERAL ABBREVIATIONS -

Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 EOM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mtr. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical

REFERENCE

Spec. RS-581.0, Sect. 23B
 Spec. RS-581.84, Sect. F
 Dwg. 3627-WD, 4254WD
 TTY Bulletin 1149B
 TP-153440 Universal Function Bar can be coded as required.
 See BSP 573-115-200

NOTE: 1. 28T T.U. Only

NOTE: 2. AHD Stunt Box Only

NOTE: Stunt Box Common to 28S & 28T Typing Units.

FILE IN BOOK 2A
TELETYPEWRITER STATION
STUNT BOX RECORD
CODES AGZ & AHA

4-2-65
Replacing date 11-15-63

| CUSTOMER | | | | | | REQUISITION NO. | DATE | |
|----------|--------------------------|-----------------------|----------------|--------------|------------|-----------------|--------------|--------------------|
| SLOT | ADDRESS | | | | | CONTACT INFO. | SHIFT SLIDES | LATCH RELEASE BAIL |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | | | |
| 1 | UNSH ON SP | 152660 + | 152642 | 155129 | NR | | | |
| 2 | FIGS. SHIFT | 152660 ++ | 152641 | 152666 | NR | | ← 155938 | |
| 3 | LTRS. SHIFT | 152660 + | 152641 | 152665 | NR | | ← 155939 | |
| 4 | | | | | | | | |
| 5 | CR | 154613 LS + | 162059 | 152667 | NR | | | |
| 6 | CDC U | 152089 LR + | 152298 | 155120 | S | | ← 155941 | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | FIGS (EOM) | 154613 LS + | 152121 | 152666 | NR | | | |
| 11 | UC H | 152660 + | 154647 | 152673 | UC | | | |
| 12 | | | | | | | | |
| 13 | CR (EOA) | 154613 LS + | 152121 | 152667 | NR | | | |
| 14 | LF | 152089 LR + | 152298 | 152668 | NR | | ← 155938 | |
| 15 | BLK | 152660 + | 152641 | 152669 | NR | | | |
| 16 | LF | 152660 + | 152641 | 152668 | NR | | | |
| 17 | HORZ TAB(NOTE 1) UC G | 152660 + | 152642 | 155135 | P-UC | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | 154669 | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | UC S BELL | 152660 + | 152641 | 153437 | P-UC | NO | | |
| 26 | LTR | 154613 LS + | 154646 | 152665 | NR | MC | ← 172503 | |
| 27 | SPACE | 152660 + | 152642 | 155129 | NR | MC | | |
| 28 | UNIV. | 152089 LR + | 152298 | 155126 | P-S | NO | | |
| 29 | | | | | | | | |
| 30 | FIGS (EOM) | 154613 LS + | 152121 | 152666 | NR | | | |
| 31 | UC H | 152660 LR + | 154647 | 152673 | UC | | | |
| 32 | | | | | | | | |
| 33 | | | | | | | | |
| 34 | | | | | | | | |
| 35 | BLK } KYBD | 154613 LS + | 152121 | 152669 | NR | | | |
| 36 | BLK } LOCK | 152660 + | 152642 | 152669 | NR | | | |
| 37 | LF | 152660 + | 152642 | 155130 | NP | | | |
| 38 | | | | | | | | |
| 39 | | | | | | | | |
| 40 | LF | 152660 + | 152642 | 153435 | P | | | |
| 41 | VERT TAB UC J | 152660 + | 152641 * | 155131 | P-UC | | | |
| 42 | FFO UC Z | 152660 + | 152641 " | 155134 | P-UC | | | |

NOTES AND LEGEND

CLIPS -
 * - 176642 Clip
 ** - 152127 Clip
 * - 157274 Clip
 + - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
 } - Operates Contact in Lower Numbered Slot
 } - Sequence Operation

CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -
 P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case

CONTACT INFORMATION -
 NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - If feature is not required parts may be omitted or disabled.

LATCHING INFORMATION -
 LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade

GENERAL ABBREVIATIONS -
 Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 EOM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mtr. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical

REFERENCE
 Spec. RS-581.0, Sect. 23B
 Spec. RS-581.84, Sect. F
 Dwg. 4355-WD
 TTY Bulletin 11498
 TP-153440 Universal Function Bar can be coded as required.
 See BSP 573-115-200

NOTE: 1 AHA STUNT BOX ONLY

NOTE: Stunt Box Common to 28P (AGZ) or 28G Typing Unit.

FILE IN BOOK 2A
TELETYPEWRITER STATION
STUNT BOX RECORD
CODES AJQ

| CUSTOMER | | | | | | | REQUISITION NO. | DATE |
|------------------|-------------|-----------------------|----------------|--------------|------------|---------------|-----------------|--------------------|
| S L O T | ADDRESS | | | | | | CKT. NO. | STA. NO. |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | CONTACT INFO. | SHIFT SLIDES | LATCH RELEASE BAIL |
| 1 | UNSH. ON SP | 152660 + | 152642 | 155129 | NR | | | |
| 2 | FIGS. SHIFT | 152660 + | 152641 | 152666 | NR | | ← | |
| 3 | LTRS. SHIFT | 152660 + | 152641 | 152641 | NR | | +155938 | |
| 4 | CR | 154613 LS + | 162059 | 155127 | P | | +155939 | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | UCH | 154613 LS + | 152121 | 152673 | UC | | 172549 | |
| 8 | LTRS. (EOM) | 152660 | 154647 | 162665 | NR | NO | | |
| 9 | | | | | | | | |
| 10 | | | | | | | 172529 | |
| 11 | CR | 154613 LS + | 157207 | 152667 | NR | NO | | |
| 12 | LF (EOA) | 152089 LR + | 157206 | 152668 | NR | NO | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | 172549 | |
| 17 | | | | | | | | |
| 18 | Y (EOC) | 152089 LR + | 157207 | 152702 | NR | NO | | |
| 19 | M/V RA/B | 152089 LR + | 157206 | 199518 | NR | NO | | |
| 20 | CDC | 154613 LS + | 157207 # | | S | NC | 172582 | |
| 21 | CDC | 154613 LS + | 157206 # | | S | NC | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | CD-CDC | 154613 LS + | 157207 # | | S | NC | 172578 | |
| 25 | AC-CDC | 154613 LS + | 157206 # | | S | NC | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | UCH | 154613 LS + | 152121 | 152673 | UC | | 172583 | |
| 29 | LTRS. (EOM) | 152660 + | 154647 | 152665 | NC | NO | | |
| 30 | UCS BELL | 152660 + | 152641 | 153437 | P-NC | NC | | |
| 31 | | | | | | | | |
| 32 | | | | | | | | |
| 33 | | | | | | | | |
| 34 | | | | | | | | |
| 35 | | | | | | | | |
| 36 | | | | | | | | |
| 37 | | | | | | | | |
| 38 | LF | 152660 + | 152641 | 152668 | NR | | | |
| 39 | | | | | | | | |
| 40 | LF | 152660 + | 152642 | 153435 | P | | | |
| 41 | | | | | | | | |
| 42 | | | | | | | | |

NOTES AND LEGEND

- CLIPS -**
 - 176642 Clip
 ** - 152127 Clip
 # - 157274 Clip
 + - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
 } - Operates Contact in Lower Numbered Slot
 } - Sequence Operation
- CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -**
 P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case
- CONTACT INFORMATION -**
 NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - If feature is not required parts may be omitted or disabled.
- LATCHING INFORMATION -**
 LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade
- GENERAL ABBREVIATIONS -**
 Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 (EOCRA/B) End of Codes Req Ans Back
 EOM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mtr. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical
- REFERENCE**
 Spec. RS-581.0, Sect. 23B
 Spec. RS-581.84, Sect. F
 Dwg. 7021-WD
 TTY Bulletin 1149B
 TP-153440 Universal Function Bar can be coded as required.
 See BSP 573-115-200

NOTE: Stunt Box Common to 28AM Typing Unit

FILE IN BOOK 2A
TELETYPEWRITER STATION
STUNT BOX RECORD
CODES AJM, AJN & AJP

| CUSTOMER | | | | | | REQUISITION NO. | DATE |
|----------|-------------------------|-----------------------|----------------|--------------|------------|-----------------|--------------|
| SLOT | ADDRESS | | | | | CKT. NO. | STA. NO. |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | CONTACT INFO. | SHIFT SLIDES |
| 1 | UNSH ON SP | 152660 + | 152642 | 155129 | NR | | |
| 2 | FIGS SHIFT | 152660 + | 152641 | 152666 | NR | | ←155938 |
| 3 | LTRS. SHIFT | 152660 + | 152641 | 152665 | NR | | ←155939 |
| 4 | CR | 154613 LS + | 162059 | 152667 | NR | | |
| 5 | CR | 152660 + | 152642 | 152667 | NR | NC | |
| 6 | V ANS. BACK | 154613 LS + | 152298 | 155121 | S | NC | 172573 |
| 7 | UCH | 154613 LS + | 157207 | 152673 | UC | NC | |
| 8 | LTR (EOM) | 152660 + | 157205 | 152665 | NR | NO | |
| 9 | UCS BELL | 152660 + | 152641 | 153437 | P-UC | NC | |
| 10 | | 154613 LS + | 152121 # | | S | | 172574 |
| 11 | M } TSC | 154613 LS + | 152121 | 155112 | S | NC | |
| 12 | V } TSC | 152089 LR + | 152298 | 155121 | S | NO | |
| 13 | LF | 152660 + | 152641 | 152668 | NR | | |
| 14 | CR | 154613 LS + | 152121 | 155128 | S | | |
| 15 | LF (EOA) | 152089 LR + | 152298 | 155315 | S | NC | 155946 |
| 16 | H - BUS. MACH. | 152089 LR + | 152298 | 155133 | S-LC | | 172575 |
| 17 | HORZ TAB(NOTE 1) UC6 | 152660 | 152642 | 155135 | P-UC | | |
| 18 | Y (EOC) | 152089 LR + | 152121 | 155124 | S | | |
| 19 | M/V RA/B | 152089 LR + | 152298 | 152218 | S | NC | 155077 |
| 20 | CDC | 154613 LS + | 157207 # | | S | NC | 172576 |
| 21 | CDC | 154613 LS + | 157206 # | | S | NC | |
| 22 | CDC | 154613 LS + | 157207 # | | S | NC | |
| 23 | CDC | 154613 LS + | 157206 # | | S | NC | |
| 24 | BC-CDC | 154613 LS + | 157207 # | | S | NC | 172577 |
| 25 | BC-CDC | 154613 LS + | 157206 # | | S | NC | |
| 26 | | | | | | | |
| 27 | | | | | | | |
| 28 | | | | | | | |
| 29 | | | | | | | |
| 30 | UCH | 154613 LS + | 152121 | 152073 | UC | | |
| 31 | LTR (EOM) | 152660 + | 154647 | 152665 | NR | NO | 172532 |
| 32 | | | | | | | |
| 33 | | | | | | | |
| 34 | | | | | | | |
| 35 | BLK | 154613 LS + | 152659 | 152669 | NR | | |
| 36 | BLK-SEQ. | 152660 | 152642 | 152669 | NR | NC | 172578 |
| 37 | LTRS AUTO TRANS | 154613 LS + | 162484 | 155313 | S | NC | |
| 38 | M/N START STOP | 154613 LS + | 163944 | 155218 | S | | 152357 |
| 39 | | | | | | | |
| 40 | LF | 152660 + | 152642 | 153435 | P | | |
| 41 | VERT TAB(NOTE 2) UC1 | 152660 + | 152641 * | 155131 | P-UC | | |
| 42 | FFO (NOTE 2) UC7 | 152660 + | 152641 * | 155134 | P-UC | | |

NOTES AND LEGEND

CLIPS -
 * - 176642 Clip
 ** - 152127 Clip
 # - 157274 Clip
 + - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
 } - Operates Contact in Lower Numbered Slot
 } - Sequence Operation

CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -

P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case

CONTACT INFORMATION -

NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - If feature is not required parts may be omitted or disabled.

LATCHING INFORMATION -

LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade

GENERAL ABBREVIATIONS -

Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 EOCRA/B - End of Codes Req. Ans Back
 EOM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mrt. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical

REFERENCE

Spec. RS-581.0, Sect. 23B
 Spec. RS-581.84, Sect. F
 Dwg. 7020WD
 TTY Bulletin 1149B
 TP-153440 Universal Function Bar can be coded as required.
 See BSP 573-115-200

NOTE 1: AJP Stunt Box Only

NOTE 2: AJN & AJP Stunt Boxes Only

NOTE: Stunt Boxes Common to 2BAF(AJM) 2BAK(AJN) & 2BAL (AJP) Typing Units.

RS-581.000
FORM-AHS-1

FILE IN BOOK 2A
TELETYPEWRITER STATION
STUNT BOX RECORD
CODES AHS & AHU

DATE

| CUSTOMER | | | | | | REQUISITION NO. | T.U. CODE |
|------------------|--------------------------|--------------------------|-------------------|-----------------|---------------|------------------|-----------------|
| S L O T | ADDRESS | | | | | CKT. NO. | STA. NO. |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | CONTACT INFO. | SHIFT SLIDES |
| 1 | UNSH, ON SP | 152660 + | 152642 | 155129 | NR | | |
| 2 | FIGS. SHIFT | 152660 + | 152641 | 152666 | NR | | ← 155938 |
| 3 | LTRS. SHIFT | 152660 + | 152641 | 152665 | NR | | ← 155939 |
| 4 | | | | | | | |
| 5 | CR | 154613 LS + | 162059 | 152667 | NR | | |
| 6 | | | | | | | |
| 7 | | | | | | | |
| 8 | | | | | | | |
| 9 | | | | | | | |
| 10 | | | | | | | |
| 11 | | | | | | | |
| 12 | | | | | | | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | BLANK | 152660 + | 152641 | 152669 | NR | | |
| 23 | | | | | | | |
| 24 | | | | | | | |
| 25 | | | | | | | |
| 26 | | | | | | 172502 | |
| 27 | | | | | | | |
| 28 | U. C. S. BELL | 152660 + | 152641 | 153457 | P-UC | NO | |
| 29 | | | | | | | |
| 30 | | | | | | | 172502 |
| 31 | | | | | | | |
| 32 | FIGS | 152660 # + | 152642 | 152666 | NR | NO | |
| 33 | FIGS | 154613 LS | 152121 | 162666 | NR | | |
| 34 | C | 152660 + | 152642 | 153520 | UC | NO | 172570 |
| 35 | BLK. } KYBD. | 154613 LS + | 152121 | 152669 | NR | | |
| 36 | BLK. } LOCK | 152660 + | 152642 | 152669 | NR | | |
| 37 | | | | | | | |
| 38 | LF SP. SUP. | 152660 + | 152641 | 152668 | NR | | |
| 39 | | | | | | | |
| 40 | LF | 152660 + | 152642 | 153435 | P | | 172572 |
| 41 | VERT TAB UCJ (NOTE 1) | 152660 + | 152641 # | 155134 | P-UC | NO | (NOTE 1) |
| 42 | FFO UCZ (NOTE 1) | 152660 + | 152641 * | 155134 | P-UC | NO | |

NOTES AND LEGEND

CLIPS -
 * - 176642 Clip
 ** - 152127 Clip
 # - 174185 Pawl Read 152653
 + - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
 } - Operates Contact in Lower Numbered Slot
 } - Sequence Operation

CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -

P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case

CONTACT INFORMATION -

NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - If feature is not required parts may be omitted or disabled.

LATCHING INFORMATION -

LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade

GENERAL ABBREVIATIONS -

Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 EOM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mtr. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical

REFERENCE

Spec. RS-581.0, Sect. 23B
 Spec. RS-581.84, Sect. F
 Dwg. 4905-WD
 ITV Bulletin 1145B
 TP-153440 Universal Function Bar can be coded as required.
 See BSP 573-115-200

NOTE 1: AHU Stunt Box Only.

NOTE: Stunt Box Common to 28AB(AHS) or 28AC(AHU) Typing Unit.

FILE IN BOOK 2A
TELETYPEWRITER STATION
STUNT BOX RECORD
CODE ATG

| CUSTOMER | | | | | | REQUISITION NO. | | DATE |
|------------------|--------------|--------------------------|-------------------|-----------------|---------------|------------------|-----------------|-----------------------|
| ADDRESS | | | | | | T.U. CODE | | |
| S L O T | FUNCTION | | | | | CKT. NO. | STA. NO. | |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | CONTACT INFO. | SHIFT SLIDES | LATCH RELEASE BAIL |
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | CR | 154613 LS + | 152298 | 192459 | P | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |
| 14 | RI-OFF | 152660 + | 152642 | 192460 | P | NC | 172540 | |
| 15 | RI-ON | 152660 + | 152642 | 192462 | P | NO | | |
| 16 | CONT. G BELL | 152660 + | 152642 | 192463 | P | NO | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | WRU | 152660 + | 152642 | 192465 | P | NO | | |
| 26 | WRU | 152660 + | 152642 | 192465 | P | NO | 172525 | |
| 27 | EOT | 152660 + | 152642 | 192466 | P | NO | | |
| 28 | X-ON | 152660 + | 152642 | 192469 | P | NO | | |
| 29 | LF | 154613 LS + | 152121 | 192471 | P | | | |
| 30 | ACK | 152660 + | 152642 | 192470 | P | NO | 172538 | |
| 31 | X-OFF | 152660 + | 152642 | 192467 | P | NO | | |
| 32 | RU | 152660 + | 152642 | 192468 | P | NO | | |
| 33 | | | | | | | | |
| 34 | | | | | | | | |
| 35 | | | | | | | | |
| 36 | | | | | | | | |
| 37 | | | | | | | | |
| 38 | | | | | | | | |
| 39 | | | | | | | | |
| 40 | LF | 152660 + | 152642 | 192471 | P | | | |
| 41 | | | | | | | | |
| 42 | | | | | | | | |

NOTES AND LEGEND

CLIPS -
 * - 176642 Clip
 ** - 152127 Clip
 # - 157274 Clip
 + - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
 } - Operates Contact in Lower Numbered Slot
 } - Sequence Operation

CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -
 P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case

CONTACT INFORMATION -
 NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - If feature is not required parts may be omitted or disabled.

LATCHING INFORMATION -
 LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade

GENERAL ABBREVIATIONS -
 Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 EDM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mtr. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical

REFERENCE
 Spec. RS-581.0, Sect. 23B
 Spec. RS-581.84, Sect. F
 Dwg. 4786-WD
 TTY Bulletin 1149B
 TP-153440 Universal Function Bar can be coded as required.

NOTE: Stunt Box Common To 35A Typing Unit

FILE IN BOOK 2A
TELETYPEWRITER STATION
STUNT BOX RECORD
CODE ATH

| CUSTOMER | | | | | | | REQUISITION NO. | DATE |
|------------------|--------------|-----------------------|----------------|--------------|------------|---------------|-----------------|--------------------|
| ADDRESS | | | | | | | T.U. CODE | |
| S L O T | | | | | CKT. NO. | STA. NO. | | |
| | FUNCTION | LATCH OR SPRING PLATE | FUNCTION LEVER | FUNCTION BAR | T.U. COND. | CONTACT INFO. | SHIFT SLIDES | LATCH RELEASE BAIL |
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | CR | 154613 LS + | 152298 | 192459 | P | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | H&VT | 152660 ° + | 152642 | 192475 | P | | | |
| 13 | FFO | 152660** + | 152642 | 192473 | P | NO | | |
| 14 | RI-OFF | 152660 + | 152642 | 192460 | P | NO | 172542 | |
| 15 | RI-ON | 152660 + | 152142 | 192462 | P | NO | | |
| 16 | CONT. G BELL | 152660 + | 152642 | 192463 | P | NO | | |
| 17 | HORZ. TAB | 152660 + | 152642 | 192464 | P | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | WRU | 152660 + | 152642 | 192465 | P | NO | | |
| 26 | WRU | 152660 + | 152642 | 192465 | P | NO | 172525 | |
| 27 | EOT | 152660 + | 152642 | 192466 | P | NO | | |
| 28 | X-ON | 152660 + | 152642 | 192469 | P | NO | | |
| 29 | LF | 154613 LS + | 152121 | 192471 | P | | | |
| 30 | ACK | 152660 + | 152642 | 192470 | P | NO | 172538 | |
| 31 | X-OFF | 152660 + | 152642 | 192467 | P | NO | | |
| 32 | RU | 152660 + | 152642 | 192468 | P | NO | | |
| 33 | | | | | | | | |
| 34 | | | | | | | | |
| 35 | | | | | | | | |
| 36 | | | | | | | | |
| 37 | | | | | | | | |
| 38 | | | | | | | | |
| 39 | | | | | | | | |
| 40 | LF | 152660 + | 152642 | 192471 | P | | | |
| 41 | VT | 152660 + | 152642 | 192472 | P | | | |
| 42 | FFO | 152660 + | 152642 | 192473 | P | | | |

NOTES AND LEGEND

CLIPS -
 * - 153604 PAWL REPL. 152653
 ** - 153598 PAWL REPL. 152653
 # - 157274 Clip
 + - 152653 Pawl, 157240 Spg., 4703 Spg., 90517 Spg. and 72522 Wick
 } - Operates Contact in Lower Numbered Slot
 } - Sequence Operation

CONDITION OF TYPING UNIT FOR FUNCTION BAR SELECTION -

P - Print
 S - Select
 NP - Non-Print
 NR - No Restrictions
 UC - Upper Case

CONTACT INFORMATION -

NO - 157887 Normally Open Contact Arm
 NC - 157899 Normally Closed Contact Arm
 X - If feature is not required parts may be omitted or disabled.

LATCHING INFORMATION -

LR - Latched Under Latch Release Bail
 LS - Latched Under Stripper Blade

GENERAL ABBREVIATIONS -

Ans. = Answer
 BC = Broadcast
 Blk. = Blank
 CDC = Call Directing Code
 CR = Carriage Return
 EOA = End of Address
 EOM = End of Message
 FFO = Form Feed-Out
 Figs. = Figures
 Horiz. = Horizontal
 Kybd. = Keyboard
 L.F. = Line Feed
 Ltrs. = Letters
 Mtr. = Motor
 Sel. = Select
 Seq. = Sequence
 Slids. = Slides
 Sp. = Space
 Sup. = Suppression
 Tab. = Tabulation
 TSC = Transmitter Start Code
 TU = Typing Unit
 UC = Upper Case
 Univ. = Universal
 Unsh. = Unshift
 Vert. = Vertical

REFERENCE

Spec. RS-581.0, Sect. 23B
 Spec. RS-581.84, Sect. F
 Dwg. 4787-WD
 TTY Bulletin 1149B
 TP-153440 Universal Function Bar can be coded as required.

NOTE: Stunt Box Common To 35B Typing Unit.