


gc



A:  
SER  
OR FOR

TOP MTG PLT  
DRILLING


TP153017 SPEED  
NUT FURNISHED WITH  
TP152909 AUX APPARATUS  
MOUNTING RACK

TP152909 AUX APPARATUS  
MOUNTING RACK (MUST BE  
ORDERED SEPARATELY).

584DG SUBSCRIBER SET  
FOR TWX SERVICE ONLY

150 TYPE WAVE SHAPING  
SETS AS REQUIRED



28B TTY CABINET




SECT. A-A

ASSEMBLY FOR PRIVATE LINE  
SERVICE WITHOUT TTY SUBSET  
OR FOR ATTENDED LOCAL TWX SERVICE


FIG. 1






ASSEMBLY FOR UNATTENDED  
LOCAL TWX SERVICE

FIG. 2



TTY STATION ASSEMBLY  
28B TTY CABINET  
PLS STATION WITHOUT TTY SUBS  
ATTENDED OR UNATTENDED LOCAL TW



SECT. B-B

TOP MTG PLT  
DRILLING

20C4 OR 120D2  
TTY SUBSCRIBER SET  
(20C4 SHOWN)

3-BAY CORD EQUIPPED  
WITH HUBBELL  
NO. 7484 BODY

TP153017 SPEEDNUT  
FURNISHED WITH TP152909  
AUX APPARATUS MOUNTING  
RACK

TP152909 AUX APPARATUS  
MOUNTING RACK (MUST BE  
ORDERED SEPARATELY).

28B TTY CABINET

ASSEMBLY FOR UNATTENDED  
LOCAL TWX SERVICE

FIG. 2

TTY STATION ASSEMBLY  
28B TTY CABINET  
PLS STATION WITHOUT TTY SUBSET OR  
ATTENDED OR UNATTENDED LOCAL TWX STATION