


26 TELETYPEWRITER.

LOCATION OF TYPE PALLETS ON TYPEWHEEL


for info
 This is info furnished to
 NY Tel men in their maint.
 school

Miss Keall
 Please fill in
 our file copy of
 26 type adjustments
 (see spec Bul)

Arrangement - C -




Arrangement - A -



N.Y. Telephone Co. Plant Training Div.
 TYPEWHEEL PALLET ASSEMBLY.
 Issue #2 4-14-39
 Dr. MEB Ck. MEB Ap. T.D. 1413-11

26 TELETYPEWRITER.

STOP PIN DRUM ARRANGEMENT OF CHARACTERS.
(as viewed from front of machine)




Upper case characters to be determined by type arrangement "A" or "C" as required.

N.Y. TELEPHONE CO.		PLANT TRAINING DIVISION	
STOP PIN DRUM ASSEMBLY.			
ISSUE 1.	4-10-39	T.D.	
DR. MEB	OR. MEB	AP. L.	1413-11

26 Teletypewriter.

Function arm assembly.

(Cam position angles accurate.)



- LEVEL**
- " 8. CARRIAGE RETURN
 - " 7. UPPER CASE SPACE CUTOUT
 - " 6. LOWER CASE SPACE CUTOUT
 - " 5. FIGURES SHIFT
 - " 4. LETTERS SHIFT
 - " 3. LINE FEED
 - " 2. BELL OR MOTOR CONTROL
 - " 1. BREAK OR MOTOR CONTROL

N.Y. TELEPHONE CO.	PLANT TRAINING DIVISION
FUNCTION ARM ASSEMBLY.	
ISSUE 2	4-10-59
DR. MEB/CK.MEB/AP.V.L.	T.D. 1400-11