

**TELETYPE™ THE  
ECONOMICAL HIGH-SPEED TYPE-TO-TAPE EQUIPMENT**







## DELEGATED PORTFOLIO MANAGEMENT BY INVESTOR





Image courtesy of the manufacturer.



Image courtesy of the manufacturer.



Electronic typewriter with  
I Ching keyboard

#### **REPRODUCTION AND TRANSMISSION REQUIREMENTS**

Reproduction of this article is permitted for noncommercial use, provided the source is acknowledged. For all other uses, permission should be sought from the publisher.

The copyright in this article is held by the I Ching Corporation, 10000 Wilshire Blvd., Suite 1000, Beverly Hills, CA 90210. All rights reserved. No part of this article may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the I Ching Corporation.

The I Ching Corporation is a registered trademark of the I Ching Corporation. The I Ching Corporation is a registered trademark of the I Ching Corporation. The I Ching Corporation is a registered trademark of the I Ching Corporation.

#### **REPRODUCTION AND TRANSMISSION REQUIREMENTS**

Reproduction of this article is permitted for noncommercial use, provided the source is acknowledged. For all other uses, permission should be sought from the publisher.

The copyright in this article is held by the I Ching Corporation, 10000 Wilshire Blvd., Suite 1000, Beverly Hills, CA 90210. All rights reserved. No part of this article may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the I Ching Corporation.

# S P E C I F I C A T I O N S

TYPE	MINIMUM	TYPICAL	MAXIMUM	APPROX. WEIGHT
<b>Standard</b> Including the Flange and Nut	0.010 0.011	0.010 0.011	0.010 0.011	0.010 0.011
<b>Ball Bearing</b> Type Including Nut	0.010 0.011	0.010 0.011	0.010 0.011	0.010 0.011

**Notes:** 1. Dimensions are in inches and millimeters.

2. All dimensions are to be maintained unless otherwise specified.

### **Face Finish**

Surface 100-200 microinches (2.5-5.0 micrometers) Ra and better.

Surface 300-500 microinches (7.5-12.5 micrometers) Ra and better for threaded areas.

**Material Requirements:** 1. Material: 304 Stainless Steel (AISI 304).

### **Dimensional Tolerances**

0.0005-0.0010

Unless otherwise specified, tolerances are to be maintained unless otherwise specified. All dimensions are to be maintained unless otherwise specified. All dimensions are to be maintained unless otherwise specified. All dimensions are to be maintained unless otherwise specified.

Unless otherwise specified, all dimensions are to be maintained unless otherwise specified. All dimensions are to be maintained unless otherwise specified. All dimensions are to be maintained unless otherwise specified.

Unless otherwise specified, all dimensions are to be maintained unless otherwise specified. All dimensions are to be maintained unless otherwise specified. All dimensions are to be maintained unless otherwise specified.



