

NOTE: ALL INFORMATION MUST BE KEPT STRICTLY CONFIDENTIAL AND NOT TO BE DISCLOSED TO ANY OTHER PARTY WITHOUT THE EXPRESS WRITTEN PERMISSION OF THE ISSUING OFFICE.

5751 WD		
REVISIONS		
NO.	DATE	AUTH. NO.
1	1-14-64	79374
2	3-4-64	79849
3	7-7-64	82103
4	8-31-64	82490
5	10-14-64	83655
6	11-17-64	83662
7	1-11-65	84872
8	2-12-65	84884
9	2-12-65	83668
10	7-26-65	89146
11	7-29-65	87302
12	4-18-66	90307

NO. NOTES
SEE SHEET 4 OF 4 FOR NOTES

- ZB211 EC375-1/2
- 1/ZB423-E (N)
- 1/ZB217-L (P)
- ZB323 EC503-1/4
- 3/ZB58A-4 (Q)
- 3/ZB29-K (R)
- ZB218 EC359
- 1/ZB426-M (S)
- 4/ZB119-L (T)
- 1/ZB425-S (U)


SEE ISSUE CONTROL RECORD FOR COMPLETE LIST OF SHEETS COMPRISING THIS SHEET 2 OF 4

SCHEMATIC WIRING DIAGRAM FOR XMT-R START CODE GENERATOR


ASSEM. NO. 193001
APPROVALS
D AND R E OF M

E NUMBER
PROD. NO. 5751 WD
DATE: 8-30-63
P.D. FILE NO. 33-A25 AA
DRAWN N.A.R./CMKD
ENG. S.A.P. APPD
TELETYPE CORPORATION
5751 WD

SCANNER REQ. TO SEND (TO T.D. 5708WD-4 (A) & RD 5706WD-2 (P))



END (FROM R.D. 5706WD-3)



5751 WD		
REVISIONS		
ISSUE	DATE	AUTH. NO.
1	4-7-64	79849
2	3-31-64	82490
3	10-14-64	82655
4	7-29-65	87302
5	4-18-66	90307

NOTES:
 1. ALL DIMENSIONS MUST BE REFLECTED ON THE ISSUE CONTROL RECORD WHICH IS A PART OF THIS DRAWING.

NO. NOTES
 REFER TO SHEET 4 OF 4 SHEETS FOR NOTES

SEE ISSUE CONTROL RECORD FOR COMPLETE LIST OF SHEETS CONTAINING THIS W.D.
 SHEET 3 OF 4

SCHEMATIC WIRING DIAGRAM FOR XMTR. START CODE GENERATOR

ASSEM. NO. 193001



APPROVALS
 D AND R: EQFM
 (Signature)

E-NUMBER
 PROD. NO. 5751WD




DATE: 9-9-63
 P.D. FILE NO. 33-A25AA
 DRAWN: N. ARCHMD.
 ENGD. S.A.P. APPD. (Signature)

TELETYPE CORPORATION

5751 WD



- NO. NOTES**
- REFER TO 5750, 5753 AND 5755WD FOR ACTUAL W.D.
 - INDICATES TERMINAL ON RECEPTACLE JB518B EXCEPT WHERE OTHERWISE INDICATED.
 - PARTS OF 19302 SELECTOR ASSEMBLY, 193030 PROGRAMMER ASSEMBLY, AND 193205 CONTROL PANEL SHOWN FOR CIRCUIT CONTINUITY.
 - OUTPUTS FOR 8 LEVEL OPERATION ARE SHOWN ON JB607. BITS 2 THROUGH 6 ARE USED AS BITS 1 THROUGH 5 IN 5 LEVEL OPERATION.
 - WIRING LEGEND**
 SHEET NUMBER
 CIRCUIT CARD
 MODULE
 ROW
 DISTANT TERMINATING AREA
 DISTANT TERMINATING DESIGNATION AREA ON PAGE WHERE DESIRED TERMINATION IS LOCATED
 1/ZB414-K
 - SPARE CIRCUITS AVAILABLE:**
 1- EMITTER FOLLOWER ZB422-EC527-1/6
 1-3 INPUT "AND" GATE ZB323-EC503/4
 1-1 EMITTER FOLLOWER-ZB423-EC528-1/6
 2-3 INPUT "AND" GATE ZB110 EC503-2/4
 2- EMITTER FOLLOWERS-ZB320 EC528-1/6
 1- EMITTER FOLLOWER ZB110 EC527-1/6
 - REFER TO SPECIFICATION FOR ADJUSTMENT OF VARIABLE TIMING CIRCUITS.
 - PART OF 19302 STEPPING SWITCH ASSEMBLY.
 - PART OF 193030 PROGRAMMER ASSEMBLY.
 - JB127-A9 AND JB127-D10 TO BE STRAPPED WHERE INTERCEPT OPTION IS NOT USED.
 - PART OF 193205 CONTROL PANEL ASSEMBLY.
 - PART OF 193195 MTG. PLATE ASSEMBLY.



NOTE:
 REVISION INFORMATION MUST ALSO BE REFLECTED ON THE ISSUE CONTROL RECORD, WHICH IS PART OF THIS W.D.

5751 WD		
REVISIONS		
ISSUE	DATE	AUTH. NO.
2	1-14-64	79374
3	4-7-64	79849
4	RECORD ONLY	
5	11-17-64	83662
6	1-11-65	84872
7	2-12-65	83668
8	7-29-65	87302
9	8-24-65	88163
10	4-18-66	90307

SEE ISSUE CONTROL RECORD FOR COMPLETE LIST OF SHEETS COMPRISING THIS W.D.
 SHEET 4 OF 4

SCHEMATIC WIRING DIAGRAM FOR XMTR. START CODE GENERATOR

ASSEM. NO. 193001

APPROVALS

D AND R E OF M

E-NUMBER

PROD. NO. 5751 WD

DATE 9-5-63

P.D. FILE NO. 33-A25AA

DRAWN H. D. S. CHKD. *ref*

ENG. S. P. APPD. *ref*

TELETYPE CORPORATION

5751 WD