

2.5A

EQUIP. TYPE R396A/URR EXP. NO.


Col. 357-9220-06

NOTICE: WHEN GOVERNMENT DRAWINGS, SPECIFICATIONS, OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE UNITED STATES GOVERNMENT THEREBY INCURS NO RESPONSIBILITY NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONFERRING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE, OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

THIS DOCUMENT HAS BEEN PURCHASED BY THE GOVERNMENT AND MAY BE REPRODUCED AND USED IN CONNECTION WITH ANY GOVERNMENT PROCUREMENT OR MAINTENANCE OPERATION.

\* FOR INFORMATION ONLY. CONTRACTOR MAY AT HIS OPTION DEVIATE FROM THESE PROCESS DETAILS.

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVAL



NOTES:

- PART MAY BE NO. 44925, TYPE MB, AS SUPPLIED BY INDUSTRIAL PRODUCTS CO., PHILADELPHIA, PA., OR EQUAL, PROVIDING IT MEETS THE FOLLOWING REQUIREMENTS AND DIMENSIONS SHOWN.

DESCRIPTION: MINIATURE BAYONET LOCK RIGHT ANGLE PLUG CONNECTOR FOR USE WITH 0.120 INCH NOMINAL O.D. COAXIAL CABLE.

INSULATION: POLYTETRAFLUOROETHYLENE.

VOLTAGE RATING: 500 VOLTS RMS, MAXIMUM.

FINISH: M251 PER SPEC MIL-F-14072.

COLLINS PART NO.	ITEM	QTY	PART NO.	DESCRIPTION	MATL	MATL SPEC
LIST OF MATERIAL						
COLLINS PART NO. <u>559-0281-002</u>						

				DRAWN <i>ECS</i>	CHECKED <i>[Signature]</i>	APPROVED	COLLINS RADIO CO. CEDAR RAPIDS, IOWA <b>14214-PH-51-93</b>		CONNECTOR-PLUG	DEPARTMENT OF THE ARMY SIGNAL CORPS ENGINEERING LABORATORIES		
				UNLESS OTHERWISE SPECIFIED: DECIMAL DIMENSIONS INCLUDING HOLE SIZES MAY VARY ±.005 FRACTIONAL DIMENSIONS INCLUDING HOLE SIZES MAY VARY ±1/64 MACHINED ANGLES MAY VARY ±.1° SHEARED ANGLES MAY VARY ±.25° BROKEN ANGLES MAY VARY ±1° ECCENTRICITY BETWEEN ANY DIAMETERS ON THE SAME CENTERLINE SHALL NOT EXCEED .010 TOTAL INDICATOR READING. ALL DIMENSIONS ARE FINISH DIMENSIONS INCLUDING APPLIED FINISH AND ARE GIVEN IN INCHES.			SIGNAL CORPS			FORT MONMOUTH NEW JERSEY		
							REVIEWED <i>PME</i>			SM-B-283180		
							APPROVED <i>HLV</i> <i>PME</i>					
558-0452005 - 1 SM-E-249101 SCDL-248715							DATE <u>13 JAN 56</u>		SCALE <u>2/1</u>			
COLLINS NO. QTY NEXT ASSY USED ON				APPLICATION								